



Head Office

Batu 10, Jalan Pokok Sena, Mukim Jabi, 06400 Alor Setar, Kedah, Malaysia.

Tel : 604-7822936 (6 lines)
Fax : 604-7821940
Website : http://www.besgrade.com

Tanah Merah Branch

Lot 4 & 5, Tanah Merah Industrial Area, 17500 Tanah Merah, Kelantan, Malaysia.

Tel : 609-9551936, 9555996
Fax : 609-9555889

Gua Musang Branch

Plot No. 125, 126, 127 & 128, Kawasan Perindustrial Gua Musang, 18300 Gua Musang, Kelantan, Malaysia.

Tel : 609-9122936, 9122789
Fax : 609-9121940

Technical Data Sheet Plywood
(Performance Characteristic)
Malaysian Tropical Medium Light Hardwood

Table with 3 main columns: Plywood Type, Plywood Composition, and Property. It details specifications for 9mm Marine Plywood (WBP), including species (Medium Light Hardwood), panel size (1220mm x 2440mm), and mechanical properties like Modulus of Rupture (MOR) and Modulus of Elasticity (MOE).

This performance characteristic is according to the standard 13986:2004.



Head Office

Batu 10, Jalan Pokok Sena, Mukim Jabi, 06400 Alor Setar, Kedah, Malaysia.

Tel : 604-7822936 (6 lines)
Fax : 604-7821940
Website : http://www.besgrade.com

Tanah Merah Branch

Lot 4 & 5, Tanah Merah Industrial Area, 17500 Tanah Merah, Kelantan, Malaysia.

Tel : 609-9551936, 9555996
Fax : 609-9555889

Gua Musang Branch

Plot No. 125, 126, 127 & 128, Kawasan Perindustrial Gua Musang, 18300 Gua Musang, Kelantan, Malaysia.

Tel : 609-9122936, 9122789
Fax : 609-9121940

Technical Data Sheet Plywood
(Performance Characteristic)
Malaysian Tropical Medium Light Hardwood

Table with 3 main columns: Plywood Type, Property, Test Method, Value of Test. Includes rows for Plywood Composition (Face Back, Short Core, Long Core), Species, Panel Size, No of Plies, Bonding / Adhesive, Moisture Content, Density, Modulus of Rupture (MOR), Modulus of Elasticity (MOE), Class Grade, and Bonding Quality (Shear Strength).

This performance characteristic is according to the standard 13986:2004.



Head Office

Batu 10, Jalan Pokok Sena, Mukim Jabi, 06400 Alor Setar, Kedah, Malaysia.

Tel : 604-7822936 (6 lines)
Fax : 604-7821940
Website : http://www.besgrade.com

Tanah Merah Branch

Lot 4 & 5, Tanah Merah Industrial Area, 17500 Tanah Merah, Kelantan, Malaysia.

Tel : 609-9551936, 9555996
Fax : 609-9555889

Gua Musang Branch

Plot No. 125, 126, 127 & 128, Kawasan Perindustrial Gua Musang, 18300 Gua Musang, Kelantan, Malaysia.

Tel : 609-9122936, 9122789
Fax : 609-9121940

Technical Data Sheet Plywood
(Performance Characteristic)
Malaysian Tropical Medium Light Hardwood

Table with 3 main columns: Plywood Type, Property, Test Method, Value of Test. Includes rows for Plywood Composition (Face Back, Short Core, Long Core), Species, Panel Size, No of Plies, Bonding / Adhesive, Moisture Content, Density, Modulus of Rupture (MOR), Modulus of Elasticity (MOE), Class Grade, and Bonding Quality (Shear Strength).

This performance characteristic is according to the standard 13986:2004.



Head Office

Batu 10, Jalan Pokok Sena, Mukim Jabi, 06400 Alor Setar, Kedah, Malaysia.

Tel : 604-7822936 (6 lines)
Fax : 604-7821940
Website : http://www.besgrade.com

Tanah Merah Branch

Lot 4 & 5, Tanah Merah Industrial Area, 17500 Tanah Merah, Kelantan, Malaysia.

Tel : 609-9551936, 9555996
Fax : 609-9555889

Gua Musang Branch

Plot No. 125, 126, 127 & 128, Kawasan Perindustrial Gua Musang, 18300 Gua Musang, Kelantan, Malaysia.

Tel : 609-9122936, 9122789
Fax : 609-9121940

Technical Data Sheet Plywood
(Performance Characteristic)
Malaysian Tropical Medium Light Hardwood

Table with 3 main columns: Plywood Type, Property, Test Method, Value of Test. Includes rows for Plywood Composition (Face Back, Short Core, Long Core), Species, Panel Size, No of Plies, Bonding / Adhesive, Moisture Content, Density, Modulus of Rupture (MOR), Modulus of Elasticity (MOE), Class Grade, and Bonding Quality (Shear Strength).

This performance characteristic is according to the standard 13986:2004.



Head Office

Batu 10, Jalan Pokok Sena, Mukim Jabi, 06400 Alor Setar, Kedah, Malaysia.

Tel : 604-7822936 (6 lines)
Fax : 604-7821940
Website : http://www.besgrade.com

Tanah Merah Branch

Lot 4 & 5, Tanah Merah Industrial Area, 17500 Tanah Merah, Kelantan, Malaysia.

Tel : 609-9551936, 9555996
Fax : 609-9555889

Gua Musang Branch

Plot No. 125, 126, 127 & 128, Kawasan Perindustrial Gua Musang, 18300 Gua Musang, Kelantan, Malaysia.

Tel : 609-9122936, 9122789
Fax : 609-9121940

Technical Data Sheet Plywood
(Performance Characteristic)
Malaysian Tropical Medium Light Hardwood

Table with 3 main columns: Plywood Type, Property, Test Method, Value of Test. Includes rows for Plywood Composition (Face Back, Short Core, Long Core), Species, Panel Size, No of Plies, Bonding / Adhesive, and various mechanical properties like Modulus of Rupture (MOR), Modulus of Elasticity (MOE), and Bonding Quality (Shear Strength).

This performance characteristic is according to the standard 13986:2004.