

JACKET AND PANTS

HOMOLOGATION: FIA 8867-2016 - (SFI 3.4/5 ON DEMAND) SIZES: S-XXL



€ 687,00 VAT not included

MS-5

HOMOLOGATION: NOT HOMOLOGATED SIZES: S-XXL COMPOSITION: 70% POLYESTER, 30% COTTON

€ **95,00**VAT not included

HIGHLIGHTS



3 layer construction.



Stretch back panel.



Side pockets.



002023J..



002023P..

HIGHLIGHTS



Reinforced elbow material.



Elasticated back panel.



Removable kneepads.





002019GR..

HOMOLOGATION: NOT HOMOLOGATED SIZES: S-XXL COMPOSITION: 85% POLYESTER, 15% COTTON

€ 69,00 VAT not included

HIGHLIGHTS



Front pocket.



Elasticated band.



Side pockets.



002020AZ..





HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 38-48 CUSTOMIZATION: ON DEMAND



€ 195,00

TORQUE

O1 CERTIFICATION (EN ISO 20347:2012) SIZES: 37-47 METAL FREE

> € 85,00 VAT not included

HIGHLIGHTS

- Breathable lining.
- Inner shock-absorber insole.



Genuine perforated leather upper and suede reinforcement areas.



Padded ankle for more support.



Rubber and phylon sole for maximum grip and comfort.







HIGHLIGHTS

- Breathable mesh lining.
- Easy lacing.
- Phylon sole and oil and hydrocarbon resistant rubber bottom.
- SRA level slip resistance.







Tip with ultra-resistant coated reinforcement.



Energy absorption heel.







001289..NRNR

R-TIDE MECA

HOMOLOGATION: FIA 8856-2018 **SIZES:** 8-15



€ 185,00

R-MECA ...

HOMOLOGATION: FIA 8856-2018 **SIZES:** 9-13



€ 155,00 VAT not included

HIGHLIGHTS

- Increased padded reinforcement on knuckles for maximum protection.
- Aramide knit knuckle reinforcement with silicone coating.
- Ergonomic pre-curved construction.
- Internal seams.



Palm with HTX 3D print vulcano with differentiated zones for maximum grip to absorb vibrations.



Fully ribbed cuff for maximum fit.

Compliant to the new FIA 8856-2018 heat transmission requirements.







001321..GF 001321..NR

HIGHLIGHTS

- Aramide knit knuckle and finger reinforcement with silicone coating.
- Thumb reinforcement for maximum cut and abrasion protection.
- Internal seams.



Silicone palm with ultragrip texture.



Fully ribbed cuff for maximum fit.

Compliant to the new FIA 8856-2018 heat transmission requirements.



001317..GF





001317..NR

SIZES: S-XL COMPOSITION: 47% POLYESTER 35% SUEDE 18% ELASTANE

SPORTAC

PROTECTIVE GLOVES

SIZES: 8-11 CERTIFICATION: PPE CAT.2 / EN 388:2016 / EN ISO 21420

€ 20,00

HIGHLIGHTS

- The backs of Meca-3 gloves are made from elasticised, printed, scuff resistant fabric.
- The palms are in synthetic, scuff resistant hide and there are reinforcements positioned between thumb and index finger.
- Pads between the fingers provide better breathing.
- Strap for tighter fitting.





€ 29,00













HIGHLIGHTS

- Adamant® diamond structure for a maximum level of cutting resistance.
- Exceptional comfort and dexterity.
- Palm resistant to grease and wet grime.
- Impact resistant on the back.
- Shock absorbing structure on the palm of the hand.



PPE CATEGORY II: Synthetic glove protecting against mechanical risks.

ABRASION RESISTANCE: 4 (performance levels).

RESISTANCE TO BLADE CUTTING: Coupe test: X (not

TEAR RESISTANCE: 4 (performance levels).

PUNCTURE RESISTANCE: 3 (performance levels).

RESISTANCE TO CUTTING BY BLADE EN ISO 13997: D (performance levels).

EN PROTECTION AGAINST IMPACTS: P (performance level).





WORKWEAR TECH

TECH SOFT-SHELL

SIZES: XS-3XL

COMPOSITION: Outside 93% polyester, 7% spandex - Inside 100% polyester, 330 gsm

€ 73,00











02412NRAF..

TECH LIGHT-SHELL

SIZES: XS-3XL COMPOSITION: 90% nylon, 10% spandex, 240 gsm € 61,00





02413NRAF..

TECH HOODED FULL ZIP

SIZES: XS-3XL COMPOSITION: 80% cotton, 20% polyester, 280 gsm € 57,00



NEW TECH FULL ZIP

SIZES: XS-3XL COMPOSITION: 80% cotton, 20% polyester, 260 gsm € 55,00











02429BMAF..

WORKWEAR TECH

TECH LIGHT VEST

SIZES: XS-3XL

COMPOSITION: 90% nylon, 10% spandex, 240 gsm

€ 51,00



02419NRAF..









NEW TECH DENIM JEANS

SIZES: XS-3XL COMPOSITION: 98% cotton, 2% spandex, 250 gsm

€ 49,00 VAT not included





02430BS..

TECH POLO

SIZES: XS-3XL COMPOSITION: 65% cotton, 35% polyester with pique effect, 180 gsm € 26,00



02415NRAF..

TECH T-SHIRT

SIZES: XS-3XL COMPOSITION: 50% cotton, 50% polyester with pique effect, 180 gsm € 19,00 VAT not included



02416NRAF..





02416NRGS..

WORKWEAR TECH

TECH TROUSERS

SIZES: XS-3XL

NEW

COMPOSITION: 90% nylon, 10% spandex, 240 gsm

€ 59,00







02417NRAZ..





02417BMAF..

02417NRGS..

02417NRAF..

TECH SHORTS

222

SIZES: XS-3XL COMPOSITION: 90% nylon, 10% spandex, 240 gsm

€ 49,00 VAT not included











NEW TECH LIGHT TROUSERS

SIZES: XS-3XL COMPOSITION: 90% nylon, 10% spandex, 170 gsm € 55,00











NEW TECH LIGHT SHORTS

SIZES: XS-3XL COMPOSITION: 90% nylon, 10% spandex, 170 gsm € **45,00**VAT not included











02428NRAF.. 02428NRGS.

02418GSGF.. 02428GSGF.

WORKWEAR

BOSTON - CARGO MULTISEASON

COMPOSITION: 98% drill cotton, 2% elastane, 260/270 gsm

€ 42,00





BERMUDA

SIZES: S-XXL COMPOSITION:

97% cotton, 3% elastane, 220 gsm



02410GS..





02410NR..

TOOLS BELT

SIZES: M-XL Radio belts, adjustable with snap buckle.



€ 19,00

€ 35,00

VAT not included

min 90 - max 120 cm 016451ML

L-XL

min 120 - max 150 cm 016451LXL



FIRE EXTINGUISHERS

MADE IN ITALY

014777EXP

ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 3,9 **WEIGHT (KG.):** 5,9

FIA 8865

014779EXP

ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 2,5 **WEIGHT (KG.):** 5,9



ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 2,5 **WEIGHT (KG.):** 3,9

014778EXL3 SP305

ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 3,9 **WEIGHT (KG.):** 5,1

014772FEAL

ACTIVATION: ELECTRIC TYPE: FORMULA CAPACITY (LT.): 0,9 **WEIGHT (KG.):** 1,8

014772EXL

ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT **CAPACITY (LT.):** 4,25 **WEIGHT (KG.):** 6,7

014772MSL

ACTIVATION: MECHANIC TYPE: RALLY/CIRCUIT **CAPACITY (LT.):** 4,25 **WEIGHT (KG.):** 8,1



014777EXP



014779EXP



014778EXL2



014778EXL3



014772FEAL



014772MSL

014773BXLN2

ACTIVACTION: HAND HELD TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.):** 3,4



014773BXL24

ACTIVACTION: HAND HELD TYPE: RALLY CAPACITY (LT.): 2,4 **WEIGHT (KG.):** 4,5



014773BXL24

014773BSS2

ACTIVATION: HAND HELD TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.):** 2,8



014773BSS2

PG. 329

014775BXL2

ACTIVATION: HAND HELD TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.): 2,8**



- FIA (8865-2015)
 approved pressurised extinguishing system.
- 4.3 Kg of FK-5-1-12 extinguishing agent.
- Electric ignition.
- 3.9 L stainless steel tank diameter 130mm length 346 mm.
- 1 Cockpit nozzle+ 1 engine nozzle.
- For 2.3m³ 4.1m³ cockpits.



014777EXP

(APPROVED

MANUFACTURER: SPARCO MODEL: 014777EXP HOM. NO: EX.027.21 FIA STANDARD: 8865-2015

€ 1.390,00

HIGHLIGHTS

- FIA (8865-2015) approved pressurised extinguishing system.
- 3.3 Kg of FK-5-1-12 extinguishing agent.
- Electric activation.
- 2.5l stainless steel tank diameter 114mm, length 302 mm.
- 1 Cockpit nozzle
 + 1 engine nozzle.
- For 1.2m3 2.3m3 volume cockpits.



014779EXP



MA0142131 + MA0142098



MA0142107



MA0142108



MA0142109



MA0142117



MA0142122



MA0142127



MA0142128-MA0142129



MA0142133



MA0142134



MA0142135



MA0142023



MA0142163

ACCESSORIES



MA0142131 + MA0142098



MA0142107



MA0142109



MA0142117



MA0142122



MA0142127



MA0142128 - MA0142129



MA0142133



MA0142134



MA0142135



MA0142023



MA014216

MA0142163

MANUFACTURER: SPARCO
MODEL: SP425
HOM. NO: EX.052.18
FIA STANDARD: FIA 2000

SP305

HOMOLOGATION: FIA 2000



€ 647,00 VAT not included

HIGHLIGHTS

HOMOLOGATION: FIA 2000

- Electrically operated ultra-light extinguishing system.
- 2.5l stainless steel tank diameter 110mm, length 302 mm.
- AFFF extinguishing agent (2 litres).
- Bullet nozzles.
- Full metal fittings



014778EXL2

€ 625,00

HIGHLIGHTS

- Electrically operated ultra-light extinguishing system.
- 3.9l stainless steel tank.
 diameter 130mm length 346 mm.
- AFFF extinguishing agent (3 litres).
- Bullet nozzles.
- Full metal fittings.



014778EXL3

ACCESSORIES



MA0142103 + MA0142082



MA0142040



MA0142041



MA0142043



MA0142029



MA0142042

MA0142163



MA0142030



MA0142023

ACCESSORIES



MA0142131 + MA0142098



MA0142040



MA0142041



MA0142042



MA0142043



MA0142029



MA0142163



MA0142030



MA0142023

MAUIHEUE

230

SIM RACING CHAIRS **APPROVED** MANUFACTURER: SPARCO MODEL: SP425 HOM. NO: EX.052.18 FIA STANDARD: FIA 2000

014772EXL

APPROVED MANUFACTURER: SPARCO MODEL: SP425 HOM. NO: EX.052.18 FIA STANDARD: FIA 2000

HOMOLOGATION: FIA 2000

€ 639,00

HIGHLIGHTS

HOMOLOGATION: FIA 2000

- 1.3 litre aluminium single-seater extinguishing system.
- Dimension: diameter 106mm lenght 190mm.
- AFFF extinguishing agent (0.9 litres).
- Pressurised to 16 Bar.
- Solid block-machined nozzles, all-metal connectors.



014772FEAL

€ 1.134,00

HIGHLIGHTS

- Ultra-light, electrically activated extinguisher system.
- Dimension: diameter 160mm lenght 330mm.
- CE certified bottle in stainless steel (tested at over 40 Bar).
- AFFF foam extinguisher (4.25 litres).
- Solid block-machined nozzles, all-metal connectors.



ACCESSORIES



MA0142042



MA0142041



MA0142163

232



MA0142040



MA0142083 MA0142082

MA0142023



MA0142043

MA0142029



MA0142030

ACCESSORIES



MA0142042



MA0142041



MA0142163



MA0142040



MA0142013 MA0142049



MA01480

MA0142023



MA0142043

MA0142029



MA0142030

HAND HELD EXTINGUISHERS

HOMOLOGATION: FIA 2000

€ 305,00

HIGHLIGHTS

- Mechanically activated extinguisher system.
- Dimension: diameter 160mm lenght 330mm.
- CE certified bottle in steel (tested at over 40 Bar).
 AFFF foam extinguisher (4.25 litres).
- Solid block-machined nozzles, all-metal connectors.



ACCESSORIES



MA0142042



MA0142040



MA0142043



MA0142041



MA0142013 MA0142049 MA01480



MA0142029



MA014RL24CL



MA0142023

014773BXLN2

- Ultra-light FIA approved extinguisher.
- 2 litre Novec extinguishing agent.

014773BXLN2

€ 332,00

VAT not included



014773BXL24

- Ultra-light FIA approved extinguisher.
- 2.4 litre AFFF extinguishing agent.
- 3.9 litre stainless steel cylinder (h 345 mm diameter 130).

014773BXL24

€ 174,00

VAT not included



014773BSS2

- Hand-held extinguisher 2.0 kg EN3 compliant powder.
- Complete with 2 brackets.
- Ultra-light FIA approved extinguisher.

014773BSS2

€ 76,00

VAT not included



SEATS HARNESSES

M RACING

ESTYL

STYLE

GAPS

OUTLE

ROLL BAR

ACCESSORIES


FEATURES: Passage adhering to the body shell wherever possible. Accurate manufacturing. Specific boxed reinforcements. Made with certified material. Front suspension fixing points on some models.

- 1A Multipoint welded-in, 25CrMo4 with front suspension
- 1B Multipoint welded-in, Fe45 with front suspension
- 2A Multipoint built-in, 25CrMo4 with front suspension fixing points.
- 2B Multipoint built-in, Fe45 with front suspension fixing points.
- 3A 25CrMo4 roll cage without front suspension
- **3B** Fe45 roll cage without front suspension fixing points.
- **3C** Weld-in roll cage without front suspension point.
- 4 Roll cages with door bars Fe 45.

FOR THE COMPLETE APPLICATION LIST PLEASE CHECK PRICE LIST.

■1A-1B

2A-2B



-3A-3B-3C








RACING START ADAPTATION KIT

€ 164,00 VAT not included 00780KS



Racing start kit is proposed to upgrade the existing Appendix J roll cages. This kit is composed of 6 tubes to build up the cross reinforcement for the roof and the main roll bar, complete with reinforcement gussets.

DOOR BARS KITS

2 tubes L 1200 mm Ø40X2, pins welded on one side

4 M10 screws

4 x M10 self-locking nuts

4 forks

2 plugs



00797 € 123,00

2 tubes L 1200 mm Ø40X2 4 shaped tubes L100 Ø40X2 4 sleeves L200 Ø45X2

8 M10 screws

8 x M10 nuts

007971 € 63.00 VAT not included

ROLL BAR PADDINGS

€ 59.00



As from 01.01.2003 FIA-approved padding has become compulsory in all types of races and cars, Sparco supplies a material certified in accordance with FIA regulation 8857-2001. in different choices of length and diameter. The paddings are fitted to the roll cages in all possible points of contact with driver with harnesses fastened.





HOM. NO: CP.003.03.A

Ø 50 mm - 500 mm - 122 g - Set 2 pcs





MODEL: FIA PADDING HOM. NO: CP.003.03.A FIA STANDARD: 8857-2001

0076045

Ø 45 mm - 500 mm - 131 g - Set 2 pcs





Ø 40 mm - 500 mm - 129 g - Set 2 pcs





MODEL: FIA PADDING HOM. NO: CP.003.03.A FIA STANDARD: 8857-200

0076035

Ø 35 mm - 500 mm - 135 g - Set 2 pcs

ROLL CAGE FORK



€ 10,00 VAT not included

Ø 40 mm **0078140S** Ø 50 mm 0078150S

Fork for tubes' assembly, using plug + fork system (tube diameter 40 mm) (tube diameter 50 mm)

ROLL CAGE PLUGS



00780M € 29,00 VAT not included

Pair of perforated sleeves (diameter 45 mm) for tubes' assembly.

REINFORCEMENT PLATES + **COUNTERPLATES FIA 2010 UPDATING KIT**



00780P € 54.00 VAT not included

Kit composed of 4x perforated plates + 4x flat counter plates (3 mm thick). These plates must be adapted in according to the different configurations of roll cages or body shells and allow to update the roll cage fixing in accordance with 2010 FIA regulation.

UNIVERSAL GUSSET KIT FOR ROOF



00798SP1 € 33,00

Kit composed of 2x universal reinforcement gussets to be mounted on the tubes' cross joint (dimensions 190x85 mm). This is a universal kit so it's could be necessary for the user to adapt it to his own roll cage

UNIVERSAL GUSSET KIT FOR DOORBAR CROSS



00798SP2 € 43,00

Kit composed of 4x universal reinforcement aussets to be mounted on the tubes' cross joint (dimensions 100x170 mm). This is a universal kit so it's could be necessary for the user to adapt it to his own roll cage.

ROLL CAGE PLUG



00782NTS € 10,00 VAT not included

Forged plug for tubes' assembly, using plug + fork system.

3mm thick non-slip checkerboard aluminium.

Double plate (lower and upper) for fixing to the floor and adjusting the inclination of the upper plate (4 inclinations available).

Perforations for lightening with anti-tear embossing.

Lower plate with slots to adapt to any type of floor drilling".

Dimensions: 270x43x136mm

NEW CODRIVER FOOTREST PRO

03814AN2

€ 65,00 VAT not included

3mm thick non-slip checkerboard aluminium. Double plate (lower and upper) for

Lower plate with slots.

Dimensions: 270x43x136mm

the inclination.



PEDAL SETS

03783L

€ 88,00



3-piece set in pre-bent and shaped mixed carbon. Brake and clutch with non-slip inserts.

KIT OF 8 STICKERS

BONNET PINS

€ 3,00 VAT not included

€ 23,00

€ 22,00

Pair of stainless steel bonnet pins with captive slide pin.





ASPA002 016065 01606AA 01606AR 01608

Battery master switch with rotating lever. Instant disconnection of all electric circuits. Provision for remote control Complies with FIA spec. Suitable for 6, 12 and 24V systems, rated at 100A continuous.

270050A

€ 97,00

VAT not included

Without key.

AERO FUEL CAP

HAMMERS

01615

01613

With key.

FUEL CAPS

270040A

€ 18,00 VAT not included

€ 154,00

VAT not included

27009G

€ 41,00 VAT not included

€ 13,00

Hammer with seatbelt cutter built-in.

BATTERY MASTER SWITCH

01337

€ 44,00

01336

€ 20,00



Bipolar master battery cutout switch with rotating lever. Instant disconnection of master electric circuit. Provision for remote control. Suitable for 6, 12 and 24V systems, rated at 100A continuous.


RACING NETS

FIA 8863-2013 APPROVED WINDOW NET **SPECIFICALLY FOR TRACK USE**

Seat side fixing with 1" belts and 2 bar adjusters for fixing to rollbar.

Dashboard side fixing with optional double use:

- Quick release fixing with 1" strap.
- Quick release fixing 2" strap and spring-operated adjuster for better net tension.



002193NR


€ 199,00 VAT not included



Seat side fixing with 1" belts and 2 bar adjusters

for fixing to rollbar. Dashboard side fixing with optional double use:

- Quick release fixing with 1" strap.
- Quick release fixing 2" strap and spring-operated adjuster for better net tension.
- Pelican hook system that allows the pre-tensioning of the net as prescribed by the FIA standard.



002194NR

€ 402,00 VAT not included



NEW WINDOW NET SPECIFIC FOR T-SERIES

002198FA-NR

Compliant with FIA Art.253 annex J. Dimensions: 100 x 50 cm. Strap fastening on all sides.

€ 79,00 VAT not included

In compliance with FIA annex J 253. Dimensions: L. 50 cm. H. 52 cm. Tape for quick fastening to roll bar.

WINDOW NETS

€ 69,00



■002192FA-R ■002192FA-G ■002192FA-BM

For the application list please check price list.



PIT SIGNAL BOARD

Pit signal kit. 00594

€ 239,00

Cover. 00594C


00594T

Number sets. 00592/1 Pit board.

VAT not included € 85,00 VAT not included

€ 110,00

€ 62,00





4row reflection-proof black aluminium frame.



240

€ 134,00

VAT not included

€ 145,00

VAT not included

Ø 100 mm

€ 23,00

Cross-key fixing.

7 different colours.

Aluminised tape.

Roll 50 mm wide x50 m.

0169550

01691

01692

03776

Transparent, scratchproof

Roll 50 mm wide x50 metres.



€ 38,00 VAT not included

01627RS80

Hole diameter: 15 mm.

VAT not included

€ 11,00



01638GF

ANALOG PRESSURE GAUGE Ø 63 mm Scale 0-4 bar, aluminium handle, rubber cap,

recording.

2941063A

Ø 63 mm

high-precision

recording.

2941063D

MAPLIGHTS

DIGITAL PRESSURE GAUGE

Scale 0-4 bar, aluminium handle, rubber cap,

high-precision

29410100A

CIRCUIT/RALLY STOP-WATCH

€ 280,00 VAT not included

€ 20,00

€ 186,00

VAT not included



29424103

ROAD BOOK

Led Reading lamp, length 49 cm, flexible tube, 12V.





RACERS TAPE



Universal spare wheel fastening with high-strength tape, complete with locking

ratchet, 3 eyebolts and 3 fixing plates.



STEEL TOWBARS FIA

50 mm

FIA annex J 253 compliant.

€ 16.00

VAT not included

FIA annex J 253 compliant.

01627RS50

01637RS

TOW STRAP FIA

FIA annex J 253 compliant.

VAT not included

€ 20,00









01628