ES

HARNESS STEERING WH

MECHANICS TECHNICAL

SUITS

OES NFS

TIONS

PROTECT

SEATS ARNESSES RING WHEELS

PORTS

MWEAR ESTYLE OTHING

SEATS INDEX

SUPERCARBON TECHNOLOGY

ADV PRIME / ADV PRIME PAD NEW

SHELL: CARBON FIBER SIZE: L HRS: YES WEIGHT (GR): SHELL: 8300 / SEAT: 10500



ADV XT

SHELL: CARBON FIBER SIZE: L HRS: YES WEIGHT (GR): SHELL: 7500 / SEAT: 10750



ADV ELITE

SHELL: CARBON FIBER SIZE: L HRS: YES

WEIGHT (GR): SHELL: 7810 / SEAT: 10300



ADV SCX / ADV SCX-H

SHELL: CARBON FIBER SIZE: M/L HRS: YES WEIGHT (GR): SHELL: 8575 / SEAT: 10750





ADV SC

SHELL: CARBON FIBER SIZE: M **HRS:** YES WEIGHT (GR): SHELL: 10485 / SEAT: 12900



ADV COMPETITION / ADV COMPETITION PAD NEW

SHELL: CARBON FIBER SIZE: M/L WEIGHT (GR): SHELL: 9000 / SEAT: 11200 (11000 PAD)





NEW 8855-2021 STANDARD

MASTER

SHELL: FIBERGLASS SIZE: L HRS: YES WEIGHT (GR): SHELL: 11250 / SEAT: 14000

ADV XT SHELL: FIBERGLASS SIZE: L

HRS: YES WEIGHT (GR): SHELL: 9700 / SEAT: 12000

MATRIX NEW

SHELL: FIBERGLASS SIZE: L HRS: YES WEIGHT (GR): SHELL: 12000 / SEAT: 14900

CARBON / CARBON-KEVLAR TECHNOLOGY

QRT-C

SHELL: CARBON FIBER SIZE: M WEIGHT (GR): SHELL: 4300 / SEAT: 5500

LEGEND

SHELL: CARBON-KEVLAR SIZE: S HRS: NO WEIGHT (GR): SHELL: 5300 / SEAT: 6000

WEIGHT (GR): EVO / EVO L SHELL 4500 - SEAT 5600

WEIGHT (GR): CIRCUIT SHELL 6400 / SEAT 7900

EVO XL SHELL 4800 - SEAT 6100

CIRCUIT CARBON / CIRCUIT CARBON II

CIRCUIT II SHELL 6700 / SEAT 8200

GAMMA EVO CARBON NEW

SHELL: CARBON FIBER

SHELL: CARBON FIBER

SIZE: M/L/XL

HRS: NO

SIZE: M/L HRS: NO



008007ZNR



















SEATS INDEX

CARBON TECHNOLOGY

ULTRA CARBON NEW

SHELL: CARBON FIBER SIZE: S HRS: NO

WEIGHT (GR): SHELL / SEAT: 3800

FIBERGLASS TECHNOLOGY

ULTRA NEW

SHELL: GLASS FIBER SIZE: S WEIGHT (GR): SHEL / SEAT: 5200

QRT TECHNOLOGY

QRT-R / QRT-R SKY

SHELL: QRT SIZE: M HRS: NO WEIGHT (GR): SHELL: QRT-R: 5900 / SEAT QRT-R: 7600 SHELL QRT-R SKY: 5900 / SEAT QRT-R SKY: 8300



PRO 2000 QRT

OMOLOGATION

SHELL: QRT SIZE: L HRS: NO WEIGHT (GR): SHELL: 6800 / SEAT: 8000



PRO ADV QRT

SHELL: QRT SIZE: M/L HRS: YES WEIGHT (GR): SHELL: 7800 / SEAT: 9300



CIRCUIT QRT / CIRCUIT II QRT

SHELL: QRT SIZE: L HRS: YES WEIGHT (GR): SHELL CIRCUIT: 7100 / SEAT CIRCUIT: 8600 SHELL CIRCUIT II: 7200 / SEAT CIRCUIT II: 9600



008011RNR

QRT TECHNOLOGY

EVO QRT RANGE

SHELL: QRT TAGLIA: M/L/XL HRS: NO WEIGHT (GR: SHELL EVO L QRT: 6500 / SEAT EVO L QRT: 7700 SHELL EVO XL QRT: 6700 / SEAT EVO XL QRT: 7900 SHELL EVO QRT: 5000 / SEAT EVO QRT: 7300 SHELL EVO SKY QRT: 5000 / SEAT EVO SKY QRT: 7300





008013RNR



EVO QRT X RANGE

SHELL: QR SIZE: M/L/XL HRS: NO WEIGHT (GR): SHELL EVO L QRT X: 6500 SEAT EVO L QRT X: 7700 SHELL EVO XL QRT X: 6700 SEAT EVO XL QRT X: 7900 SHELL EVO QRT X: 5000 SEAT EVO QRT X: 7300







GRID-Q / GRID-Q SKY

SHELL: QRT SIZE: M HRS: NO

WEIGHT (GR): SHELL GRID-Q: 6500 / SEAT GRID-Q: 7300 SHELL GRID-Q SKY: 6500 / SEAT GRID-Q SKY: 7700





REV QRT

SHELL: QRT SIZE: S/M HRS: NO WEIGHT (GR): SHELL: 6000 / SEAT: 7100



TUBULAR FRAME TECHNOLOGY

SPRINT RANGE

SHELL: TUBULAR SIZE: M/L HRS: NO WEIGHT (GR): SHELL SPRINT L: 10400 SHELL SPRINT/SPRINT SKY: 7940 SEAT SPRINT L: 11000 SEAT SPRINT/SPRINT SKY: 9700







*THE INDICATED WEIGHT IS CALCULATED ON THE AVERAGE VALUE OF THE ANALYZED SAMPLES, IT CAN UNDERGO VARIATIONS.

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 8300 / SEAT: 10500



€ 4.860,00 VAT not included

HIGHLIGHTS



New use of k-point fabric.




Full-length cushion with separate leg rest.



The seat is approved in conjunction with the side mounting frames **004990ADV**.



- Developed in collaboration with M-sport.
- New lining design.
- Self-extinguishing fabric lining.
- FIA approved energy absorbing padding.
- M12 lateral fastening with 290 mm spacing.





HARNESSES TEERING WHEELS

NICS

Σ.

SUITE

OES VEC

SNOI

PROTEC

EATS NESSES

H

IM RACING CHAIRS

CLOTHING

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 8300 / SEAT: 10500

MANUFACTURER: SPARCO MODEL: ADV PRIME HOM. NO: AS.095.21 FIA STANDARD: 8862-2009

€ 4.900,00

VAT not included

HIGHLIGHTS

New use of k-point fabric.



Full-length cushion with separate leg rest.




The seat is approved in conjunction with the side mounting frames 004990ADV.



● 008033ZPNR

• New upholstery design with removable pad in double density foam



NEW

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 7500 / SEAT: 10750



€ 5.682,00 VAT not included

HIGHLIGHTS



Self-extinguishing fabric lining.



Split leg rest cushion.




The seat is approved in conjunction with the side mounting frames **0049605**.



■008002ZNR

- FIA-approved energy absorbing padding.
- Non-slip fabric for shoulders and seat.
- Attached using M12 lateral fastenings with 290 mm spacing.





HARNESSE: STEERING WHE

MECHANICS

SUITS

HOES

TECTIONS

ATS

CING

IFESTYLE CLOTHING

145

ZNR prove ing p p fabat.

HIGHLIGHTS




FIA-approved energy absorbing padding.



Non-slip fabric for shoulders and seat.




The seat is approved in conjunction with the side mounting frames 004988ADV.



• Attached using M12 lateral fastenings with 290 mm spacing.









ADV SCX / SCX-H

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 8575 / SEAT: 10750



ADV SC

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 10485 / SEAT: 12900



€ 3.366,00

HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Split legrest cushion.



The seat is approved in conjunction with the side mounting frames ADV SCX and ADV SCX-H 004985ADV.



ADV SCX-H







Self-extinguishing fabric lining.



Non-slip fabric for shoulders and seat.



The seat is approved in conjunction with the side mounting frames 004982ADV.




- FIA-approved energy absorbing padding.
- Attached using M12 lateral fastenings with 290 mm spacing.









HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 9000 / SEAT: 11200



€ 3.800,00

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER

HRS: YES WEIGHT (GR): SHELL: 9000 / SEAT: 11000

MANUFACTURER: SPARCO MODEL: ADV COMPETITION HOM. NO: AS.099.22 FIA STANDARD: 8862-2009

€ 3.900,00

HIGHLIGHTS



New use of k-point fabric.



Full-length cushion with separate leg rest.




The seat is approved in conjunction with the side mounting frames 004990ADV.



■008034ZNR

- Shaped backrest to wrap around the driver.
- Efficient construction technology.



HIGHLIGHTS



Shaped backrest to better fit the driver.



Backrest with additional reinforcement in the lumbar area.




The seat is approved in conjunction with the side mounting frames 004990ADV.



■ 008034ZPNR

- Ergonomics designed for professional drivers.
- Shaped backrest to wrap around the driver.
- Backrest with additional reinforcement in the lumbar area.
- Efficient construction technology.
- New upholstery design with removable pad in double density foam.





Insertion of internal memory foam pads.




Integrated racing net guides.



Specific brackets approved for: Renault Clio RALLY3, RALLY4, RALLY5, Ford Fiesta RALLY3, Peugeot 208 RALLY4.




- New seat compliant with the more stringent 8855-2021 approval.
- Shock absorbing foam on the head.
- Suitable for drivers between 1.75 - 1.95 m in height.
- Non-slip fabric for shoulders and seat.





HOMOLOGATION: FIA 8855-2021 MATERIAL: FIBERGLASS HRS: YES WEIGHT (GR): SHELL: 9700 / SEAT: 12000

€ 1.100,00 VAT not included



FIA-approved energy absorbing padding.




Integrated racing net guides.



The seat is approved with two different side mounting frames height (in conjunction with mounting frames 004932H e 004932L).



- Self-extinguishing fabric lining.
- Suitable for drivers betwee 1.65 - 1.80 m in height.
- Split leg rest cushion.
- Attached using M12 lateral fastenings with 290 mm spacing.





NEW

HOMOLOGATION: FIA 8855-2021 MATERIAL: FIBERGLASS HRS: YES WEIGHT (GR): SHELL: 12000 / SEAT: 14000

EAPPROVED MANUFACTURER: SPARCO MODEL: MATRIX HOM. NO: XX.XXX.XX FIA STANDARD: 8855-2021

€ 950,00 VAT not included





Developed according to the new technical regulations 8855-2021.



Special reinforcing foil with honeycomb matrix.



The seat is approved in conjunction with the side mounting frames 004926.




■ Designed for greater ergonomics using sae manikin.

New efficient construction technology.



404 Front FIX 390 Rear FIX



HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): SHELL: 4300 / SEAT: 5500



€ 1.507,00

LEGEND

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON-KEVLAR PRE-PREG HRS: NO WEIGHT (GR): SHELL: 5300 / SEAT: 6000



€ 1.625,00 VAT not included

HIGHLIGHTS



High structural strength.




Non-slip fabric for shoulders and seat.




Attached using M8 lateral fastenings with 290 mm spacing.








HIGHLIGHTS



VEP fabric with original checkered lining.



Pre-preg carbon-kevlar frame.



Lower fasteners 317x345 (M8) (does not mount on guide **00943..**).



EVO CARBON NEW

APPROVED

MANUFACTURER: SPARCO MODEL: EVO CARBON HOM. NO: CS.485.22 FIA STANDARD: 8855-1999

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): SHELL 4500 / SEAT 5600

EVO CARBON NEW

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): EVO L SHELL: 4500 / SEATS: 5600 - EVO XL SHELL: 4800 / SEATS: 6100

€ 1.450,00

EVO

■ 008007ZNR

402 Rear FIX

411 Front FIX

HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Super light shell in carbon fiber.



Attached using M8 lateral fastenings with 290 mm spacing.

HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Super light shell in carbon fiber.



Attached using M8 lateral fastenings with 290 mm spacing.


EVO L CARBON € 1.500,00 **APPROVED** MANUFACTURER: SPARCO MODEL: EVO L CARBON HOM. NO: CS.486.22 FIA STANDARD: 8855-1999

EVO XL CARBON

■ 008013ZNR







CIRCUIT CARBON NEW

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: M HRS: YES WEIGHT (GR): SHELL: 6400 / SEAT: 7900

CIRCUIT II CARBON NEW

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: L HRS: YES WEIGHT (GR): SHELL: 6700 / SEAT: 8200

€ 1.300,00

008019ZNR

290

392 Fm

APPROVED

MANUFACTURER: SPARCO MODEL: CIRCUIT I CARBON HOM. NO: CS.494.22 FIA STANDARD: 8855-1999

€ 1.400,00

HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Super light shell in carbon fiber.



Divisible leg rest and seat cushion.

HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Super light shell in carbon fiber.



and seat cushion.



008011ZNR



BOOTCO

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: S HRS: NO WEIGHT (GR): SHELL / SEAT: 3800

MANUFACTURER: SPARCO MODEL: ULTRA HOM. NO: CS.XXX.XX FIA STANDARD: 8855-1999

€ 1.250,00

ULTRA NEW

HOMOLOGATION: FIA 8855-1999 MATERIAL: FIBERGLASS SIZE: S HRS: NO WEIGHT (GR): SHELL / SEAT: 5200

MANUFACTURER: SPARCO MODEL: ULTRA HOM. NO: CS.XXX.XX FIA STANDARD: 8855-1999

€ 950,00

HIGHLIGHTS



Ultralight seat.




Laminated with double shell in Carbon Fiber.



Ergonomics designed for use without padding.









Ultralight seat.




Laminated with double shell in Glass Fiber.



Ergonomics designed for use without padding.







HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 5900 / SEAT: 7600



€ 627,00

PRO 2000 QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 6800 / SEAT: 8000




€ 547,00

HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Integrated lumbar support.



Attached using M8 lateral fastenings with 290 mm spacing.



€ 670,00

● 008012RNR

QRT-R SKY




Attached using M8 lateral fastenings with 290 mm spacing.







HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Lateral kidney supports.



Divisible leg rest and seat cushion.



- Lower attached directly on M8 271x345 base.
- Attached using M8 lateral fastenings with 290 mm spacing.



PRO ADV QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: YES WEIGHT (GR): SHELL: 7800 / SEAT: 9300



€ 595,00

CIRCUIT QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: YES WEIGHT (GR): SHELL CIRCUIT QRT: 7100 / SEAT CIRCUIT QRT: 8600 SHELL CIRCUIT II QRT: 8600 / SEAT CIRCUIT II QRT: 9600



€ 509,00

HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings.







HIGHLIGHTS



Head Restraint System integrated



Non-slip fabric for shoulder and seat restraint.



Divisible leg rest and seat cushion.




CIRCUIT II QRT

■008019RNR



fastenings with 290 mm spacing.

■ 008011RNR





HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 5000 / SEAT: 7300



EVO QRT L/XL

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO L QRT: 6500 / SEAT EVO L QRT: 7700 SHELL EVO XL QRT: 6700 / SEAT EVO XL QRT: 7900



€ 520,00

HIGHLIGHTS



New backrest with integrated lumbar cushions.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.




EVO SKY QRT

€ 563,00

Sky upholstery.



■ 008007RNRSKY



HIGHLIGHTS



New backrest with integrated lumbar cushions.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.

EVO L QRT

€ 563,00



EVO XL QRT





■008015RNR



EVO QRT X

WATER-REPELLENT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO QRT X: 5000 / SEAT EVO QRT X: 7300

■ 008007XNR

OFFROAD CUSHION PG. 179

402 Rear FDI

01034XNR

290

01033NR

All Front FDI



<u>eparco</u>

EVO


EVO QRT X L/XL

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO L QRT X: 6500 / SEAT EVO XL QRT X: 7700 SHELL EVO XL QRT X: 6700 / SEAT EVO XL QRT X: 7900



€562,00

HIGHLIGHTS



Waterproof fabric specific for off-road use.




Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.

HIGHLIGHTS



Waterproof fabric specific for off-road use.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.

EVO L QRT X

€ 602,00



EVO XL QRT X







MANUFACTURER: SPARCO MODEL: EVO XL QRT HOM. NO: CS.433.19 FIA STANDARD: 8855-1999

■ 008015XNR

GRID-Q QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL 6500 / SEAT 7300



REV QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL 6000 / SEAT 7100



€ 370,00

HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Customizable padded pads.



Divisible leg rest and seat cushion.



■ 008009RNR


GRID-Q SKY QRT

€ 425,00

 Attached using M8 lateral fastenings with 290 mm spacing.



008009RNRSKY





Non-slip fabric for shoulder and seat restraint.




New backrest with integrated lumbar cushions.



Attached using M8 lateral fastenings with 290 mm spacing.





SPRINT/SPRINT L

HOMOLOGATION: FIA 8855-1999 MATERIAL: TUBULAR FRAME HRS: NO WEIGHT (GR): SHELL SPRINT: 7940 / SEAT SPRINT: 9700 SHELL SPRINT L: 10400 / SEAT SPRINT L: 11000



€ 230,00

SPRINT SKY

HOMOLOGATION: FIA 8855-1999 MATERIAL: TUBULAR FRAME HRS: NO WEIGHT (GR): SHELL SPRINT SKY: 7940 SEAT SPRINT SKY: 9700



€ 278,00

HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Tubular frame with elastic backrest and seat structure.



Lower attached directly on M8 271x345 base. Attached using M8 lateral fastenings with 290 mm spacing



■ 008235RS

■ 008235AZ ● 008235NR







Non-slip fabric for shoulder and seat restraint.




Sky upholstery.



Lower attached directly on M8 271x345 base. Attached using M8 lateral fastenings with 290 mm spacing



- Elastic backrest and seat structure.
- Lower attached directly on M8 271x345 base.



ACCESSORIES

SIDE SEAT

FIA-APPROVED MOUNTING FRAMES FOR SEATS WITH SIDE MOUNTING



004903

Longitudinal distance between holes 290 mm. Max length 415 mm. Simple mounting in the car with more than 25 positions. 6 mm anodized aluminium.



00492LAT

€ 86,00

Dismountable mounting frame made of Steel. Maximum height and length adjustability (22 eyelets on the base element). New L shape of the lateral element to allow a double lockage with the base element.

Memory foam cushion. 01033NR

Water repellent version. 01033XNR NEW

High density foam water repellent version. 01035XNR NEW

€ 34,00

OFF ROAD CUSHION LOW - FIA COMPLIANT

VAT not included € 95,00

€ 79,00

VAT not included

€ 99,00

OFF ROAD CUSHION HIGH - NOT FIA COMPLIANT



Water repellent memory foam cushion high.

01034XNR

High density foam water repellent version. € 109,00 01036XNR NEW

€ 32,00

€ 105,00

VAT not included

€ 32,00

€ 56,00



290 mm spacing. High resistance steel, 3 mm thick. 500 mm length.



004902

Longitudinal distance between holes 290 mm. Max length 400 mm. Simple mounting in the car with more than 25 positions. 3 mm black powder coated.



004901NR

(L max 360 mm) Longitudinal wheelbase 290 mm. 3 mm thick steel.

OPTIONAL PADDING

€ 44,00

VAT not included



04108009PAD

Pair of side cushions suitable for FIA 8855-1999 seats



01011

Leg support cushion.



■ 01022NR ■01022AZ 01022RS

Pair of lumbar side backrests.



01023

Universal lumbar backrest.

SUBFRAMES FOR BOTTOM MOUNTING

FOR THE COMPLETE APPLICATION LIST SEE THE PRICE LIST.



DRIVER DRINK



€ 107,00

€ 54,00

Drink bag. Insulates from outside heat and keeps drinks at a constant temperature. Holds 1.5 litres, inner bottle and spout also available as spare parts. Four braces for attachment to the seat.

CUSHION FULL KIT (BACK + BOTTOM)

€ 101,00



EVO QRT SKY EVO L QRT 01048KIT8015NR EVO XL QRT 01048KIT8014NR REV QRT 01048KIT8012NR QRT R 01048KIT8012SKY QRT-R SKY 01048KIT8025NR QRT-C



PRO ADV QRT

€ 101,00

01048KIT8011NR CIRCUIT II 01048KIT8017NR 01048KIT8016NR PRO 2000 QRT 01048KIT8018NR PILOT QRT 01048KIT8009NR GRID Q 01048KIT8009SKY GRID Q SKY



HARNESSES INDEX

MADE IN ITALY

FORMULA

FORMULA H-10

FIXING: DOGBONE / BOLT ON

ANCHORAGE POINT: 6 POINTS (8 POINTS ON DEMAND)

FORMULA H-9

8853-2016 TYPE: FORMULA FIXING: DOGBONE ON SHOULDER / BOLT ON **ANCHORAGE POINT: 6 POINTS**



FORMULA H-8

TYPE: FORMULA FIXING: DOGBONE ON SHOULDER / BOLT ON **ANCHORAGE POINT: 6 POINTS**



FORMULA H-7

TYPE: FORMULA FIXING: ROLLCAGE / BOLT ON **ANCHORAGE POINT: 6 POINTS**







PRO RALLY / GT / SALOON

PRO H-9 PLUS

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / CARABINER / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS**



PRO H-9 ENDURANCE ■ ■ NEW

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / CARABINER / DOGBONE (ON DEMAND) **ANCHORAGE POINT:** 6 POINTS



PRO H-9

8853-201

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / CARABINER / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS**





PRO H-8 ENDURANCE

TYPE: RALLY / GT / SALOON FIXING: BOLT ON / ROLLCAGE / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS**



PRO H-7

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS**



COMPETITION RALLY / GT / SALOON

COMPETITION H-3 LT

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS**



TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS**

COMPETITION H-3

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS**

COMPETITION H-3+2

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS**

COMPETITION H-2 PD

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS**































SPORT RALLY / SALOON / HISTORICAL

SPORT H-4

TYPE: RALLY / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 4 POINTS**







SPORT OFFROAD / OFFSHORE

SPORT H-5 SFI / SFI CAMO

TYPE: OFFROAD / OFFSHORE FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 5 POINTS**







FORMULA H-10


APPROVED MANUFACTURER: SPARCO MODEL: 04822H HOM. NO: SH.060.19-T-6 FIA STANDARD: 8853-2016

HOMOLOGATION: FIA 8853-2016



- 6-Point or 8-Point (on demand) belt.
- 2" specific FHR shoulder straps.
- Full release titanium buckle.
- Aluminum adjusters.
- Dogbone fixing (screw fixing on request).
- Mclaren F1 Racing official equipment.





HOMOLOGATION: FIA 8853-2016



FORMULA H-8

HOMOLOGATION: FIA 8853-2016



€ 350,00

HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Pecific f1 straps and aluminum adjusters.
- Luminum buckle with fixed point on abdominal.
- Fixing with adjustable double tongue.
- fl straps and aluminum adjusters.



04833HNR

€ 2.800,00

HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Aluminum buckle.
- Aluminum adjusters only on shoulder straps.
- Adjustable abdominal and thigh straps.
- Triangle screw fixings, 13 mm diameter hole, roll-cage or dog bone mounting possible by eliminating triangles.





FORMULA H-7

HOMOLOGATION: FIA 8853-2016

APPROVED MANUFACTURER: SPARCO MODEL: 04821HM HOM. NO: SH.019.17-T-6 FIA STANDARD: 8853-2016

€ 240,00 VAT not included

HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Aluminum buckle.
- Steel adjusters on shoulder and abdominal straps.
- Triangle screw fixings, 13 mm diameter hole, roll-cage or dog bone mounting possible by eliminating triangles.



■ 04819H2NR 04819H2RS **04819H2AZ**

187

04823HNR

NEW

HOMOLOGATION: FIA 8853-2016



€ 1.500,00 VAT not included

HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Compact T-bar.
- New light aluminum buckle derived from F1.
- Aluminum adjusters.
- Rollcage fasteners (shoulders and thigh) and ultra-light carabiner (abdominal).



PRO H-9 ENDURANCE


MANUFACTURER: SPARCO
MODEL: 04825H
HOM. NO: SH.071.19-T-6
FIA STANDARD: 8853-2016

HOMOLOGATION: FIA 8853-2016



- 6 point harness.
- 2" FHR specific straps.
- Compact T-bar.
- New light aluminum buckle derived from F1 with "latching guide extension" integrated into the buckle.
- Aluminum adjusters.
- Rollcage fasteners (shoulders and thigh) and ultra-light carabiner (abdominal).
- It differs from the PLUS version for the addition of pulldown ventral straps in pulldown configuration and introduction of the "easy-latching" extension on the buckle.





HOMOLOGATION: FIA 8853-2016



€ 400,00VAT not included

HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Compact T-bar.
- Aluminum buckle.
- Aluminum adjusters.
- Rollcage fasteners (shoulders and thigh) and ultra-light carabiner (abdominal).
- M-Sport racing team Official WRC Championship harness equipment.



PRO H-8 ENDURANCE

MANUFACTURER: SPARCO MODEL: 04835HNR HOM. NO: SH.085.21-T-6 FIA STANDARD: 8853-2016

HOMOLOGATION: FIA 8853-2016

€ 330,00

- 6-point endurance belt
- 2" Specific FHR shoulder straps.
- Compact T-bar.
- Aluminum buckle.
- Aluminum adjuster on shoulder straps.
- Steel adjuster on thighand abdomen.
- Screw fasteners on all branches.
- Roll fixing bars for shoulder straps and leg harnesses.
- Official Dallara Stradale harness equipment.





HOMOLOGATION: FIA 8853-2016



COMPETITION H-3 LT

HOMOLOGATION: FIA 8853-2016

€ 300,00

■ 04821HMNR **04821HMRS** 04821HMAZ

HIGHLIGHTS

- 6 point seat belt.
- 2" specific FHR shoulder straps.
- Compact T-bar.
- Aluminum buckle.
- High resistance steel adjusters.
- Snap on fixing for all straps or on rollcage by removing accessories.



HIGHLIGHTS

- 6 point seat belt.
- 3" shoulder straps.
- Aluminum buckle.
- Aluminum adjusters.
- Snap-hook fasteners on all straps.
- Possibility of fixing to rollcage on shoulder straps and leg loops by removing the accessories.



MANUFACTURER: SPARCO MODEL: 04818RH HOM. NO: SH.005.16-T-6 FIA STANDARD: 8853-2016

€ 315,00

- 04818RALNR
- **04818RALRS**
- 04818RALAZ





COMPETITION H-3+2 LT

HOMOLOGATION: FIA 8853-2016

HIGHLIGHTS

- 6 point seat belt.
- 3" specific FHR shoulder straps with reduction to 2".
- Aluminum buckle.
- Aluminum shoulder and abdominal strap adjusters
- Pull down adjustment on abdominal straps.
- Snap-hook fasteners on all straps.
- Possibility of roll-cage fixing on shoulder and thigh straps by removing accessories.



MODEL: 04818RH HOM. NO: SH.005.16-T-6 FIA STANDARD: 8853-201



€ 300,00

04818RHALPD1AZ



COMPETITION H-3

HOMOLOGATION: FIA 8853-2016

HOMOLOGATION: FIA 8853-2016

HIGHLIGHTS

- 6 point seat belt.
- 3" shoulder straps
- Aluminum buckle.
- Steel shoulder and abdominal strap adjusters.
- •Snap-hook fasteners on all straps.
- Rollbar fixing by removing the snap-hook.
- Possibility of fixing to rollcage on shoulder straps and leg loops by removing the accessories.



HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Aluminum buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Pull down adjustment on abdominals by integrated pull adjusters.
- Snap hooks or rollcage fixing by removing the accessories.
- Compact T-Bar.



COMPETITION H-3+2

HOMOLOGATION: FIA 8853-2016

HIGHLIGHTS

- 6 point seat belt.
- 3" specific FHR shoulder straps with reduction to 2".
- Aluminum buckle.
- Steel shoulder and abdominal strap adjusters.
- Snap-hook fasteners on all straps.
- Possibility of fixing to rollcage on shoulder straps and leg loops by removing the accessories.





COMPETITION H-2 PD

€ 199,00

MANUFACTURER: SPARCO MODEL: 04716M HOM. NO: B-345.T/98 FIA STANDARD: 8854-1998

SPORT H-5 SFI CAMO

HOMOLOGATION: SFI 16.1

HOMOLOGATION: FIA 8854-1998

HIGHLIGHTS

- 4 point seat belt.
- 3" shoulder straps.
- Aluminum buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Snap-hook fasteners on all straps or rollcage fixing on shoulder straps by removing the accessories.



- 04716M1NR 04716M1RS
- 04716M1AZ

€ 145,00

€ 200,00

HIGHLIGHTS

- 5 point seat belt.
- 3" shoulder straps.
- Latch-n-link buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Ideal for off-road vehicles and/or boats.



SPORT H-5

HOMOLOGATION: SFI 16.1

ACCESSORIES

HOMOLOGATION: FIA 8853-2016

HIGHLIGHTS

- 5 point seat belt.
- 3" shoulder straps.
- Latch-n-link buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Ideal for off-road vehicles and/or boats.



PAIRS OF SHOULDER PADS

• Pair of pads for 3" harnesses. Made of padded velour. NOT FIREPROOF.



0109853R



0109853A

eparco



■ 0109853N

€ 23,00

EYEBOLT Thread 7/16



04501

REINFORCEMENT FIXING PLATE

Thread 7/16

€ 4,00

€ 4,00

€ 165,00



04502



STEERING WHEELS INDEX

MADE IN ITALY

F-10C

TYPE: FORMULA DIAMETER (MM): 270



R215 / R215 FLAT TYPE: RALLY DIAMETER (MM): 350



015R215FL



F-10A

TYPE: FORMULA DIAMETER (MM): 270



015P270SSN

TYPE: RALLY DIAMETER (MM): 350

R325



P310/P310 OPEN ■■

TYPE: FORMULA / SALOON DIAMETER (MM): 310



R345 TYPE: RALLY DIAMETER (MM): 350



015R345MLN

P300

TYPE: FORMULA / SALOON DIAMETER (MM): 300



R368 TYPE: RALLY / OFF ROAD / TRUCK DIAMETER (MM): 380



R323

TYPE: RALLY / SALOON DIAMETER (MM): 270







R330 / R330B TYPE: FORMULA / SALOON DIAMETER (MM): 330





R375 TYPE: RALLY / SALOON DIAMETER (MM): 350



R350 / R350B TYPE: FORMULA / SALOON DIAMETER (MM): 350













015R383PSNLOGO

F-10C ...

P310 **•••**

MATERIAL: SUEDE

€ 363,00

015PC270SSN


MATERIAL: SUEDE

€ 219,00

015P310F2SN

HIGHLIGHTS


- Carbon steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor anufacturers.
- Hole interaxis 3x50.8 mm.





HIGHLIGHTS

- Flat steering wheel ideal for GT car.
- Hole interaxis: 6x70 mm.





F-10A


MATERIAL: SUEDE

P310 OPEN ...

MATERIAL: SUEDE

HIGHLIGHTS

- Aluminium steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor, anufacturers.
- Hole interaxis 3x50.8 mm.



202

€ 213,00

015P270SSN



HIGHLIGHTS

- Open top, ideal for GT cars.
- Hole interaxis: 6x70 mm.





203

€ 209,00

015P3100PN

MATERIAL: SUEDE

HIGHLIGHTS

• Flat steering wheel with small grip.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.











R323 **•••**

MATERIAL: SUEDE


HIGHLIGHTS

- Flat steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.









€ 213,00 VAT not included 015P300SN



HIGHLIGHTS

• Hole interaxis: 6x70 mm.



WITHOUT BUTTONS



WITH BUTTONS

€ 203,00 VAT not included 015R330CL0

LEATHER WITHOUT BUTTONS

€ 179,00 VAT not included

015R330CS0 SUEDE WITHOUT BUTTONS • IP68 buttons for water and dust protection.

> € 179,00 015R330PS0 SUEDE + BUTTONS




HIGHLIGHTS

• Dished steering wheel with lighter spokes.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





R350 / R350 B ...

MATERIAL: SUEDE / LEATHER

R215 FLAT

MATERIAL: SUEDE / LEATHER

HIGHLIGHTS

• Hole interaxis: 6x70 mm. Ø 33/25



WITHOUT BUTTONS



015R350CL0 LEATHER WITHOUT BUTTONS € 188,00

> 015R350CS0 SUEDE WITHOUT BUTTONS

€ 203,00

VAT not included

and dust protection.

• IP68 buttons for water

€ 189,00 VAT not included 015R350PS0 SUEDE + BUTTONS



HIGHLIGHTS

• Suede flat steering wheel for rally use.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





€ 167,00

R368 **•••**


MATERIAL: SUEDE

HIGHLIGHTS

• Dished steering wheel with three spokes and small grip.

■ Hole interaxis: 6x70 mm.

New horn button colour kit included.






MATERIAL: SUEDE

HIGHLIGHTS

- Dished steering wheel optimal for off-road use.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.






R345 **•••**

MATERIAL: SUEDE / LEATHER

HIGHLIGHTS

- Dished steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.



€ 188,00 VAT not included 015R345MLN **€ 167,00** VAT not included 015R345MSN SUEDE

R353 •••

R383 LOGO NEW

MATERIAL: SUEDE

€ 213,00


015R353PSN

€ 235,00

015R383PSNLOGO

HIGHLIGHTS

- Dished steering wheel with large grip.
- Hole interaxis: 6x70 mm.





HIGHLIGHTS

MATERIAL: SUEDE

- Steering wheel with special comfortable grip shape.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.





R375 **•••**

MATERIAL: SUEDE

R383 ...

MATERIAL: SUEDE

HIGHLIGHTS

- Special 36 mm dished.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.





015R375PSN



HIGHLIGHTS

- Steering wheel with special comfortable grip shape.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.





€ 224,00

VAT not included

015R383PSN

- CNC machined aircraft aluminum.
- Hard anodizing for strength and reliability.
- Drilling for assembly 6x70mm.
- FIA compliant (Annex J).



015R98EL

QUICK RELEASE

€ 225,00 VAT not included

- CNC processed aeronautical aluminium.
- Hard anodised for resistance and reliability.
- Slots for 6x70 mm mount.
- FIA compliant (annex J).



015R98R

SW PAD

Steering wheel protection pad.

€ 99,00 VAT not included



015002NR



HORN DELETE KIT

€ 44,00

VAT not included

VAT not included



0159ZMNR



€ 38,00

€ 53,00



0159ZNR

RING

€ 38,00

VAT not included

ANODIZED STEERING WHEEL SPACERS

€ 87,00 VAT not included

€ 44,00

ANODIZED ALUMINIUM







01599NR

01595ANR

01595ANT

RACING PUSH BUTTONS KIT

015NE981 015NE982 FOR THE APPLICATION LIST PLEASE CHECK PRICE LIST.

STEEL WHEEL HUB

Sparco collapsible hubs are made from cast iron with a steel frame that collapse during impacts. This item absorbs kinetics energy avoiding transfer to the driver.

The Sparco steering wheels are TÜV approved only if coupled with the Sparco hubs.



