

Stilo



2024

Page 3

## STILO VICTORY TIMELINE

Page 6

## RALLY

▶ VENTI WRC Range	8
▶ VENTI TROPHY Range	10
▶ SPORT Range	11
▶ ST5R Range	12
▶ ACCESSORIES	13
▶ VENTI WRX Range	14
▶ VENTI WRX ACCESSORIES	16
▶ COMMUNICATION ACCESSORIES	17
▶ COMPARISON CHART	18
▶ WIRELESS COMMUNICATION	20
▶ DIGITAL COMMUNICATION	22
▶ ANALOGIC COMMUNICATION	24
▶ INTERCOMS COMPATIBILITY	25

Page 26

## RACING

▶ ST5FN ABP Range	28
▶ ST5FN Range	29
▶ ST5F Range	30
▶ ST5 GT Range	31
▶ ST5 GTN Range	32
▶ VENTI WRC TURISMO Range	33
▶ VENTI WRX TURISMO Range	34
▶ COMPARISON CHART	36
▶ ST5 ACCESSORIES	38
▶ ELECTRONIC KITS	42
▶ TRACK COMMUNICATION	43
▶ HEAD & NECK RESTRAINTS	45

Page 46

## KARTING

▶ CMR CARBON Range	48
▶ ST5FN CMR Range	49
▶ ST5FN KRT Range	50
▶ & COMPARISON CHART	
▶ RIB & CHEST PROTECTORS	51
▶ ACCESSORIES	52

Page 53

## OFFSHORE

▶ OFFSHORE Range	54
▶ INTERCOMS & COMPARISON CHART	55

## STILO VICTORY TIMELINE

**2023**

- 19th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 2th WRC title
- 18th Dakar title with Nasser Al-Attiyah and Mathieu Baumel
- Official Team Supplier to Aston Martin F1
- Gabriel Bortoleto is FIA F3 Champion
- Christian Rasmussen won INDY NXT title

**2021**

- Launch of the new Venti WRC open face helmet range, celebrating Stilo's 20th anniversary
- 17th WRC title in a row with Ogier and Ingrassia signing their 8th title wearing the new Venti WRC
- Nyck De Vries becomes World Champion winning Formula E
- Stilo presents the Wireless communication technology, taking communications in rallying to a revolution
- Stilo and Simpson join The Holley Group, publicly listed in the NY stock exchange

**2018**

- ST5 Zero VB is the first FIA 8860-2018 certified helmet and Valtteri Bottas is the world first driver to wear a FIA 8860-2018 ABP helmet during the Spa GP
- WRC DES, ST5, ST5 ABP: the whole range updates to the new FIA 8860-2018 standard
- Filipe Albuquerque wins Daytona Rolex 24H with Audi Sport Team
- Stilo implements wireless technology in rally communications

**2015**

- Stilo officially debuts in F1
- Update to the new homologation standards FIA 8859-2015 and Snell 2015
- Stilo wins the 24h of Le Mans with Porsche - LMP1

**2014**

- Birth of ST5, designed to be the benchmark in full-face helmets
- DG30, DG10 the world's first rally intercoms with noise digital active cancellation

**2010**

- Launch of the WRC DES, world's first FIA8860-2004 certified open-face helmet
- New operations office in 2.000 sq. m area. Energetically self-sufficient, carbon neutral on the environment
- Launch of the ST30-DES, world's first rally intercom with Bluetooth technology for mobile telephones connection

**2004**

- Debut in the World Rally Championship with Gilles Panizzi
- First Dakar Rally victory with Stéphane Peterhansel

**2003**

- First company worldwide to create a Bluetooth intercom for motorbikes

**2022**

- Felipe Drugovich is Formula 2 Champion with MP Motorsport
- Nyck De Vries debuts in the FIA Formula 1 Championship on occasion of the Monza GP with the Aston Martin F1 and adds up to Valtteri Bottas - Alfa Romeo ORLEN F1 Team and Lance Stroll - Aston Martin F1 Team
- 18th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 1th WRC title
- Official Team Supplier to TGR Motorsport in the WRC, winners of the WRC
- Dakar winners with Nasser Al-Attiyah and Mathieu Baumel

**2020**

- Stilo wins the 16th WRC title in a row with Ogier and Ingrassia celebrating the 7th WRC title

**2017**

- In Formula 1 with Valtteri Bottas Mercedes F1 Team and Jolyon Palmer Renault F1 Team
- Earl Bamber wins the 24h of Le Mans and the WEC title with Porsche LMP1
- 5th WRC title for Sébastien Ogier and 1st for M-Sport. It's the 13th title in row for Stilo

**2013**

- Stilo develops the world first rally intercom with digital noise cancellation that debuts with Volkswagen winning the World Rally Championship in Sébastien Ogier's Polo WRC

**2009**

- Stilo develops ST-30, the world's first intercom featuring 2 circuits, one in use and one for backup
- First World Touring Car Championship victory with Gabriele Tarquini

**2000**

- First helmet sold
- Origin of the WRC, the world's first open-face helmet designed around the intercom

**2019**

- Stilo becomes Official Team Supplier to Mercedes-AMG Petronas Motorsport in the FIA Formula 1 Championship
- Stilo is Official Helmet Supplier to Porsche Motorsport
- 1st WRC title for Ott Tanak and Tommi Makinen. 15th in a row for Stilo
- Stilo is Hyundai Motorsport Customer Racing Official Supplier
- Nyck De Vries is Formula 2 Champion with ART
- New ST5 CMR with the extra-small shell and new colours and designs for the karting range

**2016**

- Stilo becomes part of the Simpson Performance group based in the US
- New racing communication system via radio for the PCCA championship
- Romain Dumas wins the 24h of Le Mans and the WEC title with Porsche LMP1
- Jimmie Johnson NASCAR Sprint Cup Series
- 4th WRC title won with Volkswagen Motorsport and Sébastien Ogier

**2012**

- Stilo into the Rally Legend: eight World Champion title won with Sébastien Loeb and Citroen
- Stilo wins the GP2 main series with Davide Valsecchi

**2008**

- Birth of the ST4: Stilo professional helmet for racing. The world's first FIA8860-2004 certified racing helmet with earmuffs and integrated drinking system

**2011**

- Stilo designs ST4 Zero and WRC DES Zero, world's lightest FIA 8860 certified helmets, both full face and open face
- Verbacom launch: the very first communication system for racing with Bluetooth technology for mobile phone connection

**2005**

- First World Rally Championship victory with Sébastien Loeb

# MADE IN ITALY

## WHY STILO?

The name Stilo comes from the tool used by the Bronze Age to write, to imprint their first thoughts, their first ideas, their first concepts. In time the word “stilo” evolved in “style”, that is the way each person uses a stilo: your own style. And our style is that of making products that leave a mark, exactly like a stilo in our ancestors wax boards.

## OUR PHILOSOPHY

Top functionality. Everything a driver needs must be standard feature: intercom, connections, earmuffs, drinking system, etc.

The engine at Stilo is fueled by the constant search for innovation through the highest technologies and a passion for motorsport with its unstoppable evolution. A helmet is part of the safety equipment to the driver and is meant to be as safe as possible in the first place but it can be something more: an element of performance.

Stilo helmets are designed, developed, prototyped, tested and produced in Italy with a KM 0 philosophy, **100% made in Italy.**

Starting from the driver's needs in the great variety of motorsport racing activities, Stilo **Research and Development** Department combines the **know-how** built from experience with the use of **aerodynamics materials** and the most **advanced technologies**, creating new projects and working to never stop evolving. Highly qualified personnel work in Stilo **internal laboratory** and our **carbon shop** to make prototypes, crash tests and pre-series production following strict procedures.



Each Stilo helmet is **fully hand-made** by specialised workers in Bergamo, starting from the shell and all the way down to the labelling of the helmet before shipping. Every step of the production procedures is prepared with the utmost care and strict **quality controls** are in place before and during the whole process.



All of this to offer the safest helmets, with accessories, features and functionalities that make sure our products are a perfect fit for each seat.

# Stilo NEW 2024

## VENTI WRX

Pages 14/34



DIRT CARBON

Pages 15/35



RAID ZERO

## SPORT

Page 11



PLUS

## CMR

Page 48



CARBON

WRC CHAMPIONS FOR  
19 TIMES IN A ROW

RALLY

RANGE



Partner of TOYOTA GAZOO RACING WORLD RALLY TEAM  
2023 WRC Champions

# INDEX

# RALLY

Page 8	VENTI WRC RANGE
Page 10	VENTI TROPHY RANGE
Page 11	SPORT RANGE
Page 12	ST5R RANGE
Page 13	ACCESSORIES
Page 14	VENTI WRX RANGE
Page 16	VENTI WRX ACCESSORIES
Page 17	COMMUNICATION ACCESSORIES
Page 18	COMPARISON CHART
Page 20	WIRELESS COMMUNICATION
Page 22	DIGITAL COMMUNICATION
Page 24	ANALOGIC COMMUNICATION
Page 25	INTERCOMS COMPATIBILITY

The Stilo logo consists of the word "stilo" in a bold, lowercase, sans-serif font. The letter "i" is stylized with a red vertical bar extending upwards from its top.

K. ROVANPERÄ

# VENTI WRC

WRC CHAMPIONS FOR  
19 TIMES IN A ROW

PURO technology for all carbon shells

Increased comfort with brand  
new interior paddings

Microphone and boom shaped to  
enhance voice quality

Recessed side port for a cleaner  
look and plug protection

Compatible with WIRELESS  
and WIRED intercom connections \*

\*  
INTERCOM  
CONNECTION



ZERO 8860

PURO  
TECH



8860

PURO  
TECH





ADJUSTABLE SHORT VISOR

- New top ventilation holes to reduce sweat, and moisture and allow the use of the Top Air System
- Shell and adjustable peak totally redesigned
- Size mix in 3 shells
- Advanced technology for improved sound insulation
- Adjustable microphone \*



\* ADJUSTABLE MICROPHONE



CARBON



COMPOSITE



FIA 8859-2015  
SNELL SA2020

Shell structure in MSF (multi Sandwich Fibers) with Kevlar reinforcements

Shell and adjustable peak totally redesigned

Size mix in 3 shells

Plus Version Only: Compatible with WIRELESS and WIRED WRC intercom connections

New top ventilation holes to reduce sweat, and moisture and allow the use of the Top Air System

Available in silver or white outer

Adjustable short visor (Optional)

Increased comfort with brand new interior paddings



PLUS



RALLY



JET



# SPORT

# NEW

100% Made in Italy

Appealing design with white shell and white peak

Both versions with Hans Posts Anchors

Excellent mix of price, quality, innovation and electronics

Shell structure in MSF (multi Sandwich Fibers) with Kevlar reinforcements

Adjustable peak and short visor

Available in 2 versions with and without electronic kit

Compatible with wired WRC and DG Intercom



PLUS



JET



FIA 8859-2015 SNELL SA2020

Top ventilation holes to reduce sweat and moisture allowing the use of Stilo Top Air Systems

Integrated speakers with adjustable noise reduction earmuffs

Adjustable microphone

Carbon range compatible with WIRELESS intercoms

Composite range compatible with WIRED intercoms



The widest size range: from XS54 to 3XL 64

Short visors and peak available as optional \*

Wider view field for a better vision

The world's lightest in our ZERO version



FIA 8860-2018



ZERO 8860



8860



FIA 8859-2015  
SNELL SA2020



CARBON




COMPOSITE



— Helmet color  
— Interior color

## SHORT VISORS VENTI WRC / VENTI TROPHY / WRC DES / SPORT



YA0229 Yellow  
YA0230 Smoked Dark  
YA0240 Mirror Dark

YA0241 Iridium Blue Dark  
YA0266 Clear  
YA0709 Red Light

## PEAKS VENTI WRC / VENTI TROPHY



YA0268 Silver  
YA0273 White  
YA0278 Matt Black  
YA0116 Black

### WRC DES

YA0226 Silver  
YA0260 White  
YA0271 Matt Black  
YA0227 Black

## CARBON PEAKS VENTI WRC / ST5R



YA0269 Venti Carbon  
YA0270 Venti Zero  
and 8860

YA0862 ST5R Carbon  
YA0863 ST5R Zero  
and 8860

## PEAKS FITTING KIT


VENTI WRC / VENTI TROPHY / WRC DES / SPORT



YA0114  
YA0865 ST5R

## PEAKS + VISORS FITTING KIT

VENTI WRC / VENTI TROPHY / WRC DES / SPORT



YA0242 VENTI WRC / VENTI TROPHY  
YA0864 ST5R

## SHORT VISORS OR SUNSCREEN FITTING KIT ST5R



YA0817 Silver  
YA0817B Blue  
YA0817G Gold  
YA0817R Red  
YA0865B/R/G

## SHORT VISORS ST5R



YA0836 Iridium Blue Medium  
YA0837.2 Iridium Red Medium  
YA0838.2 Iridium Yellow Dark

YA0854 Mirror Dark  
YA0891 Smoked Dark

## SUNSCREEN ST5R



YA0816 Dark Grey

## PEAK SPORT



YA0155 White

## SPARE INTERCOM KIT SPORT



AE0112

## SPARE INTERCOM KITS



AE0228 Venti WRC Zero / 8860  
AE0226 Venti WRC Carbon / Composite  
ST5R Zero / 8860 / Carbon



AE0121 Venti Trophy Plus / Jet



AE0210 ST5R Composite  
WRC DES Carbon Piuma  
WRC DES Composite



AE0111 Venti Trophy Rally  
Venti Trophy Jet

# VENTI WRX DIRT

# NEW

Specific versions for open vehicles

Perfect fitted for extreme conditions


Full face protection certified and maximum view field

Communication kit with ear cups and integrated speakers

Sealed full visor



VENTI WRX



+34% VISOR OPENING  
COMPARED TO ST5 RANGE



ST5 R



DIRT ZERO 8860



DIRT CARBON



FIA 8860-2018

FIA 8859-2015 SNELL SA2020



Specific versions for closed vehicles

Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Side Air and Drinking System available



RAID ZERO 8860

PURO  
TECH



RAID CARBON

PURO  
TECH

## FULL VISORS



**YA0286** Iridium Yellow Dark  
**YA0288** Smoked Dark  
**YA0287** Mirror Dark

**YA0284** Iridium Blue Medium  
**YA0279** Clear  
**YA0285** Iridium Red Dark

## FULL VISORS FITTING KIT



**YA0817** Silver    **YA0817B** Blue  
**YA0817G** Gold    **YA0817R** Red

## FITTING KITS

**YA0299** Peak Fitting Kit  
**YA0298** Peak + Short Visor Fitting Kit

## CARBON PEAKS



**YA0281**  
Zero 8860

**YA0280**  
Carbon

**YA0283** Zero 8860 Extended Peak  
**YA0282** Carbon Extended Peak

## SHORT VISORS



**YA0295** Iridium Blue Medium  
**YA0291** Iridium Red Medium  
**YA0291** Iridium Yellow Dark

**YA0293** Mirror Dark  
**YA0294** Smoked Dark

## DRINKING SYSTEM



**YA0600**

## HELMET SKIRT



**YA0289**



## SHORT MODULAR TOP AIR KITS



**YA0892**  
Modular short top air  
with main adapter.  
To be used with YA0895 or YA0896



**YA0896**  
Modular straight fitting  
with Ø 32mm connection.  
Compatible with  
Maglock® connector



**YA0895**  
Modular 90° angled fitting  
with Ø 32mm connection.  
Compatible with  
Maglock® connector

## SHORT TOP AIR KITS



**YA0889**  
Top Air System  
with oval connector



**YA0897**  
Top Air System  
with smaller round  
connector



## OPEN-FACE KIT WITH EARMUFFS



**AE0104**  
WRC intercom kit for open-face helmets with earmuffs

## FULL-FACE KIT WITH EARMUFFS



**AE0105**  
WRC intercom kit for full-face helmets with earmuffs

## ADAPTERS



**AC0204.2**  
Stilo WRC helmet to Peltor intercom (or similar)



**AC0200**  
Stilo WRC intercom to Peltor helmet (or similar)

## POWER SUPPLY



**YB0100**  
Stilo WRC helmet to Peltor intercom (or similar)

## OPEN-FACE KITS



**AE0103**  
WRC intercom kit for open-face helmets

## FULL-FACE KITS



**AE0102**  
WRC intercom kit for full-face helmets



**AC0100.2**  
Stilo Trophy Rally helmet to Terraphone intercom



**AC0101.2**  
Stilo Trophy intercom to Terraphone helmet

## EXTRA FILTER



**YY0030**  
Isolating filter for DG-10 intercom (1 in / 2 out RCA)

## WIRING CONNECTIONS



Intercom to helmet extension cable  
**YB0317.2** 0,45 mt coil incl.  
**YB0319.2** 0,21 mt no coil  
**YB0307.2** 2,5 mt coil incl.



Stilo helmet to phone 3,5 mm jack  
**YB0311**



Intercom to 3,5 mm jack camera connection  
**YB0312**



**AE0101**  
TROPHY intercom kit for open-face helmets



**AE0100**  
TROPHY intercom kit for full-face helmets

## HEADSETS



**AD0210**  
Excellent noise protection, maximum comfort, "flex" boom, no joints. WRC intercom connection



**AD0110**  
Excellent noise protection, maximum comfort, "flex" boom, no joints. TROPHY intercom connection



**YA0212**  
Spare hygienic kit for AD0210 and AD0110 headsets

## EMERGENCY KIT



**YA0001**  
Spare electronics kit: it is like carrying a spare helmet in the co-driver bag

# COMPARISON CHART

## VENTI WRC

VERSION				
	<b>ZERO 8860</b> AA0220BG3R Hans	<b>8860</b> AA0220BG1R Hans	<b>CARBON</b> AA0220BG1T Hans	<b>COMPOSITE</b> AA0220BG2T Hans
	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020
	<b>MATERIAL</b> HIGH TENSILE CARBON	<b>MATERIAL</b> MEDIUM TENSILE CARBON	<b>MATERIAL</b> NORMAL TENSILE CARBON	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	<b>WEIGHT</b> small 1.190 g* medium 1.220 g*	<b>WEIGHT</b> small 1.330 g* medium 1.380 g* large 1.510 g*	<b>WEIGHT</b> small 1.240 g* medium 1.280 g* large 1.390 g*	<b>WEIGHT</b> small 1.480 g* medium 1.540 g* large 1.620 g*
	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
	<b>INTERCOM</b> AEO228 - Pro WL and Wired	<b>INTERCOM</b> AEO228 - Pro WL and Wired	<b>INTERCOM</b> AEO226 WL and Wired	<b>INTERCOM</b> AEO226 WL and Wired
	<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 

\*Communication kit included, M6 ready. ± 30 g

## VENTI TROPHY

VERSION			
	<b>PLUS</b> AA0112EG2T Hans	<b>RALLY</b> AA0112DF2T AA0112DG2T Hans	<b>JET</b> AA0112AF2T AA0112AG2T Hans
	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020
	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	<b>WEIGHT</b> small 1.450 g* medium 1.510 g* large 1.590 g*	<b>WEIGHT</b> small 1.385 g* medium 1.445 g* large 1.525 g*	<b>WEIGHT</b> small 1.310 g** medium 1.360 g** large 1.440 g**
	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
	<b>INTERCOM</b> AEO121 WL and Wired	<b>INTERCOM</b> AEO111 Wired	<b>INTERCOM</b> --
	<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 

\*Communication kit included, M6 ready. ± 30 g

\*\*M6 ready. ± 30 g

## SPORT

VERSION		
	<b>PLUS</b> AA0132HG2T Hans	<b>JET</b> AA0132AG2T Hans
	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020
	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	<b>WEIGHT</b> small 1.430 g* large 1.570 g*	<b>WEIGHT</b> small 1.350 g large 1.490 g
	<b>SIZE</b> small XS 54, S 55, M 57 large L 59, XL 61	<b>SIZE</b> small XS 54, S 55, M 57 large L 59, XL 61
	<b>INTERCOM</b> AEO112 Wired	<b>INTERCOM</b> --
	<b>COLORS</b> 	<b>COLORS</b> 

\*Communication kit included, M6 ready. ± 30 g

VENTI WRX

VERSION



RAID ZERO 8860

AA0232BG3R Hans

**HOMOLOGATION**  
FIA 8860 - 2018

**MATERIAL**  
HIGH TENSILE CARBON

**WEIGHT**  
small 1.300 g\*  
medium 1.430 g\*  
large 1.510 g\*

**SIZE**  
small XS 54, S 55, M 57, L 58  
medium L 59, XL 61  
large 2XL 63, 3XL 64

**INTERCOM**  
AEO228 PRO WL and WIRED

**COLORS**



DIRT ZERO 8860

AA0230BG3R Hans

**HOMOLOGATION**  
FIA 8860 - 2018

**MATERIAL**  
HIGH TENSILE CARBON

**WEIGHT**  
small 1.400 g\*  
medium 1.530 g\*  
large 1.610 g\*

**SIZE**  
small XS 54, S 55, M 57, L 58  
medium L 59, XL 61  
large 2XL 63, 3XL 64

**INTERCOM**  
AEO228 PRO WL and WIRED

**COLORS**



RAID CARBON

AA0232BG1T Hans

**HOMOLOGATION**  
FIA 8859-2015 SNELL SA2020

**MATERIAL**  
NORMAL TENSILE CARBON

**WEIGHT**  
small 1.250 g\*  
medium 1.370 g\*  
large 1.460 g\*

**SIZE**  
small XS 54, S 55, M 57, L 58  
medium L 59, XL 61  
large 2XL 63, 3XL 64

**INTERCOM**  
AEO226 WL and Wired

**COLORS**



DIRT CARBON

AA0230BG1T Hans

**HOMOLOGATION**  
FIA 8859-2015 SNELL SA2020

**MATERIAL**  
NORMAL TENSILE CARBON

**WEIGHT**  
small 1.340 g\*  
medium 1.480 g\*  
large 1.570 g\*

**SIZE**  
small XS 54, S 55, M 57, L 58  
medium L 59, XL 61  
large 2XL 63, 3XL 64

**INTERCOM**  
AEO226 WL and Wired

**COLORS**

\*Communication kit included, M6 ready. ± 30 g

ST5R

VERSION



ZERO 8860

AA0701RG3R Hans

**HOMOLOGATION**  
FIA 8860 - 2018

**MATERIAL**  
HIGH TENSILE CARBON

**WEIGHT**  
small 1.280 g\*  
large 1.480 g\*

**SIZE**  
small XS 54, S 55, M 57, L 59  
large L 60, XL 61, 2XL 63, 3XL 64

**INTERCOM**  
AEO226 WL and Wired

**COLORS**



8860

AA0701RG1R Hans

**HOMOLOGATION**  
FIA 8860 - 2018

**MATERIAL**  
MEDIUM TENSILE CARBON

**WEIGHT**  
small 1.420 g\*  
large 1.540 g\*

**SIZE**  
small XS 54, S 55, M 57, L 59  
large L 60, XL 61, 2XL 63, 3XL 64

**INTERCOM**  
AEO226 WL and Wired

**COLORS**



CARBON

AA0701RG1T Hans

**HOMOLOGATION**  
FIA 8859-2015 SNELL SA2020

**MATERIAL**  
NORMAL TENSILE CARBON

**WEIGHT**  
small 1.360 g\*  
large 1.510 g\*

**SIZE**  
small XS 54, S 55, M 57, L 59  
large L 60, XL 61, 2XL 63, 3XL 64

**INTERCOM**  
AEO226 WL and Wired

**COLORS**



COMPOSITE

AA0701BG2T Hans

**HOMOLOGATION**  
FIA 8859-2015 SNELL SA2020

**MATERIAL**  
FIBERGLASS KEVLAR MSF  
MULTI SANDWICH FIBER

**WEIGHT**  
small 1.590 g\*  
large 1.700 g\*

**SIZE**  
small XS 54, S 55, M 57, L 59  
large L 60, XL 61, 2XL 63, 3XL 64

**INTERCOM**  
AEO210 Wired

**COLORS**

\*Communication kit included, M6 ready. ± 30 g

# WIRELESS COMMUNICATION

WL-10 Wireless Intercom is the next step in rally intercom technology as connection, as the name describes, is now completely wireless with the crew's helmets. Based on the world's active digital noise-cancelling Stilo DG10 intercom, the WL-10 Wireless has had a few more improvements making this the ultimate in motorsport communications and the worlds first wireless intercom for rallying. Design and functionalities have been fine-tuned allowing the best noise-cancelling intercom on the market. An additional extra is a wireless headset for use on-road sections.



Shaped to be perfectly integrated with the geometry of the helmet



To be plugged directly to the side port of the helmet



Power and volume controls





**WL-KEY** AG0001  
WIRELESS

The Wireless helmet keys and headsets have their own battery which when fully charged has enough power to allow up to 5 hours of continuous talk time. Charging of these items is through a USB plug. These keys have been designed to plug directly into the Venti WRC, Venti Trophy Plus and ST5R WL helmets.

## HOW IT WORKS

The helmet key is plugged into the helmet side port and paired with the intercom, allowing the connection to work up to a 10 metres distance, this allowing the crew to exit the car with their helmets on and still talk to each other. Powered from the car's 12 volt supply the biggest change in this intercom is the Wireless functionality allowing you to drop the connection cables with the crew's helmet.




- Keyboard with all the features of our DG 10 intercom
- No cables to the helmets

**WL-10** AB0520  
WIRELESS



\*On with green button



**AG0001**

The bundle includes 1 WL-10 intercom (AB0520) and 2 wireless helmet keys WL-KEY (AG0001) paired and ready to use



**AD0225**

Wireless headsets for use on-road sections




The WL-10 features 1 output for the crew's communications to a camera system and 1 input for a radio interface.

**CG0020** Radio interface for for WL-10 - Universal

**CG0021** Radio interface for for WL-10 Prepared for connections with radio cables (YD0202 to YD0211) PTT cable YC0011 included

## THE WORLD FIRST DIGITAL INTERCOMS

How does it work? Digital, unlike the limited capabilities of old analog intercoms, has the capability of active digital noise cancelling, which in a millisecond can separate the vitally important sound of the drivers voices from the excessive bad noises of the engine, transmissions and road surface and filter these right down while improving the more important sound of the communications between driver and co-driver.



### DG-30



**MAIN UNIT**



**REMOTE CONTROL PANEL**

**AB0601**  
DG - 30 Bluetooth  
Remote control panel  
and main unit

- Digital active noise cancellation with SDA filter
- Separate main intercom box which can be positioned under the seats to offer a lower center of gravity
- Remote control panel
- Integrated Bluetooth module
- Camera and radio connections



**YB0600.2**  
Helmets connection  
cable (not included)



**YB0317.2**  
45 cm [coil included]  
Extension cable recommended  
for AB0200, AB0500, AB0214, AB0600

## DG-10

Developed directly from DG - 30: same digital active noise cancellation with simplified functions

- Digital active noise cancellation with sda filter
- Integrated bluetooth for mobile phone connection
- Camera and radio connections
- Helmet connection cables integrated
- The use of YB0317 or YB0319.2 is highly recommended



AB0500  
DG-10 Bluetooth



- CG0013 Radio interface for DG-10 intercom
- CG0014 Kenwood radio interface for DG-10 intercom YC0001 PTT included
- CG0017 Motorola radio interface for DG-10 intercom YC0001 PTT included
- YY0030 Isolating Filter for DG-10 intercom (1 IN / 2 OUT RCA)

## DG-10 RAID

Designed and developed to resist and maintain high performance in the extreme environments and intensive usage typical of X-Country, Raid and Dirt racing

- Digital active noise cancellation with sda filter
- Improved filters for an optimized noise cancellation
- Camera and radio connections
- Female helmet connection cables integrated
- Voice returns for both driver and co-driver can be adjusted
- The use of AC0204.2 is required



Female connectors

AB0507  
DG-10 RAID

Voice returns and microphone gain adjustments

Voice equalization adjustment



Improved filters

**NEW**

## WRC DES 9V

The best of Stilo's analogic noise cancellation available thanks to the "Extra Filter". Fed from the car power supply and 9V battery. Bluetooth connection with mobile telephones not available.

- The best analogic Stilo audio quality and the maximum ease of use at a price with no equal
- Camera or Radio connection
- Powered by a 9 volt battery or fed from the car power supply



Extra filter even more effective. Moving the switch to "Extra Filter" the background noises are strongly damped and the co-driver voice's louder to the driver. Since the driver's voice sounds lower to the co-driver, it is recommended that the Extra Filter is set to off during transfers.



Camera OUT (low or high level) or radio IN switch



AB0214

## WRC 03

- Specifically designed for roll-bars fitment
- ON/OFF control with the co-driver plug-in
- Separated volumes, 9 V standard power supply and 12 V available option
- Camera connection



AB0200



AB0102

## TROPHY 2

- Individual volume controls
- 9 Volt battery or 12 Volt optional adapter
- Camera connection
- ON/OFF led
- High quality metal jacks
- Special design for roll-bar fitting



## WIRELESS RANGE



## DG - WRC RANGE



## TROPHY RANGE




RACING

RANGE

  
cognizant  
FORMULA ONE TEAM  
aramco




OFFICIAL SUPPLIER



OFFICIAL HELMET SUPPLIER

**PORSCHE**  
MOTORSPORT



Page 28 ST5FN ABP RANGE

Page 29 ST5FN RANGE

Page 30 ST5F RANGE

Page 31 ST5 GT RANGE

Page 32 ST5 GTN RANGE

Page 33 VENTI WRC TURISMO RANGE

Page 34 VENTI WRX TURISMO RANGE

Page 36 COMPARISON CHART

Page 38 ST5 ACCESSORIES

Page 42 ELECTRONIC KITS

Page 43 TRACK COMMUNICATION

Page 45 HEAD & NECK RESTRAINTS



Design and top extra holes for advanced aerodynamics and ventilation

The WORLD's first FIA8860-2018 ABP certified helmet

The widest size range, certified from XS54 to 3XL64

Internal comfort padding designed to improve performance in open cars

Ready for installation of different radio communication kits



Increased energy absorption

ABP: Advanced Ballistic Protection. Extended area of protection in the forehead area

Dedicated smaller visor shape

Multi function two-step visor locking clasp

FIA 8860-2018 ABP



VB ABP ZERO



ABP ZERO



FIA 8860-2018 ABP



ABP 8860



ST5FN VB ABP ZERO

► **Valtteri Bottas** successfully used ST5FN VB ABP Zero on occasion of the Belgian F1 GP in Spa during FP1 in 2018. Narrower, even smaller and produced with an avant-guard technology. It is available in size M-57.

Design and top holes for advance aerodynamics and ventilation

Adjustable ear paddings for the best comfort

Multi function two-step visor locking clasp

The world's lightest in our ZERO version

The whole range is available in 4 materials

View field shaped for a wide vision in all cockpits

Shell and internals designed to adjust the air flow and improve breathability

Prepared for frontal drinking system

Ready for installation of different radio communication kits



\* ST5F for US only



ZERO 8860



8860



CARBON



COMPOSITE



— Helmet color  
— Interior color

FIA 8860-2018

FIA 8859-2015  
SNELL SA2020

Design and top holes for advanced aerodynamics and ventilation

Versatile and suitable for both open and closed wheel racing

Adjustable ear paddings for the best comfort

Multi function two-step visor locking clasp

Prepared for side integrated or frontal drinking system

The whole range is available in 4 materials

View field shaped for a wide vision in all cockpits

Shell and internals designed to adjust the air flow and improve breathability

Integrated microphone, earplugs connection and radio connection\*\*

\*\* Not for US market

\* ST5GT for US only



FIA 8860-2018



ZERO 8860



8860



FIA 8859-2015  
SNELL SA2020



CARBON



COMPOSITE



Design and top holes for advanced aerodynamics and ventilation

Ideal for closed wheel racing

Adjustable short sunscreen, Short visors available as optional

Prepared for side integrated or frontal drinking system



The whole range is available in 4 materials

Adjustable ear paddings for the best comfort

Shell and internals designed to adjust the air flow and improve breathability

No hanging cables. Earplugs and radio connection cable available as optional.

Integrated microphone, earplugs connection and radio connection\*\*

\*\* Not for US market



ZERO 8860



8860



CARBON



COMPOSITE



FIA 8860-2018

FIA 8859-2015  
SNELL SA2020

Design and top holes for advanced aerodynamics and ventilation

Ideal for closed wheel racing

Adjustable short sunscreen. Short visors available as optional

Adjustable ear paddings for the best comfort

Ready for installation of different radio communication kits



The whole range is available in 4 materials

Shell and internals designed to adjust the air flow and improve breathability

Prepared for frontal drinking system

No hanging cables. Earplugs and radio connection cable available as optional

FIA 8860-2018



ZERO 8860



8860



FIA 8859-2015  
SNELL SA2020



CARBON




COMPOSITE



— Helmet color  
— Interior color





Adjustable peak and optional visor for the whole range

Ear cups for noise reduction

Integrated plug for intercom or radio connections

Female connection for use with earplugs

Adjustable microphone



ZERO 8860 TURISMO



8860 TURISMO



CARBON TURISMO



COMPOSITE TURISMO



FIA 8860-2018

FIA 8859-2015  
SNELL SA2020

# VENTI WRX DIRT TURISMO

# NEW

Full face protection certified  
and maximum view field

Ear cups for noise reduction


Sealed full visor

Side Air and Drinking System  
available

Female connection for use  
with earplugs



VENTI WRX



+34% VISOR OPENING  
COMPARED TO ST5 RANGE



ST5

FIA 8860-2018



DIRT ZERO 8860  
TURISMO



DIRT CARBON  
TURISMO



FIA 8859-2015 SNELL SA2020

For accessories and electronics please see p. 16 and 23

# VENTI WRX RAID TURISMO

# NEW



Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Integrated plug for intercom or radio connections

Adjustable microphone



**RAID ZERO 8860  
TURISMO**



**RAID CARBON  
TURISMO**



FIA 8860-2018

FIA 8859-2015 SNELL SA2020








For accessories and electronics please see p. 16 and 23

# COMPARISON CHART

## ST5FN ABP

VERSION			
	<b>VB ABP ZERO</b>	<b>ABP ZERO</b>	<b>ABP 8860</b>
	AA0730AG3S Hans	AA0710AG3S Hans	AA0710AG1S Hans
<b>HOMOLOGATION</b>	FIA 8860 - 2018 ABP	FIA 8860 - 2018 ABP	FIA 8860 - 2018 ABP
<b>MATERIAL</b>	HIGH TENSILE CARBON	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON
<b>WEIGHT</b>	extra small ---	small --- large ---	small --- large ---
<b>SIZE</b>	extra small M 57	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
<b>INTERCOM</b>	Optional on demand	Optional on demand	Optional on demand
<b>COLORS</b>			

## ST5FN

VERSION				
	<b>ZERO 8860</b>	<b>8860</b>	<b>CARBON</b>	<b>COMPOSITE</b>
	AA0710AG3R Hans	AA0710AG1R Hans	AA0710AG1T Hans	AA0710AG2T Hans
<b>HOMOLOGATION</b>	FIA 8860 - 2018	FIA 8860 - 2018	FIA 8859-2015 SNELL SA2020	FIA 8859-2015 SNELL SA2020
<b>MATERIAL</b>	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MSF MULTI-SANDWICH FIBER
<b>WEIGHT</b>	small 1,230 g* large 1,430 g*	small 1,370 g* large 1,490 g*	small 1,310 g* large 1,460 g*	small 1,540 g* large 1,650 g*
<b>SIZE</b>	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
<b>INTERCOM</b>	Optional on demand	Optional on demand	Optional on demand	Optional on demand
<b>COLORS</b>				

\*M6 ready. ± 30 g

## ST5F

VERSION				
	<b>ZERO 8860</b>	<b>8860</b>	<b>CARBON</b>	<b>COMPOSITE</b>
	AA0700CG3R Hans	AA0700CG1R Hans	AA0700CG1T Hans	AA0700CG2T Hans
<b>HOMOLOGATION</b>	FIA 8860 - 2018	FIA 8860 - 2018	FIA 8859-2015 SNELL SA2020	FIA 8859-2015 SNELL SA2020
<b>MATERIAL</b>	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MSF MULTI-SANDWICH FIBER
<b>WEIGHT</b>	small 1,280 g* large 1,480 g*	small 1,420 g* large 1,540 g*	small 1,360 g* large 1,510 g*	small 1,590 g* large 1,700 g*
<b>SIZE</b>	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
<b>INTERCOM</b>	AE0211**	AE0211**	AE0211**	AE0211**
<b>COLORS</b>				

## ST5 GT

VERSION				
	<b>ZERO 8860</b>	<b>8860</b>	<b>CARBON</b>	<b>COMPOSITE</b>
	AA0702CG3R Hans	AA0702CG1R Hans	AA0702CG1T Hans	AA0702CG2T Hans
<b>HOMOLOGATION</b>	FIA 8860 - 2018	FIA 8860 - 2018	FIA 8859-2015 SNELL SA2020	FIA 8859-2015 SNELL SA2020
<b>MATERIAL</b>	HIGH TENSILE CARBON	MEDIUM TENSILE CARBON	NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MSF MULTI-SANDWICH FIBER
<b>WEIGHT</b>	small 1,210 g* large 1,410 g*	small 1,350 g* large 1,470 g*	small 1,290 g* large 1,440 g*	small 1,520 g* large 1,630 g*
<b>SIZE</b>	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
<b>INTERCOM</b>	AE0211**	AE0211**	AE0211**	AE0211**
<b>COLORS</b>				

\*Communication kit included, M6 ready. ± 30 g \*\* Not for US market

\*Communication kit included, M6 ready. ± 30 g \*\* Not for US market

ST5 GTN

VERSION				
	<b>ZERO 8860</b>	<b>8860</b>	<b>CARBON</b>	<b>COMPOSITE</b>
	AA0712AG3R Hans	AA0712AG1R Hans	AA0712AG1T Hans	AA0712AG2T Hans
	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020
	<b>MATERIAL</b> HIGH TENSILE CARBON	<b>MATERIAL</b> MEDIUM TENSILE CARBON	<b>MATERIAL</b> NORMAL TENSILE CARBON	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
<b>WEIGHT</b> small 1.160 g* large 1.360 g*	<b>WEIGHT</b> small 1.300 g* large 1.420 g*	<b>WEIGHT</b> small 1.240 g* large 1.390 g*	<b>WEIGHT</b> small 1.470 g* large 1.580 g*	
<b>SIZE</b> small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	
<b>INTERCOM</b> Optional on demand	<b>INTERCOM</b> Optional on demand	<b>INTERCOM</b> Optional on demand	<b>INTERCOM</b> Optional on demand	
<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 	

VENTI WRX DIRT  
TURISMO

VERSION				
	<b>DIRT ZERO 8860</b>	<b>DIRT CARBON</b>	<b>RAID ZERO 8860</b>	<b>RAID CARBON</b>
	AA0230CG3R	AA0230CG1T	AA0232CG3R	AA0232CG1T
	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8859-2015 SNELL SA2020
	<b>MATERIAL</b> HIGH TENSILE CARBON	<b>MATERIAL</b> NORMAL TENSILE CARBON	<b>MATERIAL</b> HIGH TENSILE CARBON	<b>MATERIAL</b> NORMAL TENSILE CARBON
<b>WEIGHT</b> small 1.400 g* medium 1.530 g* large 1.610 g*	<b>WEIGHT</b> small 1.340 g* medium 1.480 g* large 1.570 g*	<b>WEIGHT</b> small 1.300 g* medium 1.430 g* large 1.510 g*	<b>WEIGHT</b> small 1.250 g* medium 1.370 g* large 1.460 g*	
<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	
<b>INTERCOM</b> AE0227**	<b>INTERCOM</b> AE0227**	<b>INTERCOM</b> AE0227**	<b>INTERCOM</b> AE0227**	
<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 	

\*M6 ready. ± 30 g \*\*Not for US market

VENTI WRC

VERSION				
	<b>ZERO 8860 TURISMO</b>	<b>8860 TURISMO</b>	<b>CARBON TURISMO</b>	<b>COMPOSITE TURISMO</b>
	AA0220CG3R Hans	AA0220CG1R Hans	AA0220CG1T Hans	AA0220CG2T Hans
	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8860 - 2018	<b>HOMOLOGATION</b> FIA 8859 2015 - SNELL 2020	<b>HOMOLOGATION</b> FIA 8859 2015 - SNELL 2020
	<b>MATERIAL</b> HIGH TENSILE CARBON	<b>MATERIAL</b> MEDIUM TENSILE CARBON	<b>MATERIAL</b> NORMAL TENSILE CARBON	<b>MATERIAL</b> FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
<b>WEIGHT</b> small 1.190 g* medium 1.220 g*	<b>WEIGHT</b> small 1.330 g* medium 1.380 g* large 1.510 g*	<b>WEIGHT</b> small 1.240 g* medium 1.280 g* large 1.390 g*	<b>WEIGHT</b> small 1.480 g* medium 1.540 g* large 1.620 g*	
<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	<b>SIZE</b> small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	
<b>INTERCOM</b> AE0227	<b>INTERCOM</b> AE0227	<b>INTERCOM</b> AE0227	<b>INTERCOM</b> AE0227	
<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 	<b>COLORS</b> 	

\*Communication kit included, M6 ready. ± 30 g

# ST5 ACCESSORIES

## FULL VISORS

Anti-fog and anti-scratch visors.  
Note: to preserve the applied anti-fog inside treatment, visors should NOT be cleaned with water-based products.



YA0800 Clear



YA0801 Smoked medium



YA0802 Smoked dark



YA0803 Mirror medium



YA0804 Mirror dark



YA0805 Iridium blue medium



YA0806 Iridium blue dark



YA0807.2 Iridium red medium



YA0808.2 Iridium red dark



YA0809.2 Iridium yellow medium



YA0810.2 Iridium yellow dark



YA0813\* Amber dark



YA0814 Clear double glaze



YA0815\* Yellow double glaze



YA0851 Clear no anti-fog

All visors are available in the ABP versions for use with ST5FN ABP helmets.

\*Not FIA approved

## SHORT VISORS



YA0836 Iridium Blue Dark  
YA0837.2 Iridium Red Dark  
YA0838.2 Iridium Yellow Dark

YA0854 Mirror Dark  
YA0891 Smoked Dark

## GT SUN SCREEN



YA0816

## BREATH DEFLECTOR



YA0873

## VISOR AND TEAR-OFF TOOL



YY0028

## TEAR-OFF AND SUN STRIP STICKER



**YA0820-CP**  
Package [3 tear-off films stuck together],  
3 pieces kit. With perimeter seal

**YA0829-CP**  
Package [10 tear-off films stuck together],  
3 pieces kit. With perimeter seal

**YA0819**  
Package with 5 single tear-off films

**YA0821**  
Visor sun strip sticker

## FULL VISOR LOCKING SYSTEM



YA0818

## VISOR WASHERS KIT



YA0890 3 pieces kit

## VISORS OR SUNSCREEN FITTING KIT

YA0817 Silver    YA0817B Blue  
YA0817G Gold    YA0817R Red



**AIR INTAKES**

Designed to bring fresh air into the helmet at speed and extract hot air through the helmet top holes

YA0822



YA0861  
Lower profile



**FRONT SPOILERS**



YA0870 Small

YA0823 Large

Stabilizes aerodynamic vibrations at high speed  
(position as shown in picture)



**BACK SPOILER**



YA0623

Stabilizes aerodynamic vibrations at high speed  
(position as shown in picture)

**INDYCAR AERO KIT**



YA0674

Stabilizes aerodynamic vibrations at high speed  
(position as shown in picture)

**AIR SYSTEM KITS** The exclusive Stilo **Top Air System** takes fresh air to the driver's head and nose. The Top Air System can be fitted onto ST5 Formula and GT models.

## SHORT MODULAR TOP AIR KITS



**YA0892**  
Modular short top air for Venti WRC and ST5 with main adapter. To be used with YA0895 or YA0896



**YA0896**  
Modular straight fitting with  $\varnothing$  32mm connection. Compatible with Maglock® connector



**YA0895**  
Modular 90° angled fitting with  $\varnothing$  32mm connection. Compatible with Maglock® connector



## SHORT TOP AIR KITS



**YA0889**  
Top Air System for Venti WRC and ST5 with oval connector



**YA0897**  
Top Air System for Venti WRC and ST5 with smaller round connector

## MODULAR TOP AIR KITS



**YA0893** small shell  
**YA0894** large shell  
Modular top air for ST5 with main adapter. To be used with YA0895 or YA0896



**YA0896**  
Modular straight fitting with  $\varnothing$  32mm connection. Compatible with Maglock® connector



**YA0895**  
Modular 90° angled fitting with  $\varnothing$  32mm connection. Compatible with Maglock® connector



## TOP AIR KITS



**YA0834** small shell  
**YA0857** large shell  
Top Air System for ST5 with oval connector



**YA0853** small shell  
**YA0859** large shell  
Top Air System for ST5 with smaller round connector

**ADJUSTABLE TOP AIR KITS** The air flow can be directed to the driver's face for a better breathing or for cooling the driver's head.



**YA0833** small shell  
**YA0856** large shell  
Adjustable Top Air System for ST5 with oval connector



**YA0852** small shell  
**YA0858** large shell  
Adjustable Top Air System for ST5 with smaller round connector

**YA0714**  
45° cuff for  $\varnothing$  1.5 inches to helmet Top Air oval hose



## SIDE AIR KIT



**YA0653**  
Integrated air coupling for  $\varnothing$  20 mm tubes

**YA0639**

Coupling for YA0653 up to  $\varnothing$  32 mm tubes





**INTEGRATED DRINKING SYSTEM**

ST5 is homologated with a drinking system integrated. The silicon tube with bite valve is installed inside the helmet, where a dedicated housing channel in the cheek pads connects it to the shell plug and the female quick coupling installed on the outside.



- YA0600** Inner side of the helmet comprising
- YA0601** Bite valve in silicon rubber with anti-backflow system
- YA0602** Water tube
- YA0603** Male quick coupling
- YA0605** Hydration bag comprising
- YA0604** Female quick coupling

**FRONTAL DRINKING SYSTEM**

ST5 is prepared for the frontal installation of the drinking system. Both left and right shell front grids can be opened for the tube to pass through and meet the dedicated passage in the internal chin pad.



**ADJUSTABLE PEAKS**



**REMOVABLE CUPS**



**PEAK FITTING KIT**



**YA0865** Silver    **YA0865G** Gold    **YA0865B** Blue    **YA0865R** Red

**YA0864** ST5 Peak and visor screw kit

**SPARE INTERCOM KIT**



**AE0211**

**COLOURED POST ANCHORS**



**AK 1131.12B** Blue  
**AK 1131.12R** Red

# ELECTRONIC KITS

## HELMET KITS

### EUROPE

INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0214	Jack 3.5 mm	Stilo	-
AE0219	RCA	MRTC	-
AE0318	Stilo	MRTC	-
AE0332	RCA	Stilo	-
NON-INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0305	RCA	Stilo	Stilo female nexus 4c
AE0313	RCA	Stilo	Peltor male nexus 4c
AE0314	RCA	MRTC	MRTC male nexus 5c
AE0315	Stilo	Stilo	Stilo female nexus 4c
AE0317	RCA	MRTC	Stilo female nexus 4c
AE0319	Stilo	MRTC	Stilo female nexus 4c
AE0331	Jack 3.5 mm	Stilo	Peltor male nexus 4c
AE0333	Jack 3.5 mm	Stilo	Stilo female nexus 4c
AE0334	Stilo	MRTC	MRTC male nexus 5c
AE0335	RCA	Stilo	Peltor male nexus 4c

### USA

INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0210	Earmuff speakers	Stilo	-
AE0110	Earmuff speakers	Stilo with boom	-
AE0214	Jack 3.5 mm	Stilo	-
AE0216	Earmuff speakers	Gentex with boom	-
AE0217	Jack 3.5 mm	Gentex with boom	-
AE0320	Earmuff speakers and ear-bud jack 3.5 mm	Gentex with boom	-
NON-INTEGRATED			
	EAR-BUD	MICROPHONE	RADIO
AE0309	Jack 3.5 mm	Stilo	IMSA
AE0310	Jack 3.5 mm	Stilo	Nascar
AE0323	Jack 3.5 mm	Gentex with boom	IMSA
AE0324	Jack 3.5 mm	Gentex with boom	Nascar
AE0339	Earmuff speakers with jack 3.5 mm male plug for Raceceiver	-	-

## RADIO ADAPTERS



AC0204 Common radio  
AC0220 Common radio (longer ver.)



AC0206 MRTC  
AC0217 MRTC (longer ver.)



AC0212 USA IMSA  
AC0224 USA IMSA (longer ver.)



AC0213 Nascar 3C  
AC0225 Nascar 3C (longer ver.)



## EARPLUGS



AE0300 Stilo earplugs  
AE0326 RCA earplugs  
AE0303 Jack 3,5 mm earplugs  
YE0001 Spare foam plugs

### MALE PLUGS



## EARMUFF SPEAKERS



AE0304 Stilo male plug  
AE0325 RCA male plug  
AE0336 Jack 3,5 mm male plug

## EARPLUG ADAPTERS



AC0221 Earplugs with RCA male plug to Stilo helmets



AC0222 Earplugs with 3,5 mm male plug to Stilo helmets

# TRACK COMMUNICATION

## RADIO CONNECTIONS

### RADIO TO HELMET INTERFACE

Wired interface connecting the helmet to a car radio, comprising the interchangeable steering-wheel PTT button. Ready to be used with the radio connection wirings shown here below with part numbers YD0202 to YD0211.

### RADIO WIRINGS

The CG0007 helmet interface and the universal track headsets CD0212 connects to the radios through the dedicated radio wirings. Available for the following models:

**YD0202** similar to VERTEX Vx-160, Vx-180

**YD0203** similar to KENWOOD TK-2140/2180/3140/3180

**YD0204** similar to KENWOOD TK-2160/2170/2202/3160/3170/3201/3202

**YD0205** similar to MOTOROLA GP300, MOTOROLA CP Series

**YD0206** similar to MOTOROLA GP320/340/360/380

**YD0207** similar to MOTOROLA GP328

**YD0208** similar to MOTOROLA GM350

**YD0209** similar to VERTEX Vx-2200

**YD0210** Universal

**YD0211** ICOM IC-F51

### TRACK HEADSETS

Allowing communication with the car from the pit, these headsets come with adjustable earmuffs for noise reduction. Integrated PTT button, flexible micro-holder, noise cancelling microphone. Ready to be used with the radio connection wirings shown here above with part numbers YD0202 to YD0211.

## CUSTOMIZED RADIO SYSTEMS

The radio kit is the basic configuration for the communication via radio between one car and the engineer at the box.

The driver will have one radio, the connection wirings to his helmet, a car antenna and the PTT button to decide when to start and stop the communications. The engineer instead will have a portable radio with antenna and belt clip, one headset with a noise cancelling microphone and the connection cable for the portable radio.

The communication can also be extended from one engineer to more people at the box.

Radio kits can be customized upon request to make them suite the Team's different needs.



Contact our customer service at [info@stilo.it](mailto:info@stilo.it) for enquiries.

# TRACK COMMUNICATION

## VERBACOM CLUB

### How it works

Verbacom offers drivers a cost effective and very efficient car to pit communication system by using mobile phones. The Pit wall phone calls the car phone before the car starts, the car unit is programmed to automatically answer and the phone call is kept open keeping the car and Pit unit continually connected until switched off. The communication between units is always open, the pit crew press the push to talk button on the headset to transmit to the driver, whilst the driver can simply speak without pressing any button thanks to the digital noise cancellation that cancels all background noises. If for any reason the signal is lost and call is dropped, the pit phone automatically calls the car which answers it for the driver. It is as easy as that.

### Available versions

#### CQ0008

- 1 Car kit
- 1 Pit Single Headset



#### CQ0009

- 1 Car kit
- 1 Pit Single Headset
- 1 Pit Double Headset



#### CQ0010

- 2 Car kit
- 1 Double Headset



### Car kit

The club unit is totally transportable for use in any vehicle or kart. The main Bluetooth unit CG0010 is self-powered and connects to a mobile phone (not included) which is mounted in the car. This unit has volume controls and a visible system status light for the driver, and also an on/off switch. This weighing just 66 gr and measuring 74 x 47 x 15 mm it is extremely small and light.

Helmet wiring YB0307.2 with an extension cable connects into the driver's helmet (AEO300 and AEO315 are required should your helmet have no wiring).



CG0010

YB0307.2

### Pit wall kit

Noise reduction headsets are self powered and have either a single or double Bluetooth unit subject to the system you buy. CD0003 and CD0004 connect to a mobile phone (not included) by Bluetooth for communication with the car, or wirelessly to the second pit headset.

CD0003  
Pit Single HeadsetCD0004  
Pit Double Headset

# HEAD & NECK RESTRAINTS

## FHR - HANS



**STILO HANS ZERO**

AF0173 30° sz. M



**HANS PRO ULTRA LITE**

AF0092LITE 20° sz. M, L



**HANS III**

AF0102 20° sz. M, L and Youth  
AF0103 30° sz. M, L



**TETHER KITS**

YF0006 All models - standard 18" / 45 cm  
YF0007 All models - 19" / 48 cm  
YF0005 All models - 17" / 42,5 cm  
YF0013 All models - 16" / 40,5 cm  
YF0024 Hans Zero - standard 18" / 45 cm  
YF0025 Hans Zero - 17" / 42,5 cm  
YF0026 Hans Zero - 19" / 48 cm

## SPARE SHOULDER PADDING KIT



YF0011 Black



YF0014 Blue



YF0015 Red



YF0016 Yellow

## FHR - HYBRID



**HYBRID PRO LITE**

AF013 sz. XS, S, M, L, XL  
also available for women  
and quick release



**HYBRID SPORT**


AF014 sz. XS, S, M, L, XL  
also available for women  
and quick release

AF016 sz. 22" - 26" / 26" - 30" for child  
also available with quick release



**HYBRID S**

AF015 sz. XS, S, M, L, XL  
also available  
for women  
and quick  
release



KARTING

RANGE



Page 48 CMR CARBON RANGE

Page 49 ST5FN CMR RANGE

Page 50 ST5FN KRT RANGE

Page 51 RIB & CHEST PROTECTORS

Page 52 ACCESSORIES



# CMR CARBON

100% Made in Italy

World lightest karting helmet

PURO technology

Internals with improved comfort

Multi function two-step visor locking clasp

Weight is 1040 gr for XS,  
1120 gr for S shell

Carbon fiber Sandwich composition  
allows it to be extra light

Extra small shell available  
for sizes XS54 - S55 - S56

Internal color liners available

Enhanced breathability  
through front ventilation holes



YELLOW



GREEN



ORANGE



RED



PINK



BLUE

SNELL CMR2016



Internals with improved comfort

Multi function two-step visor locking clasp

Mandatory for all drivers below 15 years of age

Extra small shell available for sizes XS54 - S55 - S56

WHITE VERSION

BLACK VERSION

Internal colours available with clear white or matt black outer

Design originated from the Formula 1 helmet ST5FN ABP

Enhanced breathability through front ventilation holes

Lightweight construction

\* BREATH DEFLECTOR  
YA0884

EASY-TO-CLEAN  
NECK RING FABRIC

SNELL CMR2016



YELLOW



GREEN



ORANGE



RED



PINK



BLUE

\* Optional

# ST5FN KRT

KARTING

Specifically dedicated to Karting from 15 years up

Size mix from XS 54 to 3XL 64

Multi function two-step visor locking clasp

\* BREATH DEFLECTOR YA0884



Design originated from the Formula 1 helmet ST5FN ABP

Available in black, blue or red interiors

Shell and internals designed to adjust the air flow and improve breathability

## COMPARISON CHART



CMR CARBON

AA0722AH1P

HOMOLOGATION  
SNELL CMR2016

MATERIAL  
CARBON COMPOSITE

WEIGHT  
extra small 1.040 g ± 30 g  
small 1.120 g

SIZE  
extra small  
XS 54, S 55, S56  
small  
M 57, L 59

INTERCOM  
Not available

COLORS



ST5FN CMR

AA0719AH2P Black  
AA0721AH2P White

HOMOLOGATION  
SNELL CMR2016

MATERIAL  
FIBERGLASS KEVLAR MSF  
MULTI SANDWICH FIBER

WEIGHT  
extra small 1.160 g ± 30 g  
small 1.250 g

SIZE  
extra small  
XS 54, S 55, S 56  
small  
M 57, L 59

INTERCOM  
Not available

COLORS



ST5FN KRT

AA0714AH2U White

HOMOLOGATION  
SNELL KRT2020

MATERIAL  
FIBERGLASS KEVLAR MSF  
MULTI SANDWICH FIBER

WEIGHT  
small 1.500 g ± 30 g  
large 1.650 g

SIZE  
small  
XS 54, S 55, M 57, L 59  
large  
L 60, XL 61, 2XL 63, 3XL 64

INTERCOM  
Not available

COLORS



KRT



RED



BLUE

SNELL KRT2020

\* Optional

Stilo reinvents karting safety products by introducing the innovative and patented Carbon Curva technology in the body protectors series. Flexibility adds up to the well known lightness and high resistance features of carbon fiber. The structure of the device worn by the driver ensures a reduction of the severity of injuries to the chest in the kart seat. Thanks to its exclusive production system, the Stilo rib protector offers the highest comfort to those who wear it. Equipped with adjustable braces for a perfect fitting at all heights and body types, from kids to adults, Stilo Carbon Curva safety devices are 100% made in Italy.

## CARBON CURVA 8870




Homologated according to the FIA 8870-2018 (KARTING BODY PROTECTION) regulation. The device includes the 2 following components: Chest protection: it's the part of the device covering the frontal area of the chest of the user - Rib protection: it's the part of the device covering the rib area of the user.

### HOW TO CHOOSE YOUR SIZE

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly.

CARBON CURVA 8870 SIZE CHART

	DRIVER'S HEIGHT	RECOMMENDED CHEST CIRCUMFERENCE
AS0002XS	116 - 134 cm	58 - 68 cm
AS0002S	134 - 152 cm	62 - 72 cm
AS0002S+	134 - 152 cm	67 - 77 cm
AS0002M	152 - 170 cm	72 - 82 cm
AS0002L	170 - 188 cm	85 - 95 cm
AS0002L+	170 - 188 cm	90 - 100 cm



### HOW TO WEAR IT

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly. The device needs to be worn under the suit and, once the blocking system has been closed, the belts need to be fastened correctly and firmly (see the following images).



## CARBON CURVA



These cutting edge protectors result in a flexible fit following and adapting to the drivers' body, protecting them from impacts without limiting movement or breathing.

### Available in the following sizes:

- AS0001S small
- AS0001M medium
- AS0001L large

# ACCESSORIES



YY0061 Helmet bag



YY0045 Backpack



YY0046 Multi - equipment dryer



YY0065 Cloth drawstring visor sock



YY0066 Drawstring antiscratch helmet sock



YY0011 Stilo cap



YY0014 Eject system

**Page 54**

**OFFSHORE RANGE**

**Page 55**

**INTERCOMS  
COMPARISON CHART**



Top ventilation holes to reduce sweat and moisture

Adjustable short visor (Optional)

Noise reduction earmuffs with adjustable ear pressure

Integrated microphone and WRC intercom connections

Increased comfort with brand new interior paddings

Integrated speakers

Microphone and boom shaped to enhance voice quality (Open face)

Adjustable microphone position



**VENTI WRC**



**VENTI TROPHY**



**ST5F**



## OFFSHORE VHF

- Fully watertight
- Connection is possible with up to 6 helmets
- Equipped with PTT button and connection to on-board VHF radio
- Integrated Bluetooth available
- Feed available from the boat battery

**DB0200** VHF - 2 channels

**DB0201** VHF - 4 channels

**DB0202** VHF - 6 channels



**DB0203** with Bluetooth  
VHF - 4 channels

**DB0204** with Bluetooth  
VHF - 2 channels



## COMPARISON CHART

VERSION



**VENTI WRC**

**DA0220BF2T**

**HOMOLOGATION**  
FIA 8859 - 2015  
SNELL SA2020

**MATERIAL**  
FIBERGLASS KEVLAR MSF  
MULTI SANDWICH FIBER

**WEIGHT**  
small 1.520 g\* medium 1.580 g\*  
large 1.660 g\*

**SIZE**  
small XS 54, S 55, M 57, L 58  
medium L 59, XL 61  
large 2XL 63, 3XL 64

**INTERCOM**  
AE0226 WL and Wired

**COLORS**



**VENTI TROPHY**

**DA0112BF2T**

**HOMOLOGATION**  
FIA 8859 - 2015  
SNELL SA2020

**MATERIAL**  
FIBERGLASS KEVLAR MSF  
MULTI SANDWICH FIBER

**WEIGHT**  
small 1.490 g\* medium 1.550 g\*  
large 1.630 g\*

**SIZE**  
small XS 54, S 55, M 57, L 58  
medium L 59, XL 61  
large 2XL 63, 3XL 64

**INTERCOM**  
AE0121 WL and Wired

**COLORS**



**ST5F**

**DA0702BF2T**

**HOMOLOGATION**  
FIA 8859 - 2015  
SNELL SA2020

**MATERIAL**  
FIBERGLASS KEVLAR MSF  
MULTI SANDWICH FIBER

**WEIGHT**  
small 1.650 g\*  
large 1.770 g\*

**SIZE**  
small XS 54, S 55, M 57, L 59  
large L 60, XL 61, 2XL 63, 3XL 64

**INTERCOM**  
AE0210

**COLORS**

\*Communication kit included, M6 ready. ± 30 g



Via Domenico Bosatelli 4 • 24069 Cenate Sotto (BG) Italy • Phone +39 035 690 040  
Fax +39 035 691 559  
info@stilo.it

Stilo U.S.A.  
328 FM 306 • New Braunfels, TX 78130  
Phone 800-654-RACE (7223)  
stilohelmets.com

STILO.IT

ANY COMPETITION ONE HELMET