according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name

6146-74

Version/ Issue date: 6 / 02/26/2021

Print date Page 03/15/2021 1 of

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Color for candles

Item number/ Trade name

6146-74

UFI

PHAW-0R71-2109-GXKV

Name INCI E number

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use Coloration of hydrocarbons, waxes, oils and fats

1.3 Details of the supplier of the safety data sheet

Company/undertaking identification

Name Bekro Chemie GmbH
Street/POB-No.: 1 Industriestrasse 104
City D-66802 Ueberherrn
Phone # +49 6836 9198 0
Telefax # +49 6836 9198 10
E-mail info@bekro.de

1.4 Emergency telephone number

Name Bekro Chemie GmbH (Mo - Thu 8.00 - 16.30, Fr 8.00 - 14.30)

Phone # +49 6836 9198 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements



Danger

Nature of Hazard GHS05 Corrosion

Hazard statements (CLP) H318 Causes serious eye damage.

Precautionary statements (CLP) P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Hazard-determining component(s) of labelling

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

Special provisions concerning the labelling of certain mixtures

2.3 Other hazards

SECTION 3: Composition / information on ingredients

3.1 Substances

Mixture of waxes, colouring agents and additives

3.2 Mixtures

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name Version/ Issue date:

6146-74

6 / 02/26/2021

Print date Page 03/15/2021 2 of

Hazardous ingredients

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate: 3 % - 9,99 %

CAS-Number: 52829-07-9

EINECS / ELINCS / NLP: 258-207-9

REACH registration No.: 01-2119537297-32

Classification according to EC regulation 1272/2008 (CLP):

Aquatic Acute 1 (M1); H400 / Eye Dam. 1; H318

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information If you feel unwell, seek medical advice.

In case of inhalation Move victim to fresh air. Seek medical aid in case of troubles.

In case of skin contact Thoroughly wash skin with soap and water.

After eye contact Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding

eyelids apart. Seek medical attention if irritation persists.

After swallowing Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Seek

medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

4.3 Indication of any immediate medical attention and special treatment needed

Information to physician

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide , water spray jet , extinguishing powder , foam.

Extinguishing media which must

not be used for safety

reasons

Full water jet

5.2 Special hazards arising from the substance or mixture

Possible combustion products Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment

Wear self-contained breathing apparatus.

for firefighters

Additional information Do not allow water used to extinguish fire to enter drains, ground or waterways.

Do not allow fire water to penetrate into surface or ground water. You have to dispose of contaminated extinguishing water according to the regulations of the

authorities.

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name

6146-74

Version/ Issue date: 6 / 02/26/2021 Page 3 of 7

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not breathe dust. With the formation of dust, use a dust mask. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Do not allow to enter into ground-water, surface water or drains. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Take up spilled product with dustpan and brush. Avoid causing any dust. Industrial vacuum cleaner recommended to avoid causing dust. C soiled areas with a conventional household cleaner.

6.4 Reference to other sections

Personal protection equipment: see section 8, Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling Avoid contact with eyes and skin. When using do not eat, drink, smoke, sniff.

Make sure there is sufficient air exchange and / or that working rooms are air

suctioned. Avoid dust formation.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms Keep away from sources of ignition and heat. Store in a cool dry place. Store in

and containers a well-ventilated place. Keep container tightly closed. Protect from direct

sunlight.

Storage class 11

7.3 Specific end use(s)

General use Coloration of hydrocarbons, waxes, oils and fats

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Respiratory protection With correct and proper use, and under normal conditions, breathing protection

is not required. Provide good ventilation and/or an exhaust system in the work

area. Wear a dust mask, in case of excessive dust.

Hand protection Wear suitable gloves.- according to DIN-/EN-Norms EN 420, EN 388 and EN 374 Part

1,3

Eye protection Goggles according to EN 166.

Body protection Wear suitable protective clothing and shoes.

General protection and hygiene Keep away from food and drinks. When using do not eat, drink or smoke. Wash

measures hands before breaks and after work. Wash contaminated clothing prior to re-use.

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name

6146-74

Version/ Issue date: 6 / 02/26/2021

Print date

03/15/2021

Page 4 of

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form solid
Colour dark green
Odour characteristic
Important health, safety and environmental information

Initial boiling point and boiling range 130 °C

Melting point/freezing point 60 °C 60 °C

Flash point/flash point range 150 °C Ignition temperature > 200 °C

Solubility Product is difficult to dissolve in water.

Vapour pressure not determined Density not determined

Bulk density --Dynamic viscosity --Kinematic viscosity 0 m²/s

Lower explosion limit Upper explosion level

Flow time 4mm (DIN) not determined

Partition coefficient: n-octanol/water

PH

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity Non-reactive

10.2 Chemical stability Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoidAvoid dust formation. Avoid dust deposits. Keep away from sources of ignition -

No smoking. Take precautionary measures against static discharges.

10.5 Incompatible materials strong acids and bases, strong oxidizing agents

10.6 Hazardous decomposition products Hazardous vapours may form during fires. In case of fire may be liberated:

Nitrogen oxides (NOx), carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

General remarks

No toxicological tests were conducted with the mixture.

Toxicological tests: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

Eye irritation: - irreversible damage OECD 405

Rabbit
Skin consitiontion pot consitions OECD

Skin sensitisation - not sensitising OECD 406

guinea pig

Mutagenicity: - not a mutagen OECD 471 (Ames test)

Acute oral toxicity LD50> 2000.0 mg/kg

Acute dermal toxicity LD50> 2000.0 mg/kg

Rat

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name Version/ Issue date:

6146-74

6 / 02/26/2021

Print date Page 03/15/2021 5 of

Acute inhalation toxicity

LC50>

960.0 mg/m³

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Ecotoxicological effects: components

bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate

acute Daphnia toxicity	EC50=	17.0	mg/L
Daphnia magna (Big water flea) acute fish toxicity Oncorhynchus mykiss	LC50=	13.0	mg/L
Bacteria toxicity Refer to manufacturer/supplier for information on	IC50>	100.0	mg/L
algae toxicity Scenedesmus subspicatus	EC50=	1.9	mg/L
Sceneuesinus subspicatus			

12.2 Persistence and degradability

Evaluation text Degree of elimination Analytical method

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Recommendation Dispose of waste according to applicable legislation. Discharge into the

environment must be avoided.

Package

Recommendation Dispose of waste according to applicable legislation. Non-contaminated packages

may be recycled. Handle contaminated packages in the same way as the substance

itself.

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name

6146-74

Version/ Issue date: 6 / 02/26/2021

Print date Page 03/15/2021 6 of 7

SECTION 14: Transport information

14.1 UN number

ADR, IATA, IMDG

14.2 UN proper shipping name

Product designation: ADR/RID Proper shipping name: IATA-DGR Proper shipping name: IMDG

14.3 Transport hazard class(es)

Class ADR/RID Code: ADR/RID Class IATA-DGR Subrisk IATA-DGR

Class IMDG Subrisk IMDG

14.4 Packing group

ADR, IATA, IMDG

No packaging for dangerous goods required

14.5 Environmental hazards

Marine Pollutant -

IMDG

EmS

Stowage and segregation

14.6 Special precautions for user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Additional information

EQ

Limited quantities

Special provisions

Tunnel restriction

Transport category

Kemmler-number

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Storage class 11 Water Hazard Class 2

Information on working limitations
No special measures are required.

15.2 Chemical Safety Assessment

Chemical Safety Assessment

No substance safety evaluation was conducted with the mixture/ substance.

according to Regulation (EC) No. 1907/2006 (REACH)



Item number/ Trade name Version/ Issue date:

6146-74

6 / 02/26/2021

Print date **03/15/2021**Page **7 of**

SECTION 16: Other information

Hazard statements (CLP)

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

Reason of change

Abbreviations

--- no data, not determined or not applicable

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (Verordnung (EG) Nr. 1907/2006)

General revision

OECD Organisation for Economic Co-operation and Development

LD50 Median lethal dose

LC50 Median lethal concentration EC50 Median effective dose

IC50 Median inhibitory concentration VCI Verband der chemischen Industrie

CAS Chemical Abstract Service

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

NLP No Longer Polymers

CLP Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging

EG Europäische Gemeinschaft

WGK Wassergefährdungsklasse (according to AwSV, Appendix 1 (5.2))

AGW Arbeitsplatzgrenzwert

ADR Accord Européen relatif au transport international des marchandises dangereuses par route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

REGIEMENT CONCERNANT LE transport international ferroviaire des machandises dangereuses (International Rule for

Transport of Dangerous Substances by Railway)

IATA International Air Transport Association IMDG International Martime Dangerous Goods

MARPOL International Convention for the Prevention of Pollution From Ships (MARine POLlution)

EmS Emergency Schedules