




Read all instructions before assembly and use.  
**KEEP INSTRUCTIONS FOR FUTURE USE.**

**⚠ ADULT ASSEMBLY REQUIRED**  
Due to the presence of small parts during assembly, keep out of reach of children until assembly is complete.

## Crib N Changer



**THIS PRODUCT IS NOT INTENDED FOR INSTITUTIONAL OR COMMERCIAL USE.**



**Consumer Care:**  
[www.DeltaChildren.com](http://www.DeltaChildren.com)  
Delta Children's Products  
114 West 26th Street  
New York, NY 10001  
Tele.212-645-9033

Style #: \_\_\_\_\_  
Lot: \_\_\_\_\_  
Date: \_\_\_\_\_



When contacting Delta Consumer Care please reference the above information. Before contacting Delta Consumer Care please ensure that the information above matches the information found on the label on the Crib End bottom rail, please reference the information found on the product when contacting Delta Consumer Care.

To register your product for important safety alerts and updates to your product please visit [www.DeltaChildren.com](http://www.DeltaChildren.com) and click on Product Registration.

## CAUTION:

ANY MATTRESS USED IN THIS CRIB SHALL BE AT LEAST 27 1/4 BY 51 5/8 IN. WITH A THICKNESS NOT EXCEEDING 6 IN.

## WARNING:

\*Infants can suffocate on soft bedding. Never add a pillow or comforter. Never place additional padding under an infant.

\*Failure to follow these warnings and the assembly instructions could result in serious injury or death. DO NOT use this crib if you cannot exactly follow the accompanying instructions.

\*To reduce the risk of SIDS, pediatricians recommend healthy infants be placed on their backs to sleep, unless otherwise advised by your physician.

\***Strangulation Hazard:** STRINGS CAN CAUSE STRANGULATION! Do not place items with a string around a child's neck, such as hood strings or pacifier cords. Do not suspend strings over a crib or attach strings to toys.

\***Strangulation Hazard:** To help prevent strangulation tighten all fasteners. A child can trap parts of the body or clothing on loose fasteners.

\***Strangulation Hazard:** Do not place crib near window or patio door where cords from blinds or drapes may strangle a child.

\***Fall Hazard:** When child is able to pull to a standing position, set mattress to lowest position and remove bumper pads, large toys and other objects that could serve as steps for climbing out. This crib has an adjustable mattress support. For the convenience of the parent when the baby is very small, the mattress support may be used in the highest position. Important: with the mattress support and mattress in the highest position, be absolutely sure that the top of the front crib side is at least 3 inches higher than the top surface of the mattress. If it is not, lower the mattress support and the mattress to the next highest position.

\***Fall Hazard:** Stop using crib when child begins to climb out or reaches a height of 35in. (89cm), whichever occurs first. The child should be placed in a youth or regular bed.

\*Check this product for damaged hardware, loose joints, loose bolts or other fasteners, missing parts, or sharp edges before and after assembly and frequently during use. Securely tighten loose bolts and other fasteners. Do not use crib if any parts are missing, damaged or broken. Contact Delta Children's Products for replacement parts and instructional literature if needed. Do not substitute parts.

\*Follow warnings on all products in a crib.

\*If refinishing, use a non-toxic finish specified for children's products.

\***Never** use plastic shipping bags or other plastic film as mattress covers because they can cause suffocation.

\*Infants can suffocate in gaps between crib sides and a mattress that is too small.

\*Ensure a safe environment for the child by checking regularly, before placing the child in the crib, that every component is properly and securely in place.

\*To avoid head injury, do not allow any child to play underneath the crib.

\***Never** add an accessory such as a bassinet or changing table that extends over the sleeping area.

\***In Canada Only** - Use a crib mattress that is no thicker than 15 cm and is of such a size that, when it is pushed firmly against any side of the crib, it does not leave a gap of more than 3 cm between the mattress and any part of the sides of the crib. Do not use this crib for a child who can climb out of it or who is taller than 90 cm.

# TODDLER BED

## **⚠️ WARNING**

### **INFANTS HAVE DIED IN TODDLER BEDS FROM ENTRAPMENT.**

Openings in and between toddler bed parts can entrap head and neck of a small child.  
NEVER use toddler bed with children younger than 15 months.  
ALWAYS follow assembly instructions.  
The maximum user weight is 50lbs (22.7kg)

## **⚠️ WARNING**

### **STRANGULATION HAZARD**

NEVER place bed near windows where cords from blinds or drapes may strangle a child.  
NEVER suspend strings over a bed.  
NEVER place items with a string, cord, or ribbon, such as hood strings or pacifier cords, around a child's neck. These items may catch on bed parts.

## **⚠️ CAUTION**

### **ENTRAPMENT HAZARD**

To avoid dangerous gaps, any mattress used in this bed shall be a full-size crib mattress at least 51 5/8 in (1310mm) in length, 27 1/4 in (690mm) in width and a max thickness of 6 in (150 mm).

## **⚠️ WARNING: Changing Table**

## **⚠️ WARNING**

FALL HAZARD - to prevent death or serious injury, always keep child within arm's reach. Read all instructions before use of the changing table.  
KEEP THESE INSTRUCTIONS IN A SAFE PLACE FOR FUTURE USE.  
Inspect the changing table periodically. **Do not** use the changing table if it is damaged or broken. Contact Delta Children's Products with any questions.  
Tighten all loose screws and bolts before each use.  
The maximum recommended weight of the child is 30lbs for the changing table.  
Use only the pad provided by Delta Children's Products.  
Always secure the pad to the changing surface by inserting the strap through the hole in the middle of the pad. See Instructions.  
NEVER use crib without Changing Table attached

**NOTES ON ASSEMBLY:**

- During the assembly process whenever using screws or bolts, check each by placing the screw/bolt on the diagram of the item which is drawn actual size and design. Be sure to use the proper size and shape specified in the instructions.
- To assemble this unit you may be required to place the unit on it's side and face. It is strongly recommended that assembly is done on a soft, non-abrasive surface (such as the foam packing wrap) to avoid damaging the finish.

**NOTES ON USE:**


Keep children and others safe by following these simple rules:

- **Do not** allow any child to play on furniture
- **Do not** allow climbing on any piece of furniture.
- **Do not** allow hanging from any piece of furniture.
- Always monitor your child's activity when in the nursery.


**NOTES ON CARE AND MAINTENANCE:**

- **Do not** scratch or chip the finish.
- Inspect the product periodically, contact Delta Children's Products for replacement parts or questions.
- **Do not** store the product or any parts in extreme temperatures and conditions such as a hot attic or a damp, cold basement. These extremes can cause a loss of structural integrity.
- To preserve the luster of the high quality finish on your product, it is recommended to place a doily or felt pad under any items you place on the finish.
- Clean with a damp cloth, then a dry cloth to preserve the original luster and beauty of this fine finish.
- Do not** use abrasive chemicals.
- Do not** spray cleaners directly onto furniture.
- Lift slightly when moving on carpeting to prevent leg breakage.
- Use of a vaporizer near furniture will cause wood to swell and finish to peel.

# PARTS: MAKE SURE THAT ALL PRE-ASSEMBLED PARTS ARE TIGHT.




A. Common Side x 1  
Part # 25061




B. Changer End x 1  
Part # 25062


C. Changer Top Rail x 2  
Part # 25063




D. Changer Upper Shelf Rail x 2  
Part # 25064




E. Changer Lower Shelf Rail x 2  
Part # 25065




F. Changer Front Lower Rail x 1  
Part # 25066





G. Changer Front Bottom Rail x 1  
Part # 25067




H. Changer Middle Top Rail x 1  
Part # 25068




J. Changer Middle Bottom Rail x 1  
Part # 25069




K. Changer Back Bottom Rail x 1  
Part # 25070










L. Changer Middle Front Shelf Panel x 1  
Part # 25072



M. Changer Middle Back Shelf Panel x 1  
Part # 25073




N. Changer Surface with Strap x 1  
Part # 25071




# PARTS: MAKE SURE THAT ALL PRE-ASSEMBLED PARTS ARE TIGHT.



P. Changer Pad x 1  
Part # 25083




R. Changer Bottom  
Shelf Panel x 1  
Part # 25074




S. Changer Middle  
Panel x 1  
Part # 25075




U. Crib Front Rail x 1  
Part # 25058




W. Crib Back Rail x 1  
Part # 25057




T. Left Crib Side x 1  
Part # 25060




V. Stabilizer Bar x 1  
Part # 25059




X. Drawer Front x 2  
Part # 25076




Y. Drawer Left Side x 2  
Part # 25078



Z. Drawer Right Side x 2  
Part # 25079




BB. Drawer Bottom Panel x 2  
Part # 25080




AA. Drawer Back x 2  
Part # 25077

**PARTS:** HARDWARE KIT PART #25082-988 FOR COLOR 207 . SEE FRONT COVER.




CC. Mattress Support x 1  
Part # 24343


Pouch attached to mattress support - keep instructions in this pouch after assembly. Warnings related to the safe use of this crib are printed on the pouch.




DD. M6 x 70 mm Bolt x 16  
Part # 5471




FF. M6 x 50 mm Bolt x 6  
Part # 5467



GG. M6 x 35 mm Bolt x 2  
Part # 5464




HH. M6 x 18 mm Bolt x 4  
Part # 5763





JJ. M6 x 17 mm Barrel Nut x 18  
Part # 5479




KK. Φ4x30 mm Metal Pin x 16  
Part # 5493


 No drills necessary. Do not use power screwdriver.

 Phillips Screwdriver (not supplied)

 Flat Head Screwdriver (not supplied)




LL. 25 mm Screw x 8  
Part # 5495




MM. 40 mm Screw x 8  
Part # 5513




NN. Plastic Barrel Nut x 8  
Part # 5497



RR. Handle Bolt x 2  
Part # 25084



PP. Handle x 2  
Part # 25084




M4 Allen Wrench Supplied  
Part # 1177



# Section 1: Changing Table Assembly

## Step 1


Parts and tools required to complete step.



Attach (2) Changer Top Front Rails (Part C), (2) Changer Lower Shelf Rails (Part E), (1) Changer Front Bottom Rail (Part G), (1) Changer Middle Top Rail (Part H), (1) Changer Middle Bottom Rail (Part J) and (1) Changer Back Bottom Rail (Part K) to the Common Side (Part A) using (6)  $\Phi 4 \times 30$  mm Metal Pins (Part KK), (1) M6 x 35 mm Bolt (Part GG), (3) M6 x 50 mm Bolts (Part FF), (4) M6 x 70 mm Bolts (Part DD) and (5) M6 x 17 mm Barrel Nuts (Part JJ). Tighten with the M4 Allen Wrench. Use the Flat Head Screwdriver to hold the Barrel Nut in the proper alignment.

**NOTE: ILLUSTRATION ON NEXT PAGE.**










# Section 1: Changing Table Assembly

## Step 2

Parts and tools required to complete step.




D. Changer Upper Shelf Rail x 2



F. Changer Front Lower Rail x 1


Lay Common Side (Part A) on It's side and loosely insert (2) Changer Upper Shelf Rails (Part D) and (1) Changer Front Lower Rail (Part F) as shown.



# Section 1: Changing Table Assembly

## Step 3

Parts and tools required to complete step.




Slide Changer Surface with Strap (Part N) in between Changer Upper Shelf Rails (Part D) grooves as shown.

Slide Changer Middle Front Shelf Panel (Part L) into Changer Lower Shelf Rail (Part E) and Changer Middle Top Rail (Part H) grooves as shown.

Slide Changer Middle Back Shelf Panel (Part M) into Changer Middle Top Rail (Part H) and Changer Lower Shelf Rail (Part E) grooves as shown.

Slide Changer Middle Panel (Part S) into Change Middle Top Rail (Part H) and Changer Middle Bottom Rail (Part J) grooves as shown.


Slide Changer Bottom Shelf Panel (Part R) into Changer Back Bottom Rail (Part K) and Changer Middle Bottom Rail (Part J) grooves as shown.



# Section 1: Changing Table Assembly


## Step 4

Parts and tools required to complete step.




From Step 3


B. Changer End x 1




M4 Allen Wrench Supplied




DD. M6 x 70 mm Bolt x 4



FF. M6 x 50 mm Bolt x 3



GG. M6 x 35 mm Bolt x 1



JJ. M6 x 17 mm Barrel Nut x 5




KK.  $\Phi$ 4x30 mm Metal Pin x 6

Attach Changer End (Part B) to the assembly from step 3 using (6)  $\Phi$ 4x30 mm Metal Pins (Part KK), (1) M6 x 35 mm Bolt (Part GG), (3) M6 x 50 mm Bolts (Part FF), (4) M6 x 70 mm Bolts (Part DD) and (5) M6 x 17 mm Barrel Nuts (Part JJ). Tighten with the M4 Allen Wrench. Use the Flat Head Screwdriver to hold the Barrel Nut in the proper alignment.

**Note:** Before assembly, Carefully align all panels, tabs and pins with the holes and slots in the Changer End (Part B).


**ILLUSTRATION ON NEXT PAGE.**




## Section 2: Crib Assembly

### Step 1

Parts and tools required to complete step.




1. Attach (1) Crib Front Rail (Part U) to (1) Stabilizer Bar (Part V) using (2)  $\Phi$ 4x30 mm Metal Pins (Part KK).
2. Insert (2)  $\Phi$ 4x30 mm Metal Pins (Part KK) into the hole in each of the Stabilizer Bar (Part V).
3. Attach (1) Crib Front Rail (Part U) and (1) Stabilizer Bar (Part V) to the assembly from section 1 step 4 using (4) M6 x 70 mm Bolts (Part DD) and (4) M6 x 17mm Barrel Nuts (Part JJ). Tighten with the M4 Allen Wrench. Use the Flat Head Screwdriver to hold the Barrel Nut in the proper alignment.




# Section 2: Crib Assembly

## Step 2


Parts and tools required to complete step.





From Section 2  
Step 1



CC. Mattress Support x 1





M4 Allen Wrench  
Supplied



HH. M6 x 18 mm Bolt x 4


Attach the Mattress Support (Part CC) in all corners using (1) M6x18 mm Bolt (Part HH) in each corner. Tighten with the M4 Allen Wrench.



The  Warnings printed on the pouch attached to the mattress support must face up, the springs must face up. This crib has (3) adjustment positions, use the highest only for new borns, move the mattress down as the child grows.

### **WARNING:**

**Fall Hazard:** When child is able to pull to a standing position, set mattress to lowest position and remove bumper pads, large toys and other objects that could serve as steps for climbing out.




 **WARNINGS ON POUCH  
MUST FACE UP.**




## Section 2: Crib Assembly

### Step 3

Parts and tools required to complete step.




Attach (1) Crib Back Rail (Part W) to the assembly from section 2 step 2 using (4) M6 x 70 mm Bolts (Part DD) and (4) M6 x 17mm Barrel Nuts (Part JJ). Tighten with the M4 Allen Wrench. Use the Flat Head Screwdriver to hold the Barrel Nut in the proper alignment.



## Section 3: Drawer Assembly


### Step 1

Parts and tools required to complete step.



Attach (1) Drawer Left Side (Part Y) and (1) Drawer Right Side (Part Z) to (1) Drawer Front (Part X) with (4) 25mm Screws (Part LL). Tighten with the Phillips Screwdriver. Repeat on the other Drawer.


**Note: Grooves Must Align.**




## Section 3: Drawer Assembly

### Step 2

Parts and tools required to complete step.




From Section 3  
Step 1 (x 2)



BB. Drawer Bottom Panel x 2

Slide (1) Drawer Bottom Panel (Part BB) in the grooves on the Drawer Left Side and Drawer Right Side, into the groove on the Drawer Front. Repeat on the other drawer.



## Section 3: Drawer Assembly

### Step 3


Parts and tools required to complete step.




NN. Plastic Barrel Nut x 8




MM. 40 mm Screw x 8



From Section 3  
Step 2 (x 2)




AA. Drawer Back x 2



Phillips Screwdriver  
(not supplied)


Attach (1) Drawer Back (Part AA) to the assembly from section 3 step 2 with (4) 40 mm Screws (Part MM) and (4) Plastic Barrel Nut (Part NN). Use the Flat Head Screwdriver to hold the Plastic Barrel Nut in the proper alignment. Tighten with the Phillips Screwdriver. Repeat on the other drawer.




## Section 3: Drawer Assembly

### Step 4

Parts and tools required to complete step.




From Section 3  
Step 3 (x 2)



PP. Handle x 2




RR. Handle Bolt x 2



Phillips Screwdriver  
(not supplied)


Attach (1) Handle (Part PP) to the assembly from section 3 step 3 with (1) Handle Bolt (Part RR). Tighten with the Phillips Screwdriver. Repeat on the other Drawer.




# Section 3: Drawer Assembly

## Step 5

Parts and tools required to complete step.




From Section 2 Step 3





From Section 3 Step 4

Insert the Drawers as shown.




## Section 4: Step 1 Changing Pad attachment and use

Parts and tools required to complete step.




P. Changer Pad x 1




M4 Allen Wrench  
Supplied

1. Check that the bolt securing the strap is tight using M4 Allen Wrench.
2. Insert the Strap through the hole in the Changing Pad (Part P).
3. Place Pad on changing surface.



TO FASTEN STRAP - PUSH BUCKLE SIDE TOGETHER  
BE SURE BUCKLE IS FULLY FASTENED TO  
SECURE CHILD SAFELY


TO RELEASE PRESS BOTH TABS AND PULL APART






## Section 4: Step 2 Storing Instruction Booklet

Parts and tools required to complete step.



Assembly Instruction  
Booklet


Store the assembly instruction booklet in the pouch attached to the mattress support. Store all parts and tools separately, in a safe place.



## Section 5: Toddler Bed Conversion


### Step 1

Parts and tools required to complete step.



M4 Allen Wrench  
Supplied


Remove the Crib Front Rail and Stabilizer Bar installed in Step 1 of Section 2 crib assembly.





# Section 5: Toddler Bed Conversion

## Step 2



Parts and tools required to complete step.



KK.  $\Phi 4 \times 30$  mm Metal Pin x 2




JJ. M6 x 17 mm Barrel Nut x 2



DD. M6 x 70 mm Bolt x 2

Attach (1) Stabilizer Bar (Part V) to the assembly from section 5 step 1 using (2)  $\Phi 4 \times 30$  mm Metal Pins (Part KK), (2) M6 x 70 mm Bolts (Part DD) and (2) M6 x 17mm Barrel Nuts (Part JJ). Tighten with the M4 Allen Wrench. Use the Flat Head Screwdriver to hold the Barrel Nut in the proper alignment.



## Section 5: Toddler Bed Conversion

### Step 3

# **WARNING:** **SEE PAGE 3 FOR** **TODDLER BED WARNINGS**

The mattress support must be in the lowest position.


Store all hardware safely.



Read all warnings on page 3.

As shown, use as a day bed or love seat sofa.

Do Not use without stabilizer bar installed.

Check to ensure all bolts are tight.

 Stabilizer bar must be used when converted to a toddler bed.




A toddler bed guardrail is available for this crib.  
Please see your crib retailer, visit [www.DeltaChildren.com](http://www.DeltaChildren.com) or contact Delta Consumer Care for more information.  
This crib uses Delta Style # 0081 Guardrail.

## Section 6: Full Size Bed Conversion


### Step 1

Parts and tools required to complete step.



M4 Allen Wrench  
Supplied


Disassemble the Changer unit by reversing all steps in section 1: Changer Assembly. Remove the post from the Common Side (Part A) by removing the bolts. Store all parts carefully for future use, see page 3 for information.



## Section 6: Full Size Bed Conversion


### Step 2

Parts and tools required to complete step.



M4 Allen Wrench  
Supplied


Disassemble the Crib End by removing the preassembled bolts with the M4 Allen Wrench. Attach the post removed from the changer in the previous step and the post from Left Crib Side to the Crib Back Rail using (4) M6x70mm Bolts (Part DD) and (4) M6x17mm Barrel Nuts (Part JJ). Tighten bolts with the M4 Allen Wrench. Use the Flat Head Screwdriver to hold the Barrel Nut in the proper alignment. Store all parts and hardware in a safe place. See page 3 for information.





## Section 6: Full Size Bed Conversion

### Step 3

Parts and tools required to complete step.



From Section 6  
Step 2




HH. M6 x 18 mm Bolt x 4



M4 Allen Wrench  
Supplied

Attach Bed Frame to the Headboard (From Section 6 Step 2) using (4) M6x18mm Bolts (Part HH). Follow all instructions supplied with the Bed Frame. **Note:** Bed Frame system is not included, This item uses Delta item 0040 bed frame, please see retailer or contact Delta Consumer Care for information or with questions.







Consumer Care:  
[www.DeltaChildren.com](http://www.DeltaChildren.com)  
Delta Children's Products  
114 West 26th Street  
New York, NY 10001  
Tele.212-645-9033

**Warranty:** This Delta Crib is warranted to be free from defects for a period of 1 year from the date of purchase under normal use. This warranty extends only to the original retail purchaser and is valid only when supplied with proof of purchase, or if received as a gift, when the registration is on file with Delta.

To register your product for important safety alerts and updates to your product please visit [www.DeltaChildren.com](http://www.DeltaChildren.com)

Please do not return this item to the store before contacting us about missing parts or with any questions.

To report a problem, please log on to [www.DeltaChildren.com](http://www.DeltaChildren.com) and click the Consumer Care Tab, or contact us by phone at (212) 645-9033.

In the event that you need to contact our customer service department please have the Style Number and Lot Number available. Use the space below to make note of those numbers. They can be found on the label on the Crib End bottom rail.

**STYLE No: 74804**

COLOR

REV

FTY

Lot No. : \_\_\_\_\_

Pack Date: \_\_\_\_\_

Date of Purchase: \_\_\_\_\_ (you should also keep your receipt)