


LOB
SPORT

CATALOGUE 2024

TENNIS COURT EQUIPMENT



Online shop: lobsport.com



PADEL COURTS | 04



MATCH POINTER 2.0 | 35



HYDRAULIC ROLLER LOB LT 30 | 49

YOUTH LINE STAGE | 46



Also visit our online shop: lobsport.com


Follow us on social media

lobsport_tennis | lobsport

LOBSPORT

ONLINE-SHOP

- Discover the entire world of tennis court equipment in our online shop
- Free delivery order
- Various payment methods
- Newsletter featuring exclusive advantages and campaigns



COMBINATION BRUSH MAT | 24



WE LOOK FORWARD TO
RECEIVING YOUR ORDER

Phone: + 49 911 - 64200-43

Mon – Thu: 8 am – 5 pm

Fri: 8 am – 3.30 pm

Fax: + 49 911 - 64200-52

Email: info@lob-sport.com

Post: Rotterdamer Str. 7, D-90451 Nuremberg

PADEL COURTS..... 04

TENNIS COURT EQUIPMENT

Tennis nets..... 08

Tennis posts..... 10

SPEZIALA tennis lines 12

Lines and accessories 14

Benches 16

Umpire's chairs 18

Divider nets..... 19

Privacy screens 20

MAINTENANCE

Drag brushes 22

Drag nets..... 24

Equipment storage..... 26

Line brooms..... 27

Drag tools..... 28

Shovels and wheelbarrows..... 30

Absorbing rollers/sponges 31

Irrigation..... 32

ORGANISATION

Boards and signs..... 34

Match Pointer 2.0 35

Scoreboards 36

TRAINING

Tennis balls 38

Tennis walls 39

Ball carry carts..... 40

Tennis ball machines..... 42

Kids training equipment 44

Small tennis court sets..... 45

TIDINESS

Waste bins 47

Shoe cleaning 48

MAINTENANCE EQUIPMENT AND ROLLERS

..... 49

PICKLEBALL 55

Replacement parts..... 55

General Terms and Conditions..... 57

NEW PRODUCT 2024

PADEL COURTS

Trending sport – padel tennis – expand your sports range

Padel, or padel tennis, has developed into a globally trending sport in recent years and has become increasingly popular and more widely recognised. Padel is fun and relatively easy to learn, which makes it suitable for players of all age groups and abilities. Doubles matches engender a friendly and enjoyable atmosphere on the court, although singles matches also live up to padel's reputation as a "fun sport". The easy accessibility of padel makes it possible for clubs and facility operators to ensure good utilisation of the courts.

Attract new members

By installing a padel court, [tennis] clubs can expand their range of sports and offer their members a further opportunity to keep fit. This can increase membership and also attract new target groups.

Generate new revenue

A padel court provides many clubs with a new source of revenue. Offering padel courses, tournaments or season passes can help improve a club's financial stability and make it more attractive to sponsors.

Further
information:
[lobsport.de/
en/padel](https://lobsport.de/en/padel)




CONSULTATION

We offer comprehensive advice and help you select a suitable location. We work with you to select and configure a padel court that meets your specific requirements and aspirations.



We help you on your way to creating your new padel facility

We offer high-quality, tailor-made padel courts that guarantee an unforgettable sports experience. As your trusted partner, we accompany you every step of the way as you create your new padel court, starting from the very first consultation.



PLANNING AND DESIGN

We plan, design and customise your padel court to your requirements and make you a detailed offer.



CONSTRUCTION AND INSTALLATION

We provide advice with regard to suitable substrates. We assemble and install your facility according to the applicable standards and ensure that all the technical requirements and regulations are met.



MAINTENANCE

As an optional service, we can provide regular maintenance to keep your court in good condition.



- + High-quality materials and tried-and-tested components
- + Complies with all the specifications of the International Padel Federation
- + Two models to choose from
- + Foundation-free construction method possible (Padel Court INFINITY)
- + Tested safety
- + 5-year guarantee

PADEL TENNIS

PADEL COURTS

We attach great importance to quality and precision when constructing your padel court. To ensure that your padel facility meets the highest standards, we use only high-quality materials and state-of-the-art technology.

+ Robust construction

The basic construction of our courts comprises high-quality individual components. All the steel parts are galvanised and coated to protect them against environmental influences in the long term and ensure long-lasting enjoyment of the court.

+ Glazing

Two panes of safety glass (2x6 mm toughened glass) for high resistance to temperature fluctuations and to impacts during play. No sharp pieces are produced if glass breakages occur. The glass can be custom-printed on both sides, if desired.

+ Synthetic turf

Our padel courts are surfaced with synthetic turf filled with silica sand. The turf system is specially designed to meet the particular requirements of padel courts. There is a choice of two colours (blue and green).

+ Lighting

Four high-quality LED panels, each with 1,600 lumens and 200 W, illuminate the court completely. The floodlight housings are made of corrosion-resistant aluminium.

We are happy to advise you and provide a non-binding quote.

Telephone: +49 911 64 200-42

Email: info@lob-sport.de

Installation of the padel court


Classical construction method: Anchoring on strip foundations

The synthetic turf is installed on a continuous slab made of concrete or porous asphalt, which in turn is supported by strip foundations.

Foundation-free construction – by converting a sand court, for example

Our Padel Court INFINITY provides a foundation-free installation option. The conversion of a sand court involves replacing the brick-dust layer and slag layer with a PU-bound layer of mixed gravel, which is installed in-situ. The frame construction is then fixed to two steel plates installed along the long sides of the court. The result is an inherently stable, self-supporting court.



Simple and cost-effective



LOB Sport Padel Court “INFINITY”

With its spectacular panorama glazing, the LOB Sport INFINITY Court has an unbeatable appearance and also ensures that spectators enjoy a perfect viewing experience. The court is ideal for anyone who values aesthetics. The INFINITY Courts meet the specifications of the International Padel Federation. 5-year guarantee on all structural elements.

Further information and prices on request



LOB Sport Padel Court “EDGE”

The LOB Sport EDGE is a robust padel court with an outstanding price/performance ratio. Regularly spaced, galvanized and coated posts made of high-quality steel provide support and stability for the large glass elements. The court meets the specifications of the International Padel Federation. 5-year guarantee on all structural elements.


Further information and prices on request

ONLY THE VERY BEST FOR YOUR COURT

TENNIS COURT EQUIPMENT

"WIMBLEDON"

tennis net



"COURT" TENNIS NET

Square mesh design, five rows of double layer top, braided polyethylene netting, approx. 3.2 mm thick. Sturdy, quad-stitched headband, with steel wire. GS tested to standard DIN EN 1510.

30150 Black

30160 Green



"MATCH" TENNIS NET

Square mesh design, five rows of double layer top, twisted polyethylene netting, approx. 2.5 mm thick. Hand-knotted, PVC-coated steel wire, headband made of white woven polyester. Reinforced side and bottom edge with 6 mm thick edge cord. Top quality net for a long life span.




30110 Black

"WIMBLEDON" TENNIS NET

Square mesh design, six rows of double layer top, braided polyethylene netting, approx. 3.2 mm thick. Hand-knotted, PVC-coated steel wire, headband made of high-quality, white woven polyester. Reinforced side and bottom edge with 6 mm thick edge cord. An exceptionally robust net for the highest demands.

30200 Black

30210 Green

**"ROYAL" TENNIS NET**

Square mesh design, six rows of double layer top, braided polyethylene netting, approx. 3.8 mm thick. Very sturdy, quad-stitched headband, complete with PVC-coated steel wire. Side and bottom edges reinforced with strong, black PVC casing for a long life span. GS tested to standard DIN EN 1510.

30170 Black

30180 Green

"CLUB" TENNIS NET

Square mesh design of PVC-coated polyester, approx. 5.0 mm thick twine, complete with steel wire (4 mm) and a white plastic headband. Thanks to the special plastic-reinforced fabric, this net ensures an extremely long life span. The tennis net comes with a 5-year guarantee.

30400 Black

**SINGLE RODS**

107 cm tall, with rounded, smooth fork and disc shaped base in a light-weight aluminium design. For setting the standard net height for singles matches.

31100 Aluminium

31110 White

31120 Green

**NET CENTRE STRAPS**

For adjusting the net height, made of white polypropylene.

31400 With brass eyelet

31430 With plastic buckle

31440 With metal adjuster

31420 With velcro fastener

**NET HEIGHT MEASURING GADGET**

Simply hang the small tennis racket over the centre strap of the net. When the small ball at the end of the chain just touches the ground, the net height measures the correct 91.4 cm. Galvanised metal. With storage pouch.

31530



Made in Germany


"ROYAL" SQUARE TENNIS POSTS

Thick-walled aluminium 80 × 80 mm post, with hinged aluminium cap, internal galvanised tensioning mechanism and aluminium net support rod without ground sleeves.

- 32400 Mat silver anodised
- 32600 White powder coated
- 32610 Green powder coated
- 32410 Ground sleeves with cap



TENNIS POSTS



"ROYAL" STEEL TENNIS POSTS

Diameter 76 mm. Made of tubular steel, powder coated green, with screw-on aluminium gear mechanism and recessed brass wire pulleys. Removable winder handle and welded on net fastening straps and net hooks. Without ground sleeves.

- 32550 Tennis posts
- 32560 Ground sleeve
- 32260 Mechanism for tennis posts

All components, such as ground sleeves, net support rods, tensioning mechanisms, winder handles and caps, are always available for assembly and as replacement parts. Thanks to our fast delivery service, you will receive your replacement part in just a few days.

Replacement caps

- 99320 Cap for round/square winch post
- 99330 Cap for round/square tie-off post
- 99340 Cap for round ground sleeve
- 99345 Cap for square ground sleeve





Made in Germany

"ROYAL" ROUND TENNIS POSTS

Thick-walled aluminium 83 mm post, with hinged aluminium cap, internal galvanised tensioning mechanism and aluminium net support rod without ground sleeves.

- 32200 Mat silver anodised
- 32300 White powder coated
- 32310 Green powder coated
- 32210 Ground sleeves with cap



Ground sleeves with cap (pair)

- 32210 Round
- 32410 Square



Net support rod

32230

Tensioning mechanism

32240

Winder handle for tensioning mechanism

32245

Fixing materials

32250




EVERYONE'S FAVOURITE TENNIS LINES

SPEZIALA®

TOP
PRODUCT

- + Quick installation
- + Excellent ground adhesion due to perforated slots
- + Fixing of the line ends to the ground (no upstanding ends)
- + Long life span thanks to sturdy ground anchors
- + Available individually or in a set
- + Made in Germany

Made in
Germany**"SPEZIALA I" TENNIS LINE**

The flexible hard PVC tennis line, all lines are 40 mm wide. The perforated slots of the line ensure effective interlocking with the tennis court surface. Each set comes in six sections suitable for one doubles court. The tennis lines are secured by means of 18 sturdy ground anchors and stainless steel line anchors. Specially developed end fixing system for secure fixture of the line ends to the ground is also included. The SPEZIALA tennis line can be easily installed by just one person.

33100 White, per court

33101 Yellow, per court

"SPEZIALA II" TENNIS LINE

Same design as "SPEZIALA I", but base, centre and service lines 50 mm, side lines 40 mm wide.

33104 White, per court

33106 Yellow, per court

"SPEZIALA III" TENNIS LINE

Same design as "SPEZIALA I", but base, centre, service and side lines 50 mm wide.

99140 White, per court

"SPEZIALA I PLUS" TENNIS LINE

Same design as "SPEZIALA I", but base, service and side lines 40 mm, centre line 50 mm wide.

99142 White, per court



SPEZIALA REPLACEMENT ROLLS

- 33102 White, 40 mm, 22 m roll
- 33093 White, 40 mm, 24 m roll
- 33094 White, 40 mm, 30 m roll
- 33105 White, 50 mm, 22 m roll
- 33095 White, 50 mm, 30 m roll
- 33111 White, 40 mm, 17 m roll
- 33109 White, 50 mm, 13 m roll



SPEZIALA BASE LINE SET

22 m roll, incl. four ground anchors with line anchors and four end fixings.

- 33107 40 mm
- 33108 50 mm



INSTALLATION EQUIPMENT

- 34142 Stainless steel line anchor
- 34141 Ground anchor
- 34144 Stainless steel ground anchor
- 34145 Double line anchor
- 34150 SPEZIALA (steel) drive-in punch for ground anchor



SPEZIALA END FIXING

Made of high-quality special plastic to prevent upstanding line ends. Set contains 18 items.


- 33096 For SPEZIALA I set
- 33097 For SPEZIALA II set
- 33098 For SPEZIALA I plus set
- 33099 For SPEZIALA III set



SPEZIALA RATCHET TENSIONER

Galvanised, with special straps, for tensioning SPEZIALA tennis lines.

- 34135 Standard, incl. tapered punch
- 34138 Eyelet for ratchet tensioner



TENNIS LINE – SOFT PVC, WITH NAILS

Non-slip grained surface. 150 metres required per court. Pack contains: 3 rolls, each 50 m long. Nails and wooden pegs required for fixing. Minimum purchase 50 metres.

- 33110 White, 4 cm wide, per court
- 33120 White, 4 cm wide, per metre
- 34120 Treated wooden peg, 45×45×250 mm
- 34115 Aluminium fastening nail, 80 mm

TENNIS LINES – HARD PVC, WITHOUT NAILS, PERFORATED

Proven hard PVC lines with perforations for excellent ball bounce behaviour and a non-slip surface. Simple installation, secure fixture in the ground. Rods, each 160 cm long, incl. T-connectors.

- 33210 White, 4 cm wide, per court
- 33230 White, 4 cm wide, per rod
- 33215 White, 5 cm wide, per court
- 33235 White, 5 cm wide, per rod
- 33240 White, 4/5 cm wide, per court



MANUAL RAMMER

Shock-absorbing all-purpose rammer with steel shaft and plastic handle. For uneven ground compaction, weight approx. 7 kg.

- 36700 Ground plate 18 x 18 cm

LINE RAMMER

For installation and for securing loose lines. Foot can be filled with silica sand, empty weight approx. 4 kg, full weight approx. 9 kg.

- 36710 Dimensions: 390 x 80 mm

LINE INSTALLATION TOOL – 200 CM LONG

For the simple installation of lines. Made of stainless steel, with handle.

- 34160 4 cm wide
- 34161 5 cm wide



DRIVE-IN GROUND ANCHOR

The steel wire anchor is driven in together with the metal rod. Tightening secures the eye loop.

31520



GROUND ANCHOR SLEEVE

Made of thick-walled aluminium tube, 250 mm long, incl. cap. For setting in concrete with retractable hook.

31510



SPECIAL GROUND ANCHOR

Galvanised special ground anchor, U-shaped.

31450



GROUND ANCHOR

Galvanised, for flush installation.

31500



31400

31430

31440

31420

NET CENTRE STRAPS

For adjusting the net height, made of white polypropylene.

31400 With brass eyelet

31430 With plastic buckle

31440 With metal adjuster

31420 With velcro fastener

TENSIONING SCREW

Made of galvanised steel.

31410



ANTI-FROST LINE COVER TAPE

Polyethylene, 15 cm wide, 8 mm thick, set consists of three rolls, each 50 m. Insulating effect of the foam tape largely prevents the lines from freezing. Tape should be weighted down with stones every 30 cm. Significantly reduces the amount of work required when overhauling your courts in the spring.

33280





TENNIS BENCHES



Made in Germany

„COMFORT“ BENCH

An elegant and robust premium bench consisting of reinforced PVC hollow-chamber seating slats; bench can be dismantled.

- 39280 120 cm, White, 2 Feet
- 39300 150 cm, White, 2 Feet
- 39310 200 cm, White, 3 Feet

- 39285 120 cm, Green, 2 Feet
- 39305 150 cm, Green, 2 Feet
- 39315 200 cm, Green, 3 Feet



39280



39300



39310



39285



39305



39315



 Made in Germany

“ERGONOMIC” BENCH

Ergonomic and sturdy bench consisting of PVC hollow-chamber seating slats; bench can be dismantled.

39380 150 cm, white, 2 feet

39382 150 cm, green, 2 feet

39383 200 cm, white, 3 feet

39385 200 cm, green, 3 feet



 Made in Germany



“OLYMPIA” BENCH

Classic backless design. Seat consists of five multi-chamber seating slats. Solid plastic feet.

39250 150 cm, white, 2 feet

39200 200 cm, white, 3 feet

39251 150 cm, green, 2 feet

39201 200 cm, green, 3 feet

BENCHES WITH ADVERTISING BOARDS



 Made in Germany

“COMFORT” BENCH WITH ADVERTISING BOARD

White, elegant, 150 cm long, robust premium bench with a GRP backrest for the simple attachment of advertising stickers.

39330






 Made in Germany

“CLASSIC” BENCH WITH ADVERTISING BOARD

High-quality aluminium design, white powder coated, 150 cm long. Seat consists of five multi-chamber seating slats. Advertising board with exchangeable, 10 mm wide plastic panels. Without advertising.


39390



“ROYAL DELUXE” UMPIRE’S CHAIR

Umpire’s chair with wide, non-slip steps, GS tested. Projecting supports with four base plates for optimum stability, storage tray in the ladder, seat mount with extra crossbar behind the UV-resistant, body-contoured plastic seat. Incl. writing board.

- 39107 Aluminium
- 39108 White powder coated
- 39109 Green powder coated
- 39140 Red parasol, tiltable, 150 cm in diameter
- 49520 Scoreboard



“ROYAL TURNIER” UMPIRE’S CHAIR

Elegant aluminium umpire’s chair, GS tested to standard DIN EN 131. Optimum stability provided by the sturdy ladder and the projecting supports with four base plates. The seat mount has an extra crossbar behind the UV-resistant, red body-contoured plastic seat.

- 39106 Aluminium
- 39140 Red parasol, tiltable, 150 cm in diameter
- 49520 Scoreboard

STANDARD DIVIDER NETTING

Divider netting for tennis halls and outdoor use. Robust 2.3 mm polypropylene twine, mesh width 45 mm, with sturdy edging, with 4 mm steel wire, 39 m long, two 1/2" tighteners and cable clamps. Bottom of net stitched with weighted leadline 150 g/m and top edge with three snap hooks per metre. Colour: Green

41100 40×3 m

41110 40×2.5 m

41200 Bespoke size without accessories.

Extra charge for netting below 10 m²

SUPPORT ROD FOR DIVIDER NETTING

Infinitely height adjustable from 2 – 3 m, made of aluminium, incl. rubber base.

31300

31300



For divider netting accessories, see [page 55](#)

GRANDSTANDS FOR INDOORS AND OUTDOORS

Up to 50 spectators in three rows. Water-proof construction made of hot-galvanized steel tubes and heavy grilles. For ease of installation, the grandstand is supplied as 4 modules (each 2 m wide) with 12 seats per module, and a stair module (1.2 m wide) with 2 seats. The grandstand must be installed on a solid surface. The number of seats can be increased, as required, by adding further modules. Supplied without seat shells. Tested in accordance with DIN 13200.

38900 length: 9.19 m, depth: 2.13 m,
height: 1.52 m



38900

GRANDSTAND SEAT "ELEGANCE"

Made of injection-moulded polypropylene, impact-resistant, UV-resistant, with water drainage feature. Quick and easy to install (with three screws) on almost any surface. For indoor and outdoor grandstands.

38910 black, white, orange, green, red, grey,
blue, yellow



38910

38920



GRANDSTAND SEAT "COMPACT"

Made of injection-moulded polypropylene, impact-resistant, UV-resistant, with water drainage feature. Quick and easy to install (with three screws) on almost any surface. For indoor and outdoor grandstands.

38920 black, white, orange, green, red, grey,
blue, yellow

CUSTOM PRINT OPTIONS

PRIVACY SCREENS AND WINDBREAKS

CUSTOMISED SCREEN IN JUST A FEW STEPS

Use our privacy screens and windbreaks for advertising your partners, sponsors, supporters and fan clubs. The perfect place to promote businesses, products and services prominently on your tennis courts.



Send us your request with an image of the desired (company) logo – min. image resolution 72 dpi – to:
info@lob-sport.de

YOUR LOGO

We will then send you a draft design for your approval, incl. a quote.



Once you have given your approval, the privacy screen will be produced and dispatched.

YOUR LOGO

Your new screen will give you years of enjoyment. The invoice will be sent to you or your advertising partner as agreed.

Colour chart for "TOP" and "TURNIER" privacy screens and windbreaks





"TOP"

privacy screen, dark green

TOP
PRODUCT

"TOP" PRIVACY SCREEN AND WINDBREAK

Plain privacy screen measuring 12×2 m or special size. Crafted using air-permeable polyethylene knitted fabric and featuring hemmed edges and eyelets, without snap hooks. Standard quality 160 g/m².

- 40120 Light green
- 40130 Dark green
- 40431 White, black, red, orange, blue, metallic blue
- 40200 Snap hooks, 56 hooks per screen

Bespoke size* Same design as 40120/40130, incl. snap hooks:

- 40160 Light green
- 40165 Dark green
- 40433 White, black, red, orange, blue, metallic blue

"TURNIER" PRIVACY SCREEN AND WINDBREAK

Plain privacy screen measuring 12×2 m or special size. Crafted using air-permeable polyethylene knitted fabric and featuring hemmed edges and eyelets, without snap hooks. Extra heavy version 200 g/m².

- 40100 Light green
- 40110 Dark green
- 40430 White, black, grey, red, yellow, orange, violet, blue, sapphire blue, metallic blue
- 40200 Snap hooks, 56 hooks per screen

Bespoke size* Same design as 40100/40110, incl. snap hooks:

- 40150 Light green
- 40155 Dark green
- 40432 White, black, grey, red, yellow, orange, violet, blue, sapphire blue, metallic blue

*Extra charge for screens smaller than 5 m².



PVC advertising banner (40170)

+ Display of the finest colour gradients

+ Precise print image

PVC ADVERTISING BANNER

Weatherproof and wind-permeable advertising banner, featuring eyelets, crafted using white, perforated PVC fabric. Precise print image and display of fine colour gradients using digital printing: Ideal for complex and detailed printed graphics. The rear of the mesh fabric remains white when the image is printed on one side only. Also ideally suited for printing on both sides. Quality: 230 g/m².

- 40170 Print on one side
- 40175 Print on both sides



"LOB SPORT" PRIVACY SCREEN AND WINDBREAK

Printed privacy screen approx. 12×2 m, standard quality 160 g/m², without snap hooks.


- 40135 Dark green
- 40140 Light green

PROFESSIONAL EQUIPMENT

COURT
MAINTENANCE

DRAG BRUSH

36100


 Made in Germany

DRAG BRUSH

200 cm wide, consisting of four interchangeable brush sections, each 50 cm long, complete with aluminium frame and handle, featuring PVC grip. Semicircular spacers on each side of the brush prevent it from getting caught on nets and fences.

36100 PVC (hard)

36110 Sugar palm (medium-soft)



 Made in Germany

DRAG BRUSH

150 cm wide, consisting of three interchangeable brush sections, each 50 cm long, complete with aluminium frame and handle, featuring PVC grip. Handle can be dismantled. Semicircular spacers on each side of the brush prevent it from getting caught on nets and fences.

36105 PVC (hard) 150 cm

36115 Sugar palm (medium-soft) 150 cm


 Made in Germany

STEEL WIRE BRUSH

Same design as item 36100, but with steel wire brush sections, suitable for loosening up hardened patches on tennis courts.

36130




Made in Germany

COMBINATION DRAG BRUSH

Same design as item 36100, but with a screwed-on aluminium rail. The aluminium rail subsequently levels out and maintains your tennis court.

36160 PVC (hard)

36170 Sugar palm (medium-soft)



Made in Germany

"GRANU-TOP" GRANULATE BRUSH

200 cm wide, special brush section in a U-shaped aluminium enclosure, semicircular spacers on each side, incl. aluminium handle. Ideal for granulate surfaces in tennis halls. The ingenious bristle arrangement and the special bristle mixture enable an even distribution of granulates and excellent removal of any grime or felt material from the balls that has been deposited on the surface of the court. Weights ensure even distribution of pressure. For daily maintenance after matches.

36180



Made in Germany

"SCHWEIZ" DRAG BRUSH 200 CM

4 interchangeable PVC brush sections, each 50 cm long, and aluminium handle. The clay is well distributed and any moist material cannot stick to the bristles. The bristles are narrower and much longer than those found on conventional drag brushes. This ensures improved tennis court maintenance.

36120



Made in Germany

"SANDRASEN" DRAG BRUSH 150 CM

Same design as item 36105, but with two screwed-on, galvanised weights, each 800 g. Cleverly arranged special bristles. For maintaining artificial turf with silica sand infill and synthetic surfaces with rubber granulate infill.

36145



Made in Germany

"SANDRASEN" DRAG BRUSH 200 CM

Same design as item 36100, but with two screwed-on, galvanised weights, each 800 g. Cleverly arranged special bristles. For maintaining artificial turf with silica sand infill and synthetic surfaces with rubber granulate infill.

36140



Made in Germany

STEEL WIRE BRUSH NARROW

Same narrow design as item 36120 but with steel wire brush sections.

36131 One row of bristles

36132 Two rows of bristles



REPLACEMENT BRUSHES

37100 50 cm long, PVC

37110 50 cm long, sugar palm

37120 50 cm long, steel wire

37140 50 cm long, Sandrasen

36121 50 cm long, Schweiz

36190 Set, Granu-Top

37160 50 cm long, steel wire

37180 50 cm long, steel wire


DRAG NETS



DRAG NET PLANER 200 CM

Aluminium rail with robust rubber strip, extra heavy, black drag net mesh (200×150 cm) and aluminium handle. Evenly distributes clay for smooth and level tennis courts.

36880




ALUPLAN DRAG NET

Special aluminium rail for a perfectly smooth, professional finish. With double layer PVC mat, handle and drag cord. Working width 2 m

36257 Net depth 115 cm

36266 Net depth 75 cm




COMBINATION BRUSH MAT

Drag brush and drag net in one! This new combination tool unites two work steps, before or after the tennis match. The hard plastic brush roughens the clay surface so that the loose material can be removed in the next step. Dimensions: 150 x 75 cm.

36150 working width 150 cm


36155 working width 200 cm




SUPER CLEAN DRAG NET

Drag net for the quick and easy removal of leaves, etc. Ensures smooth, professional finish every time. Dimensions: 2.00×0.80 m. Includes drag cord.

36295 With drag cord




 Made in Germany




WOODEN DRAG NET

Made of heavy, weatherproof red pine triangular rail with rounded edges and a drag cord. The triangular rail and the PVC-coated mesh distribute the surface material evenly and give your tennis courts a smooth and level finish. Working width: Approx. 2 m.

STANDARD	36220	Single layer, net depth approx. 115 cm
	36230	Double layer, net depth approx. 115 cm
LIGHT	36225	Single layer, net depth approx. 150 cm
	36235	Double layer, net depth approx. 150 cm
EXTRA HEAVY	36240	Single layer, net depth approx. 150 cm
	36245	Double layer, net depth approx. 150 cm



 Made in Germany



ALUMINIUM DRAG NET

Special aluminium rail with PVC-coated drag net mesh and drag cord. User-friendly drag net, also ideal for children. Aluminium handle (36215) available for an extra charge. Working width approx. 2 m, mesh colour: Black.

STANDARD	36200	Single layer, net depth approx. 115 cm
	36210	Double layer, net depth approx. 115 cm
EXTRA HEAVY	36205	Single layer, net depth approx. 150 cm
	36213	Double layer, net depth approx. 150 cm

For drag net mesh, replacement cords, aluminium handles, see page 55






DRAG MAT

Heavy-duty coconut mat with hemmed edges, weatherproof triangular wooden rail and drag cord.

Dimensions: 200 × 90 cm.

36260 Drag mat

37420 Replacement mat




DRAG MAT EXTRA HEAVY

UV-coated PVC mesh with aluminium rail, drag cord and handle. Leaves, stones, debris, etc. collect underneath the mat and can then be gently tapped off. The top of the mat distributes the surface material, giving your tennis courts a smooth and level finish. Also suitable for artificial turf with silica sand infill and synthetic surfaces with rubber granulate infill.

Dimensions: 200 × 100 cm. Working width: 195 cm. Store unrolled.

36270 Red

36275 Green




COMBINATION DRAG MAT

UV-coated PVC mesh with aluminium rail, drag cord and handle. Same design as item 36270/36275, but with additional heavy, black mesh. The front PVC mesh loosens and flattens out any irregularities. While the rear drag mat section guarantees a smooth professional finish and collects debris.

Dimensions: 200 x 140 cm. Working width: 195 cm. Store unrolled.

36290 Green/Black

36291 Red/Black



SILICA SAND DRAG MAT

Made of coconut bristles, with wooden rail, drag cord and handles. The 3 cm long coconut bristles are fixed in a heavy, latex-coated back fabric. Designed for the thorough distribution of silica sand and rubber granulate. Dimensions: 120 × 90 cm.

36280

37430 Replacement mat

EQUIPMENT STORAGE



37300

DRAG NET HOLDER

Made of galvanised flat steel, 3 mm thick, incl. fasteners for simple installation on wire mesh fences.

37300



37305



36253

EXTRA DRAG NET HOLDER

Made of aluminium. PVC-coated rectangular tube with two U-shaped hangers. Sturdy attachment directly to a fence post using the clamp.

37305



37311



37313



37315

EQUIPMENT HOLDER

Double hanger.

37312 Galvanised

37313 Green

EQUIPMENT HOLDER

Triple hanger for installation on fence posts, measuring 60 mm in diameter.

37315 Galvanised

37316 Green

EYELET FOR WOODEN DRAG NET

Can be retrofitted to a wooden drag net and facilitates storage on equipment holders or drag net holders.

36253

EQUIPMENT HOLDER

Single hanger.

37310 Galvanised

37311 Green

LINE MAINTENANCE

 Made in Germany

MATCH LINER

Thanks to its brush drive, this line sweeper cleans all 4 cm or 5 cm wide lines quickly and thoroughly. Clever and effective design, manufactured using weatherproof and hard-wearing materials. Without handle.

- 35300 Match Liner, 4 cm, white
- 35305 Match Liner, 5 cm, black
- 35310 Replacement brush [4 cm]
- 35315 Replacement brush [5 cm]
- 37200 Wooden handle, Ø 24 mm

TOP
PRODUCT



FIX LINE BROOM

New design with recycled plastic, plastic bristles and swivelling handle holder with internal thread.

- 35143 FIX line broom with aluminium handle
- 35144 FIX line broom with wooden handle
- 35140 FIX line broom without handle
- 35141 Aluminium handle, 1,350 × 22 mm
- 35142 Wooden handle, 1,350 × 25 mm



LINE BRUSH

28 cm long handle with swivelling handle holder for thorough cleaning of tennis court lines. Extremely simple to use due to the short, 4 cm wide bristles.

- 35122 Sugar palm (medium-soft) with wooden handle
- 35132 PVC (hard) with wooden handle
- 35120 Sugar palm (medium-soft) without handle
- 35130 PVC (hard) without handle
- 37210 Wooden handle, Ø 28 mm



POINTED LINE BRUSH

Excellent cleaning result due to pointed shape. Swivelling handle holder.

- 35152 Sugar palm (medium-soft) with wooden handle
- 35162 PVC (hard) with wooden handle
- 35150 Sugar palm (medium-soft) without handle
- 35160 PVC (hard) without handle
- 37210 Wooden handle, Ø 28 mm




LINE BROOM

Curved.

- 35101 PVC (hard) with wooden handle
- 35111 Sugar palm (medium-soft) with wooden handle
- 35100 PVC (hard) without handle
- 35110 Sugar palm (medium-soft) without handle
- 37205 Wooden handle, Ø 24 mm, with aluminium thread

FOR PRISTINE TENNIS COURTS

DRAG PLANERS, RAKES AND SCRAPERS



CLAY LEVELLER

For the distribution of clay and the removal of irregularities. 100 cm wide. Without handle.

36540 Clay leveller


37220 Wooden handle, Ø 32 mm



DRAG PLANER

Sturdy planer with a durable rubber lip set in an aluminium rail for the simple distribution, levelling or removal of displaced material, also suitable for granulate surfaces. 200 cm wide, incl. aluminium handle.

36400 Drag planer 200 cm




DRAG LEVELLER

Aluminium blade for removing surface irregularities. Without handle.

36541 150 cm wide

36542 80 cm wide

37220 Wooden handle, Ø 32 mm




ALUMINIUM RAKES

70 cm wide, robust and weatherproof rake with double-sided strip steel saw blade. Without handle.

36510 Aluminium rake

36511 Replacement saw blade, incl. set of screws

37210 Wooden handle, Ø 28 mm




DRAG PLANER 80

80 cm wide professional scraper for the simple distribution, levelling or removal of loose grit. Without handle.

36405 Squeegee 80 cm

37210 Wooden handle, Ø 28 mm



TRIANGULAR WOODEN RAKE

Made of beech wood, 70 cm wide, with a borehole. Without handle.

- 36520 With saw blade
- 36521 Without saw blade
- 36511 Replacement saw blade, incl. set of screws
- 37210 Wooden handle, Ø 28 mm



CLAY SPREADER

Hollow aluminium blade with a sturdy handle holder. For levelling out and spreading surface material over large areas. High-precision blade for the exact detection of the irregularities. Without handle.

- 36410 200 cm wide
- 36420 70 cm wide
- 37220 Wooden handle, Ø 32 mm



LOOSE GRIT SCRAPER

80 cm wide scraper with metal rail and rubber lip. Specially designed for the removal of loose grit. Without handle.

- 36550 Loose grit scraper
- 37210 Wooden handle, Ø 28 mm



MOSS CUTTER

Suitable for moss-covered, sand-based courts. Depending on the surface conditions, the cutter can be weighted down with weights. Working width 70 cm. Without handle.

- 36590 Moss cutter
- 37210 Wooden handle, Ø 28 mm



TOOTHED SCRAPER

For roughening, scraping and levelling court surfaces. 80 cm wide, made of aluminium. Without handle.

- 36500 Toothed scraper
- 37220 Wooden handle, Ø 32 mm



RUBBER RAKE

For the simple removal of leaves, needles, etc. Without handle.

- 36530 50 cm wide
- 36531 75 cm wide
- 37210 Wooden handle, Ø 28 mm



BRESTOLA GREEN STOP PRO

Algae and fungi remover for tennis courts and sports facilities. Requirement: Approx. 1 to 2 bottles per tennis court.

- 36660

COURT MAINTENANCE



GUTTER SCOOPS

For cleaning slotted gutters, ACO drainage gutters, and cement half-shells. Without handle.

- 36620** 5 cm, Ø 28 mm
36630 10 cm, Ø 40 mm
37230 Wooden handle, Ø 40 mm

ALUMINIUM SHOVELS

For the even spreading of clay. Without handle.

- 36600** With steel edge, 30 × 35 cm
99108 Without steel edge, 29 × 31 cm
37230 Wooden handle, Ø 40 mm



CLAY BOX

Made of fibre-glass reinforced plastic, UV-resistant and weatherproof. Hinged lid.

- 38100** Content approx. 0.8 t = 550 l
38110 Content approx. 1.1 t = 700 l
38120 Content approx. 1.5 t = 1100 l
38130 Content approx. 2.2 t = 1500 l
38200 Extra charge for removal chute

CLAY WHEELBARROW 250 L

Deep plastic tray with sturdy side walls (6 mm thick). Robust, plastic-coated tubular steel frame. Reinforcing cross-bars for stable tray base, simple emptying via tubular skids, ball-bearing pneumatic wheels and tubular tyres. Load-carrying capacity 350 kg. Capacity: 250 l.

56120



56120

CLAY WHEELBARROW

Quality equipment with two ball-bearing pneumatic wheels and tubular tyres, plastic-coated tubular steel frame and seamlessly pressed, galvanised tray. Capacity 140 l, width 820 mm, approx. 400 kg load-carrying capacity.

56100



56100

WHEELBARROW

Plastic-coated tubular steel frame with galvanised tray and circumferential, wide beaded rim. Capacity 85 l, width 600 mm.

56110



56110



Made in
Germany

LOB ABSORBING ROLLER

Roller with rubber tyres for ridding courts of any standing water. Aluminium frame and drain plates. Working width 60 cm, weight 35 kg.

- 42500 LOB absorbing roller
- 42510 Replacement sponge, incl. adhesive
- 42520 Roller drum with sponge



WATER ROLLER

Roller specially designed for hard and synthetic courts, allowing you to remove puddles quickly. Working width 90 cm.

- 36430 Water roller
- 37130 Replacement water roller

PUDDLE SPONGE ROLLER

For removing puddles and drying wet surfaces. Water in the sponge roller can be squeezed out using the integrated squeezing mechanism. Highly absorbent, easy to use and lightweight. Ideal for sand, quartz and hard surfaces. Working width approx. 50 cm.

- 42900 Puddle sponge roller
- 42901 Replacement sponge



42900

ABSORBING SPONGE WITH BUCKET


For the quick removal of puddles. Dimensions 22 × 22 × 9 cm.

42550

SPECIAL SPONGE

Made of viscose, for draining wet surfaces. Dimensions 50 × 30 × 8 cm.

42810



42550

42810

IRRIGATION AND WATERING



SPRINKLER TRIPOD

Tripod manufactured using galvanised rectangular tubes with round feet. Folding legs for simple repositioning of the tripod. Weight with sprinkler: Approx. 5 kg. Incl. GEKA coupling 3/4".

50120



SEMI-CIRCLE SPRINKLER

Precise rocker arm sprinkler made of cast bronze. Infinitely adjustable up to 360°. Connection 3/4", incl. socket for tripod (item 50120). With adjustable jet breaker screw for even distribution of the water jet. Spraying range approx. 16 m at 4 bar water pressure, irrigation area approx. 800 m². Water consumption approx. 1.4 m³/h.

50100



FULL-CIRCLE SPRINKLER

Same design as item 50100, but with full-circle irrigation, equipped with two fine spray nozzles for long and close range. Water consumption approx. 1.8 m³/h at 4 bar.

50110



PERROT POP-UP SPRINKLER

Single-jet rocker arm sprinkler with a hot-dip galvanised steel housing. 22° jet trajectory and jet breaker for varying the spraying range and water distribution.

50560 TRITON-S, WT 4,0 mm

50551 Compl. insert for pop-up sprinkler

50552 Replacement cap with holder

50553 Special key for nozzle replacement and cap removal

GEKA WATER HOSE, PVC

High-quality soft PVC with highly tear-resistant polyester yarn, flexible at low temperatures, temperature resistant: -15 °C to +60 °C, operating pressure at 3/4" 8 bar, at 1" 7 bar.

50300 3/4", 25 m roll

50305 3/4", 50 m roll

50315 1", 50 m roll

50300



TOP
PRODUCT



MULTI-SPORT FAN NOZZLE

For the even irrigation of tennis courts. Made of light metal with a 3/4" coupling, plastic-coated handle additionally equipped with a ball valve for shutting off the supply.

50515



FAN NOZZLE

For the even irrigation of courts, made of light metal, equipped with a 3/4" coupling.

- 50500 Standard fan nozzle
- 50510 Handle additionally equipped with a ball valve for shutting off the supply
- 50540 Replacement seals for fan nozzle head



PISTOL FAN NOZZLE

Made of light metal. Can be shut off, equipped with a 3/4" coupling.


- 50520
- 50525 Rubberised version



WIDE SPRAY NOZZLE

Made of light metal with a hard PVC steel tube. Ball valve with robust metal lever for the following settings: Stop, wide jet, spray jet. Spraying range approx. 15 m, complete with 3/4" coupling.

50530



GEKA PLUS ACCESSORIES

- 50455 3/4" hose connection with worm thread
- 50440 3/4" hose clip with worm thread
- 50480 Rubber seal with quick coupling
- 50490 With screw ring, exceptional sealing, 3/4"

GEKA PLUS QUICK COUPLINGS

- 50460 Brass, with internal thread, 3/4"
- 50400 Brass, with hose connector, 3/4"
- 50420 Brass, with rotatable hose connector, 3/4"
- 50490 With screw ring, exceptional sealing, 3/4"

BOARDS AND SIGNS

49301–49312




TENNIS COURT NUMBERS

Weatherproof plastic, white, with black numbers. Dimensions 30 × 20 cm.

49301 No. 1
49302 No. 2
49303 No. 3
49304 No. 4

49305 No. 5
49306 No. 6
49307 No. 7
49308 No. 8

49309 No. 9
49310 No. 10
49311 No. 11
49312 No. 12



49130

NOTICE SIGNS

Made of weatherproof plastic

49130 Maintenance instructions (33 × 50 cm)



MATCH POINTER 2.0

THE CLASSIC REMODELLED

+
NEW
DESIGN

+
HIGH-QUALITY,
UV-RESISTANT
MATERIALS

+
BILINGUAL
VERSION



+
IMPROVED
MOUNTING

+
EASY-GRIP
ROTATING DISCS

+
PARTICULARLY
SMOOTH
MECHANISM

+ AVAILABLE IN TWO SIZES

**New
design**
and improved
functionality

 Made in Germany



- + Modern dark green
- + Particularly smooth mechanism
- + Improved mounting


 Made in Germany

MATCH POINTER 2.0

A further development of the original: The rotating discs are easier to grip and the improved mechanism allows particularly easy turning. The new mechanism prevents the rotating discs from jamming due to weather-related adhesion. Made of high-quality, UV-resistant plastic, with stainless-steel fittings. Made in Germany.

49660 size M, 46 × 65 cm

49670 size L, 56 × 80 cm



49590


49545

 Made in Germany

MATCH POINTER PREMIUM EDITION

The further development of the original: Easy-to-turn, pimpled numbered discs for year-round use. Made in Germany.

49590 Size M, 46 × 65 cm, numbers: 8 cm

 Made in Germany

MATCH POINTER

Robust and weatherproof scoreboard made of UV-resistant plastic with anti-rust metal hook. Score visible on both sides. Bold and easy-to-use numbers. Made in Germany.

49540 Size S, 35 × 50 cm, numbers: 6 cm

49545 Size M, 46 × 65 cm, numbers: 8 cm

49555 Size L, 56 × 80 cm, numbers: 10 cm

49570 Size XL, 65 × 96 cm, numbers: 12 cm



THE POPULAR SCOREBOARD

MATCH POINTER



 Made in Germany

MATCH TIMER

Court reservation clock with integrated court number made of weatherproof plastic. Clock can be set to 60 or 90 minute reservation period. Please state the desired court number.

49210 24 × 32 cm



STAND FOR MATCH POINTER

PVC foot can be filled.

49550 For size M

49565 For size L

49575 For size XL

Replacement numbered discs and silicone lubricant spray for Match Pointer see page 55

TRAINING



47150



47115

LOB BALL BUCKET

Ideal for tennis coaches, equipped with handle and lid. Incl. 60 pressureless training tennis balls.

47150

LOB TENNIS BALL

High-quality ball for tournament use that guarantees professional performance with exceptional durability. New balls are packed in pressurised tubes to ensure they retain their internal pressure. Tennis balls can be stored for several years without any problems. Colour: Yellow, four balls in one tube.

47115 Internal pressure

Pressureless, exceptional durability and unlimited storage. Also suitable for training with a tennis ball machine. Colour: Yellow, 60 balls in a plastic bag.


47110 Pressureless, 60 balls in a plastic bag



MULTI-SPORT RADAR

Versatile multi-speed radar. Records speeds from 5 to 199 km/h, measuring range from 1 – 12 m, 3-digit LED display of the recorded speed adjustable. Automatic switch-off. 5 AA batteries required (not included). Suitable for all tripods. Dimensions: 18 × 15 × 12 cm.

47910



“PORTABLE” TENNIS WALL

A transportable rebound wall featuring a coated tubular steel frame, incl. fasteners and net. The extremely bouncy net is made of UV-stabilised plastic. Weight approx. 11 kg.

48200 Dimensions: 2.80 × 2.20 m



“SMASH BACK” TENNIS WALL

Indestructible rebound wall manufactured using acrylic concrete. A parabolic shaped playing surface with a homogeneously sealed green coating. Low noise due to effective “anti-drumming ribs”. Fast installation.

Dimensions: Height (without/with ball stop net) 300/400 cm, width 100 cm or 150 cm.

48120



P-BOX 2.0

A fully automatic, battery-operated tennis ball preservation system that guarantees long-lasting ball quality. An intelligent control system featuring a mini-compressor ensures that the balls are always stored at an optimum ambient pressure.

55200





CADDY BALL CARRY CART

Simple and quick transport of tennis balls. Can be adjusted to three heights and folded down for storage, equipped with a lockable lid. Sturdy, weatherproof design, can hold up to approx. 200 regular tennis balls. Basket dimensions: 56 × 41 × 30 cm, basket height can be adjusted from 90 – 104 cm.


46275



CLAX® BALL CARRY CART

Folds open and closes in seconds at the push of a button, equipped with smooth-running, ball-bearing wheels and a parking brake, incl. folding box for approx. 120 regular tennis balls. Dimensions: 55 × 103 × 89 cm, folded down: 55 × 71 × 18 cm.


46270



“PROFI” BALL BASKET

High-quality ball basket for collecting balls without bending over. Can hold up to approx. 110 regular tennis balls.

46230



“MASTERS” BALL BASKET

Efficient ball collection without bending over. The folding handles can be simply reversed into a stand for the basket. Equipped with a lid, can hold up to 70 regular tennis balls.

46200



EASY PACK BALL CARRY CART

The new, space-saving ball carry cart with a removable bag for up to 120 regular tennis balls and a sturdy, transportable aluminium frame can be easily folded up and stored in the smallest of spaces.

46300



ROYAL BALL CARRY CART

Very sturdy ball carry cart, offers supreme portability due to heavy duty wheels. Large ball basket and extra storage tray. Chrome-plated frame. The basket, tray and lockable lid are black powder coated. Can hold up to approx. 330 regular tennis balls. Weight approx. 10 kg. Dimensions: 60 × 49 × 92 cm, basket dimensions: 60 × 49 × 36 cm.

46290



TENNIS BALL PICK-UP TUBE

Handy and easy-to-use tennis ball pick-up tube. Clear courts in minutes by simply pressing the pick-up tube onto tennis balls and watch as they enter the tube. Open the lid at the other end to empty the pick-up tube. Length 120 cm, can hold up to 17 regular tennis balls, weight approx. 1 kg.

47190



TENNIS BALL MACHINES

TENNIS TUTOR "PROLITE" TENNIS BALL MACHINE

Easy-to-use, battery-operated tennis ball machine. With rechargeable battery.

44110

TENNIS TUTOR "PLUS" TENNIS BALL MACHINE

Battery-operated, easy-to-transport tennis ball machine, with adjustable launch angle. Options: Narrow, wide and random. With rechargeable battery.

44170



44110

44170



PLAYMATE "iSMASH DREAM" TENNIS BALL MACHINE

Meets the highest safety requirements: The built-in sensor stops the machine immediately if it detects someone standing too close to the direction of launch. Thanks to the integrated "iPlaymate" upgrade, you can operate all the controllers using your iPhone or iPad via an app and record, document and compare your workout results. Housing made of powder-coated aluminium.

44200

TOP
PRODUCT



- + App controllable
- + Workout tracker



PLAYMATE "VOLLEY DREAM" TENNIS BALL MACHINE

Transportable tennis ball machine that meets the highest safety requirements. Housing made of powder-coated aluminium.

44210

TECHNICAL DATA	TENNIS TUTOR "PROLITE"	TENNIS TUTOR "PLUS"	PLAYMATE "VOLLEY DREAM"	PLAYMATE "ISMASH DREAM"
Capacity:	Approx. 125 balls	Approx. 150 balls	Approx. 180 balls with lid closed	Approx. 240 balls with lid closed
Dimensions	310 x 500 x 460 mm	510 x 500 x 510 mm	640 x 560 x 480 cm	960 x 540 x 920 mm
Weight	13 kg (with battery)	21.6 kg (with battery)	31 kg	35 kg
Power supply	Rechargeable battery (charge current 220 V)	Rechargeable battery (charge current 220 V)	Rechargeable battery (charge current 220 V)	230 V
Battery life	2 to 3 hours	4 to 6 hours	Min. 4 hours	–
Charging time	12 hours	12 hours	6 hours	–
Ball pattern	1,5 – 10 sec.	1,5 – 10 sec.	1 – 10 sec.	1 – 10 sec.
Maximum speed	96 km/h	ca. 136 km/h	140 km/h	150 km/h
Ball flight	From low over the net to lob	Short – long adjustable	Short – long, infinitely adjustable	Short – long, infinitely adjustable
Ball spin	Not adjustable	Flat, topspin, spin, slice	Topspin, slice	Topspin, slice
Launch angle	1 direction and random	1 direction and random	7 directions right/left/centre	7 directions right/left/centre
Remote control	No	Yes	Wireless, on/off	Wireless, on/off
Housing	Plastic	Plastic	Aluminium, lockable lid	Aluminium

KIDS TRAINING



"TENNIS-TWIST" TENNIS BALL MACHINE

Battery-operated tennis ball machine for children's tennis.

Capacity:	Approx. 28 regular tennis balls
Dimensions:	500 × 200 × 200 mm
Weight:	5 kg (with battery)
Battery life:	5 – 6 hours
Ball pattern:	5-second rhythm
Ball flight:	Straight, adjustable from approx. 3 to 6 m
Remote control:	No
Housing:	Plastic

44180 With battery




ARP "SLOW PLAYING"

Kids small court tennis ball. Very soft, pressureless transition ball, weighing just 40 g and requiring 50% less energy. 60 balls in a plastic bag.

47125 Yellow with green seam

47126 Yellow / Green



 Made in Germany

SMALL TENNIS COURT SET

Powder-coated, sturdy, weatherproof design. Insertable, removable counterweights guarantee optimum net tension and stability. The set is easy to transport, assemble and dismantle. Made in Germany. Incl. Net, dimensions 6.10 × 0.85 m, adjustable net height.

32006 Small tennis court set

32004 Replacement net



32006

 Made in Germany

"QUICKFIX" SMALL TENNIS COURT SET

This plug-in system made of lightweight aluminium tubes is very easy to assemble and dismantle in just a few minutes. Thanks to the special design, the net is appropriately tensioned. The net is included in the set. Weight approx. 6.5 kg.

32016 6.10 × 0.85 m

32015 Replacement net

32020 Bag for up to two sets



32016

KIDS NET SET

This free-standing net set is popular due to its handy connection system and can be assembled and dismantled in just a few minutes. The net and a storage bag are included in the set.

32021 6.10 × 0.85 m

32022 3.10 × 0.85 m

32023 Replacement net 6.10 m

32024 Replacement net 3.10 m




32021



SMALL COURT TENNIS LINE

Flat shape without bars. 1 set, each 22 m

32002



KIDS DRAG NET

Thanks to the shortened, weatherproof 120 cm wide red pine triangular rail, even the youngest tennis fans have fun keeping courts in perfect condition. PVC-coated, 115 cm long drag net mesh.

36248



YOUTH LINE – STAGE 2

Court lines made of rubber – for one original STAGE 2 court. High UV-resistance. Two side lines, 3 cm, and two base lines, 4 cm wide. Colour: white. Set includes fixing nails and layout plan.

32025

YOUTH LINE – STAGE 3

Court lines made of rubber – for at least two original STAGE 3 courts. Four lines, each 6.60 m long [can be stretched to 11 m]. High UV-resistance. Colour: white. Set includes fixing nails and layout plan.

32026

TIDINESS AND CLEANLINESS



54190

WASTE BIN

UV-resistant DIN waste bin. For attachment to poles, railings or walls. Simply emptying, incl. key. Capacity approx. 50 l. Dimensions: 60 × 40 cm

54190 Orange

54200 Green



54130


SEMI-CIRCULAR WASTE BIN

Semi-circular, galvanised meshed waste bin with a perforated metal base for water drainage. Dimensions: Ø 40 cm, height 43 cm, capacity: Approx. 25 l.

54130

Hot-dip galvanised iron post, with lock and key, for encasing in concrete or burying in soil, 140 cm long.

54140



54120

54121

“TENNIS BALL” WASTE BIN

High-quality, UV-resistant and weather-proof plastic. Hinged lid and removable insert. Capacity approx. 45 l, dimensions: Ø approx. 50 cm.

54120 Green

54121 Yellow




54100

ROUND WASTE BIN

Made of galvanised steel wire mesh with 4 feet, perforated metal base for water drainage. Dimensions: Ø 40 cm, height 50 cm, capacity: Approx. 63 l.

54100



 Made in Germany



WOODEN SHOE CLEANER

Extremely sturdy and non-slip beech wood design.

53315 360 × 270 mm



WET SHOE CLEANING TRAY

Plastic tray with soft perforated rubber mats for optimum cleaning.

53305 600 × 500 mm



“BASIC” SHOE CLEANER

Extremely robust and non-slip design. Excellent cleaning properties thanks to strong plastic bristles.

53300 350 × 270 × 60 mm



“IDEAL” SHOE CLEANER

Galvanised grate. Bolted metal bracket with three shoe cleaning brushes.

0510940 490 × 290 mm



FLEXIBLE BRUSH MAT

6 flexibly connected plastic strips. Non-slip and weatherproof.

53310 580 × 390 × 30 mm

HYDRAULIC ROLLER LOB LT 30

THE NEW GENERATION OF MOTORIZED ROLLERS

Ideal for
**OVERHAULING
COURTS**
in the spring



+ TÜV-TESTED
SAFETY (GS)



+ LOCK FOR
SECURING
DURING
TRANSPORT

+ HIGH-PERFORMANCE
INDUSTRIAL MOTOR


+ OPTIMISED SAFETY
DEVICES

+ OPEN DESIGN

 **Made in Germany**

IDEAL FOR OVERHAULING COURTS IN THE SPRING

HYDRAULIC ROLLER LOB LT 30



Open design



Two-piece roller body

HYDRAULIKWALZE LOB „LT 30“


The new LT 30 tennis roller boasts user-friendly safety features and a compact, ease-to-operate design. During the process of developing and improving our popular LT range, we took into account and implemented the suggestions and wishes of sports ground contractors and groundkeepers. The new generation of motorised rollers now has a two-piece roller body as standard. This, in combination with the integrated differential control, makes the roller easy to use and also saves space at the tennis court. The LT 30 tennis roller has been optimised with regard to durability, too. The guide bars of the high-performance small motor roller are now even stronger, thanks to their larger tube diameter and welded-on bracing struts.

LOB Sport's motor rollers are thus perfectly suited for continuous professional use by sports ground contractors. Particular attention was paid to occupational safety: the roller body is always in view, thanks to the open design, and the side fixings ensure that the relevant safety standards are met. The new LT 30 therefore guarantees both safe and practical handling at the same time. Right from the start, the motor roller was developed with sustainability and environmental friendliness in mind. The use of tried-and-tested, series-manufactured components makes the LT 30 cost-effective, particularly durable, and easy to maintain. And the use of biodegradable hydraulic oil also makes it sustainable and environmentally friendly.

ZAGRO FUTURA

- + Rolling the tennis court in comfort
- + Wide rubber tyre
- + Excellent manoeuvrability



 Made in Germany

ZAGRO "FUTURA"

Ride-on roller with pivoting seat, a wide, front drive wheel with a rubber tyre and a two-piece roller body with differential compensation for excellent manoeuvrability.

Dimensions:	1,800 x 980 x 1050 mm [L x W x H]
Working width:	900 mm
Weight:	Empty: Approx. 380 kg; Full: Approx. 510 kg
Type of roller:	Two-piece
Roller body:	Turned, 12 mm thick, Ø 508 mm
Drive:	Hydraulic
Motor:	Honda GX 160, 4-stroke, 4.0 kW = 5.5 hp
Fuel:	Regular unleaded petrol, also E10
Features:	Speed infinitely adjustable up 0 – 4 km/h, forwards and backwards

42430 Zagro "FUTURA"

43130 Cover



- + Safe and practical handling
- + Very smooth operation thanks to differential control
- + TÜV-tested safety (GS)
- + High-performance and durable industrial moto

Dimensions:	1,800 x 985 x 1,100 mm [L x W x H]
Working width:	900 mm
Weight:	Empty: Approx. 350 kg, Full: Approx. . 480 kg
Type of roller:	Two-piece
Roller body:	Ø 500 mm
Trailing roller:	One-piece, 900 mm wide, Ø 220 mm
Drive:	Hydraulic
Motor:	Honda GX 160, 4-stroke, 4.0 kW / 5.5 hp at 3,600 rpm.
Fuel:	Regular unleaded petrol, also E10
Features:	Speed infinitely adjustable up to 5.5 km/h, forwards and backwards, with biodegradable hydraulic oil, electronic, contactless ignition, oil warning system, quiet running, intake noise damping, easy start with automatic decompression

MAINTENANCE EQUIPMENT AND ROLLERS


POWERFUL HELPERS

SANDY



- + Easy quantity adjustment using one hand
- + For an applied thickness of 1 – 20 mm
- + Stable and smooth operation

Easy to use +



 Made in Germany

"SANDY" TENNIS CLAY SPREADER

For spreading tennis clay when overhauling your courts in the spring. The dosing unit on the outside of the machine enables precise adjustment of the applied thickness from 1 – 20 mm using just one hand. A support roller with ball bearings and the special arrangement of the wheels ensure the device is stable and the tennis clay can be applied smoothly.

Dimensions: 1,000 × 500 × 600 mm
 Working width: 990 mm
 Empty weight: Approx. 50 kg
 Capacity: 120 kg of tennis clay

42401

 Made in Germany

MANUAL ROLLER

90 cm wide, with scraper. Maintenance-free one-piece or two-piece roller body with ball bearings. With roller-wide, U-shaped handle for easy use.

One-piece design:

Weight empty/full: 95/240 kg or 75/220 kg with counter weight

Two-piece design (two-piece roller body):

Weight empty/full: 120/265 kg or 100/245 kg with counter weight

- 42100 One-piece with counter weight
- 42110 One-piece without counter weight
- 42120 Two-piece with counter weight
- 42130 Two-piece without counter weight

TENNIS HEXE SF 10

Precise removal of the old layer of clay +

Precise adjustment of the scarifying depth +

Mobile and manoeuvrable +



ZAUBERBESEN

High-performance industrial motor +

Easy to use +

Collapsible handle +



 Made in Germany

"TENNISHEXE" TENNIS SCARIFIER

Motorised scarifier for removing the worn, hardened or moss-covered top layer. Precise adjustment of the scarifying depth, scarified material is deposited in neat strips. Our special scarifier reduces the time needed for overhauling your courts in the spring to roughly one hour per court.

Dimensions: 800 × 850 × 1,000 mm

Scarifying width: 655 mm

Weight: Approx. 75 kg

Motor: Honda GX 160 with centrifugal clutch, 4.0 kW/5.5 hp

36910

 Made in Germany

"ZAUBERBESEN" TENNIS COURT SWEEPER

The rotating brush removes used material quickly and deposits it in a few neat strips. It is possible to brush over tennis court lines, and the wide tyres leave hardly any marks.

Working width: Approx. 900 mm

Weight: Approx. 60 kg

Motor: Honda, 4-stroke, 3 kW/4.5 hp

36957 Zauberbesen, incl. swath former

36956 Swath former

36955 Brush ring, single

36959 Brush ring, steel

36960 Brush ring, double

36951 "ZAUBERBESEN I" replacement brush standard

36952 "ZAUBERBESEN I" replacement brush extra

36954 "ZAUBERBESEN I" replacement brush steel

PICKLEBALL

PICKLEBALL NET

57120 Pickleball net

PICKLEBALL POSTS

57100 Pickleball posts, aluminium PP 73

PICKLEBALL NET SET

57130 Pickleball netanlæg

ACCESSORIES

57110 Ground sleeves for \varnothing 73 mm

57140 Replacement net



57100



57120



57130



ACCESSORIES / REPLACEMENT PARTS

REPLACEMENT STEEL WIRE For tennis nets, with loops, 13.50 m long.
99450

REPAIR CORDS For repairing netting, side and edge lines, pull cords, etc.
Length: 20 m

- 31600 PE cord, Ø 3 mm, green
- 31605 PE cord, Ø 3 mm, black
- 31610 PE cord, Ø 6 mm, green
- 31615 PE cord, Ø 6 mm, black
- 31620 PE cord, Ø 4 mm, green
- 31625 PE cord, Ø 4 mm, black

ACCESSORIES FOR DIVIDER NETTING

- 42000 Leadline, 150 g/m, stitched to net
- 42030 Snap hooks for indoor use, 40 mm, three snap hooks per metre of net
- 42040 Stainless steel snap hooks for outdoor use, 40 mm, three snap hooks per metre of net
- 42020 Tensioning set consisting of two tighteners 1/2" and six cable clamps
- 42010 Steel wire, Ø 4 mm, galvanised

REPLACEMENT WRITING BOARD For umpire's chair

- 39120 Incl. fastenings

REPLACEMENT SEAT Body-contoured plastic seat for umpire's chairs.
Please specify the desired colour when ordering.



39116 For inserted attachment for chairs ROYAL DELUXE and ROYAL TURNIER.
Colour: Green, red, white

39115 For inserted attachment for chairs item 39100/39106 of series up to 2007. Colour: Red, white

39110 For bolted attachment. Colour: Red, white

REPLACEMENT PARTS DRAG BRUSHES

37150 Replacement handles for all drag brushes, drag nets and drag planers.

37170 Aluminium rail for bolted attachment when turning a drag brush into a combination drag brush.

TAPERED WOODEN HANDLES

- 37200 Ø 24 mm
- 37205 Ø 24 mm with aluminium thread
- 37210 Ø 28 mm
- 37220 Ø 32 mm
- 37230 Ø 40 mm

DRAG NET MESH PVC-coated mesh. For retrofitting items 36200 – 36245 as well as for all similar 200 cm wide drag nets. Mesh colour: Black



37410 Extra heavy, single layer, Cut to size approx. 2 × 1.50 m

37412 Special, single layer, Cut to size approx. 2 × 1.15 m

37413 Lightweight, single layer, Cut to size approx. 2 × 1.50 m

REPLACEMENT DRAG CORD

- 36252 Fitted with two rope end closures, approx. 3.50 m long

REPLACEMENT WOODEN RAILS For wooden drag net

- 36251 Pre-drilled, incl. set of screws.

HANDLES FOR FIX LINE BROOM

With thread and handle for hanging up.

- 35141 Aluminium 1,350 × 22 mm

- 35142 Wood 1,350 × 25 mm

REPLACEMENT PARTS POINTED LINE BRUSH

- 35151 Replacement sugar palm brush

- 35161 Replacement PVC brush

REPLACEMENT PARTS LINE BRUSH

- 35121 Replacement sugar palm brush

- 35131 Replacement PVC brush

SILICONE LUBRICANT SPRAY FOR MATCH POINTER

For the easy turning of replacement numbered discs.

- 99166 400 ml

REPLACEMENT NUMBERED DISCS FOR MATCH POINTER

One set consisting of six numbered discs, incl. rivets. Numbers 0 – 9.


- 99154 Size S, Ø 21 cm

- 99155 Size M, Ø 29 cm


- 99164 Size L, Ø 35 cm

- 99165 Size XL, Ø 41 cm

POST AND NET DIMENSIONS




COURT DIMENSIONS




Markierungslänge ; 146 m

TOURNAMENT COURT DIMENSIONS



ROW COURT DIMENSIONS



General Terms and Conditions

of Bermüller & Co GmbH (hereinafter referred to as the "Vendor") for associations pursuant to Sections 21, 55ff of the German Civil Code (BGB) (hereinafter referred to as the "Customer")

Scope of these General Terms and Conditions

The deliveries (subject of the delivery hereinafter referred to as "Goods") and offers of the Vendor are made exclusively on the basis of these General Terms and Conditions. They, therefore, apply to all future business relationships (in particular deliveries from or offers to the Vendor) between the Vendor and the Customer, even if they are not expressly agreed again.

I. Conclusion of contract, due date, delivery periods, partial deliveries

1. All offers are non-binding and subject to confirmation. The contract is concluded through a binding order of the Customer (offer) and subsequent order confirmation by the Vendor (acceptance).
2. Invoices are payable within 30 days of invoicing.
3. Delivery periods shall only apply if the Vendor makes a binding written commitment to delivery periods.
4. We reserve the right to deliver the Goods in several instalments.

II. Prices, valued added tax

1. All prices are ex warehouse or ex works, unpacked. Postage, shipping and packaging will be invoiced separately. The weight of the actual consignment, incl. the packaging material, is decisive in each case.
2. The price printed in normal type is the price in euros, excluding VAT. The price printed in bold type is the price in euros, incl. VAT at the current rate of 19%.

III. Passage of risk

The risk shall pass to the Customer at the latest when the Goods are handed over (wherein the start of the loading process shall be decisive) to the carrier, forwarding agent or another third party appointed to perform the shipment.

IV. Warranty, liability

1. The statutory warranty shall apply, unless otherwise stipulated below.
2. The warranty period is 12 months from the passage of risk. In the case of the delivery of a thing that has been used for a building in accordance with the normal way it is used and has resulted in the defectiveness of the building, the period of Section 438 (1) No. 2 of the German Civil Code (BGB) shall remain unaffected.
3. The Customer must notify the Vendor in writing of obvious defects, missing quantities, incorrect delivery of the Goods and obvious

transport damage immediately upon receipt; otherwise the assertion of warranty claims is excluded.

4. In the event of slightly negligent breaches of duty, the liability of the Vendor and of their vicarious agents shall be limited to the foreseeable, direct average damage typical of contracts. In the event of slightly negligent breaches of duty not involving important contractual obligations and not endangering the fulfilment of the contract, the Vendor and their vicarious agents shall accept no liability. The aforesaid liability limitations do not apply to claims arising from the German Product Liability Act (ProdHaftG), from a guarantee or to claims arising from physical injury, damage to health or loss of life attributable to the Vendor.

V. Reservation of title

1. The Goods remain the property of the Vendor until full payment has been made. The Customer is authorised to process and sell the Goods in the ordinary course of business. Pledges and transfers of ownership by way of security are not permitted.
2. If the Goods are processed by the Customer, it is agreed that the processing is carried out in the name and for the account of the Vendor as the manufacturer and that the Vendor directly acquires ownership or – if the processing is carried out from materials of several owners or the value of the processed item is higher than the value of the Goods – co-ownership (fractional ownership) of the newly created item in the ratio of the value of the Goods to the value of the newly created item. If the Vendor does not acquire such ownership, the Customer shall transfer their future ownership or – in the aforesaid proportion – co-ownership of the newly created item to the Vendor as security already at this point in time. If the Goods are combined or inseparably mixed with other items to form a single item and the other item must be regarded as the main item, the Vendor shall – insofar as they are the owner of the main item – transfer co-ownership of the single item to the Customer in the ratio specified in sentence 1.
3. In the event of resale of the Goods, the Customer hereby assigns to the Vendor by way of security any claims arising against the purchaser – in the event of the Vendor's co-ownership of the Goods in proportion to

the corresponding co-ownership share. The same shall apply to other claims which take the place of the Goods or otherwise arise in respect of the Goods, such as insurance claims or claims in tort in the event of loss or destruction. The Vendor revocably authorises the Customer to collect the claims assigned to the Vendor in their own name for the account of the Vendor. The Vendor may only revoke this direct debit authorisation in the event of realisation. The Vendor shall release the Goods as well as the items or claims replacing them upon request at their discretion insofar as the value of the Goods exceeds the amount of the secured claims by more than 50%.

VI. Offset, retention, assignment

1. Offsetting by the Customer against counter-claims is not permitted, unless these are undisputed or have been legally established. The right to assert a claim in a separate legal dispute remains unaffected. The Customer is entitled to withhold payment due to counter-claims arising from the same contractual relationship.
2. Claims of the Customer against the Vendor are not assignable.

VII. Partial nullity

If individual provisions of these General Terms and Conditions shall be found by any court or administrative body of competent jurisdiction to be invalid or unenforceable, such invalidity or unenforceability shall not affect the other provisions of these General Terms and Conditions, which shall remain in full force and effect.

VIII. Place of performance and jurisdiction

1. The place of performance for all obligations arising from contractual relationship is the registered office of the Vendor in Nuremberg.
2. The place of jurisdiction for any disputes arising from and in connection with contractual relationships between the Vendor and the Customer is Nuremberg, or, at the Vendor's discretion, the registered office of the Customer, unless an exclusive statutory place of jurisdiction exists.

IX. Applicable law

The law of the Federal Republic of Germany shall be applicable, excluding the United Nations Convention on Contracts for the International Sale of Goods dated 11 April 1980 (CISG - "Vienna Convention").

Date: October 2014



Bermüller & Co GmbH
Rotterdamer Strasse 7, D-90451 Nuremberg
Tel +49 911 64 200 43 | Fax +49 911 64 200 52
info@lob-sport.com

lobsport.com

Follow us on social media:



[lobsport_tennis](https://www.instagram.com/lobsport_tennis)



[lobsport](https://www.facebook.com/lobsport)



[LOBSPORT](https://www.youtube.com/LOBSPORT)