

# DL280BT Bluetooth Lock User Instructions

Download the app, register with your mobile number (or e-mail address).

Input your nickname, account password and email address.

1) **Android devices:** Scan the QR code below or search for 'TTlock' on the Google Play Store.



2) **Apple devices:** Scan the QR code below or search for 'TTlock' on the Apple App Store.



**Pair your device:**

- 1) Touch the digital keyboard, remove one battery, touch the keyboard one more time, then put back the battery immediately.
- 2) Press the '#' button within 3-5 seconds, you will hear 'Di Di' to confirm the lock is in discovery mode.
- 3) Immediately open your app, tap the menu icon in the top-left corner, then 'add devices', 'lock' and select your lock from the list. Your lock will only be selectable when it's in discovery mode.
- 4) When you find your lock in the TTlock app, it means the pairing is successful, if not, try the above steps again.

**Changing the Admin code:**

- 1) Open the TTlock app.
- 2) Select the lock you wish to change the admin code for.
- 3) Tap the 'gear' symbol in the top-right hand corner of the screen.
- 4) Tap 'Admin passcode' and follow the prompts.

**Sending e-Keys:**

- 1) Open the TTlock app.
- 2) Select the lock you wish to authorise an eKey for.
- 3) Tap 'eKey'. Choose *period key* or *permanent key*.
- 4) Input the person's mobile number, leave a message, then tap 'send'.

**Sending passcodes:**

- 1) Open the TTlock app.
- 2) Select the lock you wish to authorise a passcode for.
- 3) Tap 'passcode'. Choose a validity period (one-time, minute(s), hour(s), day(s), month(s), permanent).
- 4) Tap the 'generate' button to create a code.
- 5) Tap 'Send Text Msg' to send the code to the user.

**Unlock:**

- 1) Open the TTlock app.
- 2) Touch digital keyboard until the backlight is on.
- 3) Listen to the doorbell tone from your phone.
- 4) Hear the lock motor disengaging the dead bolt.

**Lock:**

- 1) After 30 seconds, the door will automatically lock.
- 2) To manually lock the door from the outside, hold the '#' button.

**Dimensions:**