

VL Ring Crown 1

VL Ring Crown 1 - 5741094367

The pendant emits light directed primarily downwards.
The opal glass provides a comfortable and uniform
illumination of the area around the fixture.



**Set location -
The Silo**



Product info

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

Mounting

Cable 2x0,75mm². Canopy: Yes. Cable length: 3m.

Finish

Glossy, mouthblown white opal glass. Satin polished brass, untreated.

Materials

Shades: Mouth-blown, 3-layered, polished opal glass. Suspension: Untreated brass, will patinate.

Sizes and weights

Width x Height x Length (mm) | 190 x 342 x 190 Max 1.2 kg

Class

Ingress protection IP20. Electric shock protection II w/o ground.

Light source

1x40W E27

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.



Spare parts & accessories

Product	Variant number
Canopy White 2-part tophat ®	5749329034
VL Ring crown 1 spare glass	5741094419

Data specifications

Colour	Brass/glossy opal glass	Length	190
Width	190	Height	342
Built-in Height	-	IP class	20
Class	II	Net Weight	1.2
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	1x40W E27
Kelvin	-	CRI	-
SDCM	-	Lumen	-
Watt	-	Efficacy	-
Light control	-	Min. Dim Level (%)	-
UGR Transversal / Axial	-	L80B50 (hours)	-
Driver life	-		