

VL Ring Crown 3-5-7

The pendant emits light directed primarily downwards.
The opal glass provides a comfortable and uniform illumination of the area around the fixture.



Set location - The Silo

Product info

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina. The total weight of the fixtures are calculated with the average weight of the glass (671g). They vary from approx. 600-800g.

Mounting

Suspension type: Cable 3 x 0,75 mm² with wires. Untreated, brass canopy. 4 m. White, textile cord.

Finish

Glossy, mouthblown white opal glass. Satin polished brass, untreated.

Materials

Shades: Mouth-blown, 3-layered, opal glass. Wires: Stainless steel. Frame and canopy in untreated brass, will patinate.

Sizes and weights

Width x Height x Length (mm) | 690 x 233 x 690 Max 7.5 kg | 550 x 233 x 550 Max 5.2 kg | 893 x 233 x 893 Max 9.9 kg

Class

Ingress protection IP20. Electric shock protection I w. Ground.

Light source

3x40W E27

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina. The total weight of the fixtures are calculated with the average weight of the glass (671g). They vary from approx. 600-800g.



Product variants

Dimension	Light source
3	3x40W E27
5	5x40W E27
7	7x40W E27

Design

Vilhelm Lauritzen

Weight

Min: 5.222 kg Max: 9.899 kg

Dimensions

3, 5, 7

Finish

Brass/glossy opal glass

Spare parts & accessories

Product

Variant number

VL Ring crown Wall/3-5-7 glass

5741094406

VL Ring crown canopy

5741094451