

SAFETY DATA SHEET

SECTION 1 - Identification

Manufacturer: Pro Skin Solutions d/b/a Active Cosmetics Manufacturing
7075 Kingspoite Parkway, Suite 3, 4 and 5, Orlando, FL 32819
Emergency Telephone Number: 407-996-9797
24-Hour Spill Response: Call Chemtrec 1-800-424-9300

Distributor: EXI Brazil - AINC Global LLC
Product Line: Image
Product Name: Fixative Gel
Category: Hair Care

SECTION 2 - Hazard(s) Identification

Chemical Name (s)	CAS #	EINECS #	OSHA PEL	% Weight
None	-	-	-	-

HMIS Rating **Health = 0**
 Flammability = 0
 Reactivity = 0

Hazard Identification This product is NOT Classified as a HAZARDOUS SUBSTANCE or as a DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). In case of eye contact, rinse immediately with water. For external use only. Use only as directed.

SECTION 3 - Composition/Information on Ingredients

Ingredients The identity of the specific components of this mixture is proprietary information and is regarded to be a trade secret, in accordance with Paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to Section 2 for Health Hazard Identification.

SECTION 4 - First-Aid Measures

Skin None
Inhalation None
Eyes Immediately flush eyes with water for at least 15 minutes. If irritation persists, seek medical attention.
Ingestion Drink water or milk to dilute. Seek medical attention immediately. DO NOT induce vomiting unless instructed by a qualified health professional.

SECTION 5 - Fire-Fighting Measures

Fire & Explosion Hazards When involved in a fire, this product may decompose to form toxic gases (e.g., CO, CO₂, and NO_x).

Extinguishing Methods Water Fog, Foam, Dry Chemical, CO₂.

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect

Firefighting Procedures against potential hazardous combustion or decomposition products and oxygen deficiencies.

SECTION 6 - Accidental Release Measures

Method and Material for Containment and Clean Up Contain material by diking the area around the spill. If the product is solid form, shovel directly into recovery drums. If the product is a liquid, it should be picked up using a suitable absorbent material, then shoveled into recovery drums.

SECTION 7 - Accidental Release Measures

Precautions for Safe Handling Not required
Condition for Safe Storage Not required

SECTION 8 - Exposure Controls/Personal Protection

Personal Protective Equipment

Respiratory: Not required
Ventilation: Not required
Eye: Not required
Skin: Not required

SECTION 9 - Physical and Chemical Properties

Appearance Cream
pH 4.0 - 5.0
Odor Characteristic
Density Not available
Boiling Point Not available
Melting Point Not available
Flashpoint & Method Not available
Autoignition Temperature Not available

SECTION 10 - Stability and Reactivity

Chemical Stability Stable
Incompatible Materials None know
Polymerization Will not occur

SECTION 11 - Toxicological Information

Oral LD50 Not available
Dermal LD50 Not available
Inhalation LD50 Not available
Skin Not available
Eye Not available
Carcinogenicity Not available
Toxicological Info Not available

SECTIONS 12-15 (non-mandatory)

SECTION 16 - Other Information

Other Information For external use only. Use only as directed. Discontinue use immediately if irritation develops.

Disclaimer The information contained herein is, to the best of our knowledge and belief, accurate and reliable as of the date issued. We do not however, warrant or guarantee the accuracy or reliability, nor shall we be liable for any loss or damage arising out of the use thereof. The information is offered for the user's consideration and examination, and it is the user's responsibility to satisfy himself that it is suitable and complete for his/her particular use.

End of Document