

CECOO®





14.63**









The Rima Outdoor sconce is an illuminating example of functional minimalism. The shade is distilled down to a few essential materials composing a sleek modern design that emits a beautiful quality of light.

Dimensions: 14.63" x 8.06" x 3.71" Product weight: 2 lb (4 lb Stainless Steel)

Light source: integrated LED Light output: see options below*

Rima outdoor sconce

Light color options: 2700 K, 3000K, 3500 K, or 4000 K

Color accuracy: 90+ CRI

Power usage: 13 W (standard output)

7 W (reduced output)

UL listed for wet locations, suitable for indoor and outdoor use

Specifications subject to change



MATERIAL & FINISH OPTIONS


Rima outdoor part # 03-310-_ Shade Finish marine grade brushed stainless steel (CM-102) S textured black powdercoat (CM-099) textured white powdercoat (CM-100) Υ Lamping 2700 K LED 27 3000 K LED 30 3500 K LED 35 4000 K LED 40 Light Distribution and Driver Options* Uplight & Downlight Standard output - 1130 Lumens (source, at 2700 K) 120 V input: TRIAC, ELV & 0-10 V dimmable Р1 240 & 277 V input: only 0-10 V dimmable Reduced output - 540 Lumens (source, at 2700 K) PR 120 - 277 V input: Nondimmable

Includes: frosted polymer (CM-051)




SPECIFICATION SHEET





PHOTOMETRIC POLAR GRAPH



Maximum Candela = 160.66 Located at: Horizontal Angle = 0 Vertical Angle = 20

Output specifications shown for 2700K CCT and stainless steel finish for vertical plane through 90-270 degree horizontal angles. Other CCTs and material finishes may cause output specifications to vary.

FINISHES



marine grade brushed stainless steel (CM-102)



textured black powder coat (CM-099)



textured white powder coat (CM-100)