

FLOS

FU158357 Chrome

Clessidra 20°+20°

Designed by Antonio Citterio, 2011



10W - 637lm - 3000K

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607010723 |
| Mounting | Wall |
| Environments | Indoor dry location |
| Light Source Type | LED |
| LED type | LED array |
| Power (W) | 10 |
| System flux (lm) | 637 |

Physical

| | |
|---------------------|--------|
| Color | Chrome |
| Net weight (lb) | 2.43 |
| Package volume (in) | 302.68 |
| IP internal | 55 |




Download

[Mounting instructions](#)




Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Photometric

| | |
|--------------------|------------------|
| Lighting type | Indirect, Direct |
| Light distribution | Symmetric |
| CCT (K) | 3000 |

Electrical

| | |
|--------------------|--------------|
| Insulation class | I |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 100-240 |
| Driver | Integrated |
| Dimmable | No |
| Dimming type | Non Dimmable |
| Dimming interface | Not Dimmable |
| Batteries inside | No |

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Clessidra 20 UI Wall Attachment White Polish | FU158109 |
| 02. | Chrome external clessidra lamp body | F1580057 |
| 03. | Screws and tool kit for clessidra external lamp body | RF1580100 |



FU158109

Clessidra 20 UI Wall Attachment
White Polish



F1580057

Chrome external clessidra lamp
body



RF1580100

Screws and tool kit for clessidra
external lamp body