

# **Amherst**

# Outdoor Wall Sconce 3000K

Catalog Number:	
Project:	
Location:	

Fixture Type:

Model & Size	Color Temp & CRI	Finish	Watt	<b>LED Lumens</b>	<b>Delivered Lumens</b>
WS-W17214 14"	<b>3000K</b> 90	<b>BK</b> Black	16W	1426	366

#### Example: WS-W17214-BK

For custom requests please contact customs@waclighting.com

#### **FEATURES**

- Downlight illumination
- Open bottom for ease of maintenance
- ACLED driverless technology
- 5 Year warranty

#### **SPECIFICATIONS**

Color Temp: 3000K

**Input:** 120 VAC,50/60Hz

**CRI:** 90

**Dimming:** ELV: 100-10% ,TRIAC: 100-10%

Rated Life: 50000 Hours

Mounting: Can be mounted on wall in all orientations

Standards: ETL, cETL,IP65

Wet Location Listed

Construction: Aluminum body, seeded clear glass diffuser

## **REPLACEMENT PARTS**

RPL-GLA-17214 - Glass




## **FINISHES:**



Black

### **LINE DRAWING:**



WS-W17214

1

10 ¾"



# **Amherst**

# Outdoor Wall Sconce 3000K

Catalog Number:	
Project:	
Location:	

Fixture Type:

Model & Size	Color Temp & CRI	Finish	Watt	<b>LED Lumens</b>	<b>Delivered Lumens</b>
WS-W17218 18"	<b>3000K</b> 90	BK Black	19W	1741	490

## Example: WS-W17218-BK

For custom requests please contact customs@waclighting.com

#### **FEATURES**

- Downlight illumination
- Open bottom for ease of maintenance
- ACLED driverless technology
- 5 Year warranty

#### **SPECIFICATIONS**

Color Temp: 3000K

**Input:** 120 VAC,50/60Hz

**CRI:** 90

**Dimming:** ELV: 100-10% ,TRIAC: 100-10%

Rated Life: 50000 Hours

Mounting: Can be mounted on wall in all orientations

Standards: ETL, cETL,IP65

Wet Location Listed

Construction: Aluminum body, seeded clear glass diffuser



RPL-GLA-17218 - Glass





# **FINISHES:**



Black

### **LINE DRAWING:**







WS-W17218



# **Amherst**

# Outdoor Wall Sconce 3000K

Fixture Type:
Catalog Number:
Project:
Location:

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	<b>Delivered Lumens</b>
WS-W17222 22"	<b>3000K</b> 90	<b>BK</b> Black	20W	1843	452

Example: WS-W17222-BK

For custom requests please contact customs@waclighting.com

#### **FEATURES**

- Downlight illumination
- Open bottom for ease of maintenance
- ACLED driverless technology
- 5 Year warranty

## **SPECIFICATIONS**

Color Temp: 3000K

**Input:** 120 VAC,50/60Hz

**CRI:** 90

**Dimming:** ELV: 100-10% ,TRIAC: 100-10%

Rated Life: 50000 Hours

Mounting: Can be mounted on wall in all orientations

Standards: ETL, cETL,IP65

Wet Location Listed

Construction: Aluminum body, seeded clear glass diffuser

## **REPLACEMENT PARTS**

RPL-GLA-17222 - Glass





# **FINISHES:**



Black

### **LINE DRAWING:**







WS-W17222