# **GUBI**

# Semi Pendant - Metal Ø47, US

Designed by Bonderup & Thorup - 1968



ITEM NUMBER

Semi Pendant - Metal Ø47, US (Shade: Polished Brass)10015238Semi Pendant - Metal Ø47, US (Shade: Chrome)10015236Semi Pendant - Metal Ø47, US (Shade: Copper)10015237

DESCRIPTION

The Semi Pendant is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped, enamelled metal shade creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface. With its lightness of form, unique timeless design and range of colours and sizes, the Semi Pendant is extremely versatile and well suited to both private and public spaces.

The Semi Pendant was designed in 1968 as a product of the creative partnership between Claus Bonderup and Torsten Thorup. Reacting against the soft organic forms, the so-called cosy era, that was dominating Denmark at the time, Bonderup and Thorup wanted to create a lamp that incorporated sharp, clean lines and a geometric shape. Their design was submitted for a competition at the Royal Danish Academy of Fine Arts, School of Architecture and won first prize. In the 1980s the pendant achieved great success and became, at that time, the best-selling Danish design and gained worldwide recognition and iconic status.

### Materials & Finishes

SHADE FINISH Polished brass, Chrome, Copper



CANOPY FINISH Polished brass, Chrome, Copper (Color same as shade)

CORD SHAPE Round

CORD COLOR Black textile

MATERIALS Metal

# COFD LENGTH 400 cm / 157.48 in SHADE HBIGHT 23.5 cm / 9.25 in

LAMP DIAMETER Ø 18,50 in

LAMP HEIGHT 9,25 in

SHADE DIAMETER Ø 18,50 in

SHADE HEIGHT 9,25 in

CANOPY DIAMETER Ø 4,52 in

CANOPY HEIGHT 2,36 in

CORD LENGTH 157,48 in

# Weight

TOTAL WEIGHT 4,85 lbs

Number of parcels

PACKAGING LENGTH 19,68 in

PACKAGING WIDTH 19,68 in

PACKAGING HEIGHT 11,82 in

PACKAGING WEIGHT 2,64 lbs

GROSS WEIGHT 7,49 lbs

# Electrical Specifications

BULB SOCKET E26

RECOMMENDED BULB 6W-10W LED, 810 lm

VOLTAGE 120V

BULB INCLUDED No

## Test & Certifications

ISOLATION CLASS ||

IP CLASSIFICATION 20