

## Semi Pendant - Metal Ø30, US

Designed by Bonderup & Thorup - 1968



### ITEM NUMBER

Semi Pendant - Metal Ø30, US (Shade: Polished Brass)	10015232
Semi Pendant - Metal Ø30, US (Shade: Chrome)	10015230
Semi Pendant - Metal Ø30, US (Shade: Copper)	10015231

### DESCRIPTION

The Semi Pendant is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped, enamelled metal shade creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface. With its lightness of form, unique timeless design and range of colours and sizes, the Semi Pendant is extremely versatile and well suited to both private and public spaces.

The Semi Pendant was designed in 1968 as a product of the creative partnership between Claus Bonderup and Torsten Thorup. Reacting against the soft organic forms, the so-called cosy era, that was dominating Denmark at the time, Bonderup and Thorup wanted to create a lamp that incorporated sharp, clean lines and a geometric shape. Their design was submitted for a competition at the Royal Danish Academy of Fine Arts, School of Architecture and won first prize. In the 1980s the pendant achieved great success and became, at that time, the best-selling Danish design and gained worldwide recognition and iconic status.

## Materials & Finishes

SHADE FINISH

Polished brass, Chrome, Copper



CANOPY FINISH

Polished brass, Chrome, Copper (Color same as shade)

CORD SHAPE

Round

CORD COLOR


Black textile

MATERIALS

Metal

---

## Dimensions



LAMP DIAMETER

Ø 11,81 in

LAMP HEIGHT

5,90 in

SHADE DIAMETER

Ø 11,81 in

SHADE HEIGHT

5,90 in

CANOPY DIAMETER

Ø 4,52 in

CANOPY HEIGHT

2,36 in

CORD LENGTH

157,48 in

---

## Weight

TOTAL WEIGHT

2,20 lbs

Number of parcels	1
PACKAGING LENGTH	12,99 in
PACKAGING WIDTH	12,99 in
PACKAGING HEIGHT	8,26 in
PACKAGING WEIGHT	1,76 lbs
GROSS WEIGHT	3,96 lbs

---

## Electrical Specifications

BULB SOCKET	E12
RECOMMENDED BULB	4W-6W LED, 470 lm
VOLTAGE	120V
BULB INCLUDED	No

---

## Test & Certifications

ISOLATION CLASS	II
IP CLASSIFICATION	20