


# FLOS

■ FU315030 Anodized Black

## IPNOS OUTDOOR Anodized black

Designed by Nicoletta Rossi and Guido Bianchi, 2014



15W - 2700K - CRI> 85

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

EAN	8059607028612
Mounting	Floor
Environments	Indoor Outdoor wet location
Light Source Type	LED
LED type	LED Module
Power (W)	15

### Physical

Color	Anodized Black
Net weight (lb)	2.54
Package height (in)	18.31
Package width (in)	29.33
Package length (in)	18.31
Package volume (in)	9830.19
IP internal	55



RETILAP	IP
	55

### Download

[Mounting instructions](#) PDF

### Photometric Files


[LDT / IES](#) LDT

### Technical Drawings

[2D](#) ZIP

[3D](#) ZIP

### Schematic light drawing



Beam Angle:	49°		
h(m)	E(lx)	D(m)	
1	396	0.91	
2	99	1.82	
3	44	2.72	
4	25	3.63	
5	16	4.54	

Luminous flux luminaire  
665 lm

## Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	2700
CRI>	85

## Electrical

Frequency (Hz)	50/60
Main voltage (Vac)	100-240
LED voltage Vf (Vdc)	null
Driver	Integrated
Dimmable	No
Dimming type	Non Dimmable
Dimming interface	Not Dimmable
Plug type	Type A
Batteries inside	No

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional