

FLOS

FU625700 Aluminized Silver

KTribe Suspension 2

Designed by Philippe Starck, 2005



Halogen - 150W

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607029466
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp type	T
Lamp holders	E26
Number of heads	1
Power (W)	150

Physical

Color	Aluminized Silver
Cord length (in)	106
Canopy dimension (mm)	19
Net weight (lb)	5.4
Package height (in)	19.09
Package width (in)	17.72
Package length (in)	19.09
Package volume (in)	6459.42
IP internal	20



Download

[Mounting instructions](#)



Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	60
Main voltage (Vac)	120
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF11866

150W E26 T10 Halogen Lamp




NOT INCLUDED

RF34655

15W E26 T38 Led Lamp

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Ktribe S2/S3 ceiling rose assembly | RFU625701 |
| 02. | Electrical Wire | RF29728 |
| 03. | 3 mt steel cable ø1,2 with 19 winded wires | RF29665 |
| 04. | KTribe S2 Aluminized Sliver External Diffuser Assembly With Lampholder And Electrical Cable | RFU625702 |
| 05. | Ktribe S2 calibre internal diffuser | RF19802 |



RFU625701

Ktribe S2/S3 ceiling rose assembly



RF29728

Electrical Wire



RF29665

3 mt steel cable ø1,2 with 19
winded wires



RFU625702

KTribe S2 Aluminized Silver
External Diffuser Assembly With
Lampholder And Electrical Cable



RF19802

Ktribe S2 calibre internal diffuser