

FLOS

FU368064 Aluminium

La Plus Belle

Designed by Philippe Starck, 2019



57W - 2700K

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607011508
Mounting	Wall
Environments	Indoor dry location
Light Source Type	LED
LED type	LED Module
Power (W)	57

Physical

Color	Aluminium
Net weight (lb)	54.02
Package volume (in)	18640.54
IP internal	20



Download


[Mounting instructions](#)




RETILAP	GWT 850°	IP 20
---------	-------------	----------

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Replaceable (LED only) light source by a professional



Replaceable control gear by a professional

Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	2700

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	120
Driver	Integrated
Dimmable	Yes
Dimming type	Dimmable
Dimming interface	Dimmer Integrated
Plug type	Type A
Batteries inside	No

Spare Parts



- | | | |
|-----|------------------------------|-----------|
| 01. | Opal silicone diffuser ring | RF3680100 |
| 02. | Anodized shiny mirror hook | RF3680264 |
| 04. | Anchor & Hook | RF28619 |
| 05. | Arrangements Cables & Screws | RF0410200 |
- Kit for Big & Small Canopy



RF3680100

Opal silicone diffuser ring



RF3680264

Anodized shiny mirror hook



RF28619

Anchor & Hook



RF0410200

Arrangements Cables & Screws
Kit for Big & Small Canopy