PH 2/2 LUNA TABLE LAMP

A-19/medium / Brass/glossy opal glass / Brown textile / - / - / 5744909954

The table lamp with three glass shades emits soft diffused light creating ambient room illumination while also casting downward-directed light onto the surface. The head is adjustable and can rotate to the sides.

Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.





louis poulsen

louispoulsen.com

Product info

Information

Please note that the untreated brass will change over time and develop a patina. PH initial is engraved on the edge of the base. The adjustable upper part of the lamp can be tilted 45 degrees to the right or left by turning the shade holder and tightening the finger screw.

Mounting

Cable: Brown textile cable with plug. Cable length: 2.8 m. Brass switch.

Finish

Untreated brushed brass with fine hairlines. White opal glass, glossy on the outside and sandblasted on the inside.

Materials

Shades: Mouth-blown 3-layered opal glass. Socket housing, shade holder, stem, base and switch: Untreated brass with fine hairlines. Bottom diffuser: Frosted glass.

Compliance

Ingress protection IP20. Electric shock protection II w/o ground.

Light source

A-19/medium

Information

Please note that the untreated brass will change over time and develop a patina. PH initial is engraved on the edge of the base. The adjustable upper part of the lamp can be tilted 45 degrees to the right or left by turning the shade holder and tightening the finger screw.



Data specifications

Colour	Brass/glossy opal glass
Width	_
Built-in Height	-
Class	_
Standby (W)	_
Inrush Current	_
Kelvin	-
SDCM	_
Watt	-
Light control	-
UGR Transversal / Axial	-
Driver life	-

Length	-
Height	-
IP class	-
Net Weight	2.2
Power Factor (P = 100 % / P = 50 %)	-
Light source	A-19/medium
CRI	-
Lumen	-
Efficacy	-
Min. Dim Level (%)	
L80B50 (hours)	-