


PH 3/3 BRASS OPAL GLASS PENDANT

This fixture emits a comfortable, diffused, glare-free light that is characteristic of Poul Henningsen's reflective three-shade system. The translucent middle and lower shades in triple-layered, mouth-blown white-opal glass create a warm glow around the pendant, while the brass top-shade with its white inner reflector provides a fine and mainly downwardly directed light. The opal glass shades are glossy on top and sandblasted matte on the underside to provide a particularly soft and uniform light distribution. The pendant's design makes it ideal to be placed high-up in any space.



Poul Henningsen

Poul Henningsen was born in Copenhagen by the famous Danish writer Agnes Henningsen. He never graduated as an architect, but studied at The Technical School at Frederiksberg, Denmark from 1911-14, and then at Technical College in Copenhagen from 1914-17.



Product info

Information

Please note that the brass is untreated. This means that the surface will change over time and develop a patina if left unpolished. A frosted-glass bottom diffuser is included to ensure a diffuse light distribution. Poul Henningsen's initials are engraved on the socket house.

Mounting

Suspension type: White fabric cord 2 x 0.75mm². Cord length: 4 m. Canopy: Yes. Specially designed brass canopy. Height adjustment of light source: Approximately 40 mm, depending on light source used.

Finish

Top shade: Untreated brass with fine hairlines and a white inner reflector. Middle and lower shades: White-opal, triple-layered, mouth-blown glass. Suspension and canopy: Untreated brass with fine hairlines.

Materials

Top shade, suspension, and canopy: Untreated brass with fine hairlines. Reflector shade: Aluminum, white-painted. Middle and lower shades: White-opal, triple-layered mouth-blown glass. Glossy on the outside, sandblasted on the inside. Bottom diffuser: Frosted PC. Please note that the untreated brass will patinate.

Sizes and weight

Width x Height x Length (in.) | 11.3 x 11.8 x 11.3 Max 5.7 lbs

Compliance

Ingress protection IP20. Electric shock protection II w/o ground.

Light source

A-19/medium

Information

Please note that the brass is untreated. This means that the surface will change over time and develop a patina if left unpolished.

A frosted-glass bottom diffuser is included to ensure a diffuse light distribution.

Poul Henningsen's initials are engraved on the socket house.



Product variants

Light source

A-19/medium

Design

Poul Henningsen

Weight


5.664

Finish


Brass/opal glass

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

PH 3-2 PENDANT, TOP SHADE, GLASS
 PH 3½-3, LOWER SHADE, GLASS
 PH 3-3 CANOPY W. SIDE ENTRY BRASS
 PH 3-3 CANOPY W/O SIDE ENTRY BRASS
 PH 3 PEND/TABLE TOP SHADE BRASS
 PH 3-3 PEN SHADE SCREW W/NUT BRASS 3 PCS
 PH 3 PEND/TABLE TOP SHADE DIFFUSER WHITE
 PH 3-3 PENDANT BOTTOM DIFFUSER ACRYL. US

Variant number

5741085091
 5741094781
 5741109155
 5741109171
 5741109184
 5741109197
 5741109207
 5741939723

