



A complement to any commercial or residential space, the Patrícia-5 seamlessly combines innovation with simple, refined design. Its elegant aesthetic belies its robust construction. Solid wood walnut, matte black, matte white, or barn wood tone blades revolve around a balanced, cylindrical DC motor housing. Air is circulated efficiently with barely more than a whisper. An eco-conscious LED light kit completes the package, making Patrícia-5 sophisticated, efficient and green. Constructed of cast aluminum and heavy stamped steel, the Patrícia-5 carries a limited lifetime warranty.

**Product Features** 

















## PATRÍCIA-5

FINISH AND BLADE OPTIONS		
SKU#	PA5-XX-XXX-XX (Model+Finish+Blade+Di	ameter)
Standard Finishes	Brushed Nickel Polished Chrome Textured Bronze Gloss White Matte Black	BN CR TB WH BK
New Blade Finishes	Barn Wood Tone Matte Black Matte White Walnut Tone	BW BK MWH WA
Fan Diameter	42 inches / 107 cm 52 inches / 132 cm 60 inches / 152 cm	42 52 60
TECHNICAL SPECS		

TECHNICAL SPECS		
Fan Diameter	inches: 42, 52 or 60 centimeters: 107, 132 or 152	
Blade Material	CNC Cut Solid Wood	
Overall Drop	14 inches/36 cm+downrod length	
Fan Weight	19 lbs	
Downrods Lengths Field cuttable. Non- threaded	inches: 5, 10, 20, 30, 48, 72 centimeters: 13, 25, 51, 76, 122, 183	
Downrod Diameter	1 inch	
Voltage	110 or 220	
Motor Type	DC	
Environment	Damp locations for all finishes Neither coastal, saltwater nor chlorine compatible	
Ambience	Silent	
Safety Certification	ETL / CETL	
Warranty	Limited Lifetime	

NEW JAN 21, 2020 DUE MOTOR EFFICIENCY DATA				
Fan Diameter	42 inch / 107 cm	52 inch / 132 cm	60 inch / 152 cm	
RPM (Low/High)	53 / 221	51 / 186	51 / 87	
CFM (Low/High)	917 / 4386	1398 / 5524	3247 / 5547	
Watts (High)	30.47	31.80	31.64	
CFM/Watt (High)	137	170	194	
Blade Pitch	15°	15°	15°	

NEW IAN 21 2020 DOE MOTOR EFFICIENCY DATA

LIGHT KIT PHOTOMETRICS		
Lamping (Replaceable)	Integrated LED	
Remote Dimmable	Yes	
Delivered Temperature in K	3075	
Delivered Lumens	690	
CRI	90	
Watts	16	
Hours	60,000	

Light kit longevity if used 6 Hours/Day: 27.4 Years

#### STANDARD EQUIPMENT

One downrod of 10 inches / 25 cm

Vaulted ceiling canopy for up to 30°

Light cover

Black 6-speed RF remote control with reverse




White wireless Decora-style, 6-speed, wall control with reverse



NOTE: Only compatible with included controllers.

# Patrícia-5

### TECHNICAL SPECIFICATIONS



CEILING PITCH TABLE		
0/12	0 degrees	
1/12	4.76 degrees	
2/12	9.46 degrees	
3/12	14.04 degrees	
4/12	18.43 degrees	
5/12	22.62 degrees	
6/12	26.57 degrees	
7/12	30.26 degrees	
8/12	33.69 degrees	
9/12	36.87 degrees	
10/12	39.81 degrees	
11/12	42.51 degrees	

CEILING HEIGHT / DOWNROD TABLE		
Ceiling Height	Downrod Lengths Field cuttable. Non-threaded	
10 ft or less	5 inches / 13 cm Use safety cages if applicable	
10 -12 feet	10 inches / 25 cm	
13 feet	20 inches / 51 cm	
14 feet	30 inches / 76 cm	
15 feet	48 inches / 122 cm	
16 feet +	72 inches / 183 cm	

### Matthews Fan Company

1881 Industrial Drive Libertyville, IL 60048 Tele: 847.680.9043 Fax: 847.680.8140 www.matthewsfanco.com © 2021 Matthews Fan Company. All rights reserved.

