



# SPEC I Bath Vanity

52000 / 52002 / 52004 / 52006 / 52008


- Squared acrylic lens
- 3000K Color Temperature
- CRI 90+
- Dimmable with ELV dimmers at 120V
- Damp Location
- 120-277V input
- Energy Star
- Title 24

Job Name : \_\_\_\_\_  
 Job Type : \_\_\_\_\_  
 Quantity : \_\_\_\_\_  
 Comments : \_\_\_\_\_








## PRODUCT DESCRIPTION

This minimalistic contemporary approach to LED vanity lighting will be the standard for both residential and commercial applications. The light engine features a high quality dimmable driver with multi volt input and high color rendering LEDs for the ultimate vanity lighting.



## FINISHES OPTIONS:

-  Black (BK)
-  Bronze (BZ)
-  Gold (GLD)
-  Polish Chrome (PC)
-  Satin Nickel (SN)

## MATERIAL:

Aluminum, Acrylic

## AVAILABLE SIZES:

18" | 24" | 30" | 36" | 48"

## RATINGS:

cETLus  
 Wet Location  
 Energy Star  
 Title 24  
 JA8 Listed  
 ADA



## ADDITIONAL:

INSTALL UP/DOWN: All  
 RATED LIFE 50000 Hours OPERATING  
 TEMPERATURE:  
 -20°C (-4°F), 40°C (104°F)

PHOTOMETRIC: Report Found Online

Always consult a qualified electrician before installing any lighting product

MODEL	DIMENSION	BULB TYPE	CRI	LUMENS INIT DEL	COL TEMP.	DIMMABLE	INPUT
52000	18"W x 1.75"H x 2.25"Ext.	12W LED (Integrated)	90	1140 880	3000K	ELV at 120V	120V-277
52002	24"W x 1.75"H x 2.25"Ext.	16W LED (Integrated)	90	1520 1250	3000K	ELV at 120V	120V-277
52004	30"W x 1.75"H x 2.25"Ext.	20W LED (Integrated)	90	1900 1550	3000K	ELV at 120V	120V-277
52006	36"W x 1.75"H x 2.25"Ext.	24W LED (Integrated)	90	2280 1850	3000K	ELV at 120V	120V-277
52008	48"W x 1.75"H x 2.25"Ext.	32W LED (Integrated)	90	2480 2240	3000K	ELV at 120V	120V-277



**WESTERN DISTRIBUTION CENTER (HEADQUARTER)**  
 253 NORTH VINELAND AVE | CITY OF INDUSTRY, CA 91746

**EASTERN DISTRIBUTION CENTER**  
 4200 SHIRLEY DR. | ATLANTA, GA 30336

P. 626.956.4200 | F. 626.956.4225 | maximlighting.com