

IN THE WIND PENDANT VERTICAL

Arihiro Miyake

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminum extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminum. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.



LED 2700K

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimnable, 1-10V
Tension	120V
Color temperature	2700K
Luminous flux	2850lm (luminous output)
Typ CRI	85
Energy class	A+
IP class	20
Dimensions	72" x 7.5" x 7.5"
Materials	aluminum + pc
Notes	cable length 9.8'
Net lamp weight	8,8 lbs

Codes

ITW LWW 55
ITW LNW 55
ITW LGW 55
ITW LDW 55

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01

Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

Certificazioni



LED 3000K

LAMPING

Source	LINEAR LED
Total power	58W
Emission	DIFFUSED, 360°
Switching	dimnable, 1-10V
Tension	120V
Color temperature	3000K
Luminous flux	2850lm
Typ CRI	85
IP class	20
Dimensions	72" x 7.5" x 7.5"
Materials	aluminum + pc
Notes	cable length 9.8'
Net lamp weight	8,8 lbs

Codes

ITW LWW 58
ITW LNW 58
ITW LGW 58
ITW LDW 58

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01

Dimension: 11" x 11" x 76.8" inches / Gross weight: 15,4 lbs

Certificazioni

