


# LINESCAPES FLOOR

Floor lamp with an efficient highly versatile linear luminous output. Structure in extruded aluminum and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or black finishing with elements painted in grey.



# 2700K

## LAMPING

Source	Linear LED
Total power	38W
Emission	DIFFUSED
Switching	dimmer on cable
Tension	120V
Color temperature	2700K
Luminous flux	2050lm
Typ CRI	85
IP class	20
Dimensions	4.7" x 75.6"
Materials	aluminum + pc
Notes	Cable length 8.2', 3500K and 4000K available on request
Net lamp weight	19,6 lbs

## Codes

LIN LW2 22  
LIN LN2 22  
LIN LG2 22

## Structure

white  
black  
gold

## PACKAGE

Package 01	Dimension: 5.9" x 5.9" x 61" inches / Net weight: 10,4 lbs
Package 02	Dimension: 7.9" x 7.9" x 80.3" inches / Gross weight: 12,1 lbs



# 3000K

## LAMPING

Source	Linear LED
Total power	38W
Emission	DIFFUSED
Switching	dimmer on cable
Tension	120V
Color temperature	3000K
Luminous flux	2050lm
Typ CRI	85
IP class	20
Dimensions	4.7" x 75.6"
Materials	aluminum + pc
Notes	Cable length 8.2', 3500K and 4000K available on request
Net lamp weight	19,6 lbs

## Codes

LIN LWD 22  
LIN LND 22  
LIN LGD 22

## Structure

white  
black  
gold

## PACKAGE

Package 01	Dimension: 5.9" x 5.9" x 61" inches / Net weight: 10,4 lbs
Package 02	Dimension: 7.9" x 7.9" x 80.3" inches / Gross weight: 12,1 lbs

