SPIGOLO FLOOR

Studiocharlie

Floor lamp based on an extruded and tubular aluminum structure, connected with molded polymer joints, with white or black painted finish. Thanks to the joints, enabling the profiles to house LED sources, one can rotate 360° in order to produce a directional direct or indirect lighting, screened by an opaline diffuser in polycarbonate. Allows the enlightenment of the ambience in a versatile and a comfortable way. LED sources are dimmable.



LED

LAMPING

Source Total power Emission Switching Tension Color temperature Luminous flux Typ CRI Energy class IP class Dimensions Materials Notes Net lamp weight

Codes

SPI LWW 23 SPI LNN 23

PACKAGE

Package 01


Package 02

LINEAR LED
7+11+32W
TRIPLE, DIFFUSED
dimmable, mono switch
120V
3000K
335lm+600lm+1765lm (luminous output)
85
A+
20
25.2" x 17.3" x 70.1"
aluminum + pc + abs
orientable diffuser, dimmer on cable, cable length 14.8'
22 lbs

Structure/Diffuser

white/white black/white

Dimension: 22.4" x 30.7" x 6.3" inches / Net weight: 14,3 lbs / Gross weight: 7.1" x 8.7" x 74.8" lbs Gross weight: 15,4 lbs



360° +

360°

LED

LAMPING

Source Total power Emission Switching Tension Color temperature Luminous flux Typ CRI Energy class IP class Dimensions Materials Notes Net lamp weight

Codes

SPI LW2 23 SPI LN2 23

PACKAGE

Package 01


Package 02

LINEAR LED
7+11+32W
TRIPLE, DIFFUSED
dimmable, mono switch
120V
2700K
335lm+600lm+1765lm (luminous output)
85
A+
20
25.2" x 17.3" x 70.1"
aluminum + pc + abs
orientable diffuser, dimmer on cable, cable length 14.8'
22 lbs

Structure/Diffuser

white/white black/white

Dimension: 22.4" x 30.7" x 6.3" inches / Net weight: 14,3 lbs / Gross weight: 7.1" x 8.7" x 74.8" lbs Gross weight: 15,4 lbs



360° +

360°