

NYRA 28 CHANDELIER

PRODUCT FEATURES

- The Nyra Collection is a stunning collection inspired by the geometric nature of a flower bud
- Offered in beautiful, modern finishes.
- Smooth panels of light guide technology produce an ample amount of general illumination
- Dimmable with most LED compatible ELV and Triac dimmers
- Includes (4) 12" and (2) 6" rigid stems in coordinating finish
- Protected by a 5-year warranty, please visit the "About Us" Page on techlighting.com for more for warranty details



LAMPING

Includes 75.4 watts, 6982 total delivered lumens, 3000K or 3500K LED modules. Dimmable with most LED compatible ELV and Triac dimmers. Ships with (4) 12" and (2) 6" rigid stems in coordinating finish. Can be installed on a sloped ceiling up to 20°. 120V-277V.

Nightshade Black



Nightshade Black

Plated Brass

Nightshade Black
Alt

Plated Brass Alt

ORDERING INFORMATION

700NYR	SHAPE OR SIZE	FINISH	LAMP
	28 28" DIAMETER	B NIGHTSHADE BLACK BR PLATED BRASS	- LED930 INTEGRATED LED 90 CRI 3000K 120V-277V UNV - LED935 INTEGRATED LED 90 CRI 3500K 120V-277V UNV

JOB NAME

NOTES




© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C.
Tech Lighting reserves the right to change specifications for product improvements without notification.

7400 Linder Avenue, Skokie, IL 60077
T 847.410.4400 | F 847.410.4500 | techlighting.com

NYRA 28 CHANDELIER

SPECIFICATIONS

PRIMARY MATERIAL	Aluminum
SHADE MATERIAL	Acrylic
NET WEIGHT	31 lbs
HEIGHT	20.4in
WIDTH	27.4in
LENGTH	27.4in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	Yes
DRY LISTED	
MIN. HANGING HEIGHT	31.6in
MAX HANGING HEIGHT	85.6in
TOTAL CORD LENGTH	
TOTAL STEM LENGTH	Up to 60in
STEM QTY	6
SLOPED CEILING ADAPTABLE?	Yes 20° Max
GENERAL LISTING	ETL Listed
INCLUDES	



LAMPING SPECIFICATIONS

LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS	6982		
WATTS	75.4		
MAX WATTAGE PER BULB	75.4W		
INPUT VOLTAGE/ DIMMING TYPE	Universal 120V-277V ELV, TRIAC		
CCT	3000K 3500K		
CRI	90 CRI		
LED LIFETIME L70	>50000		
AVERAGE BULB HOURS			
FIELD SERVICEABLE LED			
LAMP BASE	Integrated LED		
LAMP SHAPE	Integrated LED		
LAMP INCLUDED?	True		
WARRANTY**	5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming

** Visit www.techlighting.com for specific warranty limitations and details.

T20 / T24 / JA8 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp*
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6 / JA8.	Yes		
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.	N/A		

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.



© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.

7400 Linder Avenue, Skokie, IL 60077
T 847.410.4400 | F 847.410.4500 | techlighting.com