

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Watt | Voltage | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|------|---------|------------|------------------|---------------------|
| WS-82919 19" | 3000K 90 | 22W | 120 VAC | 1492 | 770 | AL Brushed Aluminum |

Example: **WS-82919-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

| | |
|--------------------|---|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100-10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Title 24: 2019 Damp Location Listed |




FINISHES



Brushed
Aluminum

LINE DRAWING

19 1/8"



WS-82919

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Watt | Voltage | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|---------|------------|------------------|---------------------|
| WS-82925 25" | 3000K 90 | 29.7W | 120 VAC | 2071 | 1142 | AL Brushed Aluminum |

Example: **WS-82925-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

| | |
|--------------------|---|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100-10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Title 24: 2019 Damp Location Listed |




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82925

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Watt | Voltage | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|---------|------------|------------------|---------------------|
| WS-82937 37" | 3000K 90 | 44.3W | 120 VAC | 3084 | 1746 | AL Brushed Aluminum |

Example: **WS-82937-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

| | |
|-------------|---|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100-10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Title 24: 2019 Damp Location Listed |




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82937

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Watt | Voltage | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|---------|------------|------------------|---------------------|
| WS-82950 50" | 3000K 90 | 59.4W | 120 VAC | 4130 | 2312 | AL Brushed Aluminum |

Example: **WS-82950-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

| | |
|--------------------|---|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100-10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Title 24: 2019 Damp Location Listed |




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82950

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Watt | Voltage | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|---------|------------|------------------|---------------------|
| WS-82962 62" | 3000K 90 | 74.3W | 120 VAC | 5394 | 3074 | AL Brushed Aluminum |

Example: **WS-82962-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

| | |
|--------------------|---|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100-10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Title 24: 2019 Damp Location Listed |




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82962

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Watt | Voltage | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|-------|---------|------------|------------------|---------------------|
| WS-82974 74" | 3000K 90 | 88.6W | 120 VAC | 6168 | 3492 | AL Brushed Aluminum |

Example: **WS-82974-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

| | |
|-------------|---|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100-10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Title 24: 2019 Damp Location Listed |




FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82974

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Revel

Bathroom Sconce 3000K

| Model & Size | Color Temp & CRI | Watt | Voltage | LED Lumens | Delivered Lumens | Finish |
|--------------|------------------|--------|---------|------------|------------------|---------------------|
| WS-82998 98" | 3000K 90 | 118.8W | 120 VAC | 8284 | 4568 | AL Brushed Aluminum |

Example: **WS-82998-AL**

DESCRIPTION

Aluminum body with co-extruded acrylic

FEATURES

- Available in multiple sizes to meet numerous applications
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

| | |
|-------------|---|
| Color Temp: | 3000K |
| Input: | 120 VAC, 50/60Hz |
| CRI: | 90 |
| Dimming: | ELV: 100-10% |
| Rated Life: | 54000 Hours |
| Mounting: | Can be mounted on wall in all orientations |
| Standards: | ETL, cETL, Title 24: 2019 Damp Location Listed |



FINISHES



Brushed
Aluminum

LINE DRAWING



WS-82998