

FLOS

FU743000 Polished Aluminium

Taraxacum 88 Suspension 1

Designed by Achille Castiglioni, 1988



Halogen - 60 x 40W

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications


EAN	8059607029954
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp type	G40
Lamp holders	E26
Number of heads	60
Power (W)	40

Physical

Color	Polished Aluminium
Cord length (in)	197
Canopy dimension (mm)	70
Net weight (lb)	17.64
Package height (in)	24.02
Package width (in)	24.8
Package length (in)	23.23
Package volume (in)	13836.33
IP internal	20



Download

- [Mounting instructions](#)  PDF
- [Compatible dimmers](#)  PDF

RETILAP	IK	IP
	00	20

Photometric

Lighting type	Total
Light distribution	Symmetric

Electrical

Insulation class	I
Frequency (Hz)	60
Main voltage (Vac)	120
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF22791

25W G40 Globe Incandescent
Lamp

Spare Parts



- | | | |
|-----|---|---------|
| 01. | Taraxacum 88 Rose Assembly | RF82177 |
| 02. | Taraxacum 88 S1 E26
Lampholder | RF17033 |
| 03. | Taraxacum 88 Lampholder
Support Assembly | RF06118 |



RF82177

Taraxacum 88 Rose Assembly



RF17033

Taraxacum 88 S1 E26
Lampholder



RF06118

Taraxacum 88 Lampholder
Support Assembly