

series
Kitchen



CR



CHROME

PW



BRUSHED
NICKEL

WH



WHITE
METALLIC

BL



BLACK
METALLIC




certified
CRA Certified Lead

09..591B

Single handle pull-down spray kitchen faucet, spout rotates. 17 1/2" spout height. 9" spout reach. 2 13/16" maximum deck thickness. 8" optional deck plate included.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

09..591D

Single handle pull-down spray kitchen faucet, spout rotates. 17 7/8" spout height. 8" spout reach. 1 1/2" maximum deck thickness. 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

64..557PZB

Single handle pull-out with silycon spout and a sprayer, spout rotates. 18 5/8" spout height. 8 11/16" spout reach. 1 5/8" maximum deck thickness. 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

78..591S

Single handle pull-down spray kitchen faucet, spout rotates. 16 5/8" spout height. 8 11/16" spout reach. 1 5/8" maximum deck thickness. 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

92..555LL

Kitchen faucet with spout rotates.
 20 1/4" spout height.
 8 1/4" spout reach.
 2 3/4" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI





replacement cartridge
 53CC956GM

DA..490

Kitchen faucet with spout rotates.
 19 3/4" spout height.
 8 1/4" spout reach.
 1 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement valve
 53CC581XAD right
 53CC581XAS left

78..591

Single handle pull-down
 kitchen faucet, spout rotates.
 13 3/16" spout height.
 6 13/16" spout reach.
 2 3/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
 53CC956GM

92..591LL

Single handle pull-down
 spray kitchen faucet, spout rotates.
 17 11/16" spout height.
 7 11/16" spout reach.
 1 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
 53CC956GM

86..557

Single handle pull-out with spring spout and a sprayer spout rotates.
 19 7/8" spout height.
 7 1/8" spout reach.
 1 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

78..557

Single handle pull-out with spring spout and a sprayer spout rotates.
 21 7/16" spout height.
 7 1/8" spout reach.
 1 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

78..559Y0

Single handle pull-out with silycon spout and a sprayer spout rotates.
 20 5/16" spout height.
 8" spout reach.
 1 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

78..557Y0

Single handle pull-out with silycon spout and a sprayer spout rotates.
 18 1/16" spout height.
 7 1/4" spout reach.
 2 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

78..557PE

Single handle pull-out spray kitchen faucet, spout rotates.
 18 3/8" spout height.
 7 1/4" spout reach.
 1 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
 53CC956GM

78..558

Single handle pull-down kitchen faucet, spout rotates.
 19 1/16" spout height.
 7 5/8" spout reach.
 2 3/8" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
 53CC956GM

78..556

Single handle pull-down kitchen faucet, spout rotates.
 20 1/8" spout height.
 7 1/8" spout reach.
 1 15/16" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
 53CC956GM

84..557

Single handle kitchen faucet with spring spout and a sprayer spout rotates.
 23 3/4" spout height.
 9 7/16" spout reach.
 1 3/4" maximum deck thickness.
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
 53CC956GM

64..576

Pull out spray kitchen faucet
spout rotates.
9 1/8" spout height.
7 3/4" spout reach.
1 15/16" maximum deck thickness.
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

78..576

Minimal pull out kitchen faucet
spout rotates.
9 5/16" spout height.
9 1/4" spout reach.
1 3/4" maximum deck thickness.
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI





replacement cartridge
53CC956GM

78..568

Pull-out kitchen faucet
spout rotates.
9 13/16" spout height.
7 15/16" spout reach.
1 11/16" maximum deck thickness.
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge
53CC956GM

78..518

Wallmount Pot Filler
Modern Design

- Lever Handles
- Extends 28"
- (2) Shut off valves

Flow Rate: 1.8 GPM @ 60 PSI




replacement valve
53CC581XAD right


78..568

Single handle pull-out spray faucet.
 8 1/4" spout height.
 7 1/8" spout reach.
 1 3/4" maximum deck thickness.

Flow Rate: 1.8 GPM @ 60 PSI




7842568 TITANIUM
 7844568 BLACK METALLIC
 7858568 MILK WHITE
 7864568 BROWN



86..591

Single handle pull-down faucet.
 14 5/8" spout height.
 6 13/16" spout reach.
 2 1/2" maximum deck thickness.

Flow Rate: 1.8 GPM @ 60 PSI



8642591 TITANIUM
 8644591 BLACK METALLIC
 8658591 MILK WHITE
 8664591 BROWN


Matching sink color
