

Ruby

LET RUBY HANDLE IT!



RUBY IS A COMPACT, ESSENTIAL AND POWERFUL PROFESSIONAL COFFEE MACHINE THAT GUARANTEES THE BEST PERFORMANCE IN MINIMAL SPACE. PRIMARILY ADDRESSED TO SMALL LOCATIONS, IT CAN WORK WITH BOTH GROUND COFFEE AND WITH THE ESPRESSO CAPSULES AND PAPER PODS ALREADY AVAILABLE ON THE MARKET.

DON'T SAY NO TO THE FLAVOUR OF AN ESPRESSO. LET RUBY HANDLE IT!

GAGGIA
MILANO

Ruby

**TIMELESS
DESIGN MEETS
INNOVATION
AND EFFICIENCY**



MODEL		RUBY	RUBY PRO	RUBY PRO 2
SIZE / WEIGHT				
Dimensions (L x D x H)	cm	31 x 51 x 37	43 x 51 x 37	57 x 51 x 37
Weight	Kg	18	25	33
ELECTRICAL AND HYDRAULIC SPECIFICATION				
Voltage (version with vibration pump)	V / Hz	220-240 / 50	220-240 / 50	220-240 / 50
Voltage (version with rotary pump)	V / Hz	-	220-240 / 50-60	220-240 / 50-60
Total absorbed power	W	1640	2640	2640
Heating element	W	1500	2500	2500
Boiler capacity	L	1.5	5	6.5
Internal water tank version		3L capacity 1 vibration pump	3L capacity 2 vibration pumps	5L capacity 3 vibration pumps
Direct water connection version		-	Rotary pump	Rotary pump

TECHNICAL FEATURES

- 3 programmable direct selection buttons for each group
- Electronic control of the boiler water level
- Easy refill of the internal water tank (specific version)
- Water and steam wands
- Ergonomic non-slip filter holders
- Non-slip feet

CAPSULE AND PAPER POD VERSIONS

Also available with professional capsule filter holders (Lavazza Blue®, Nespresso®, Espresso Point® and Caffitaly®)
Also available with a specific filter for ESE espresso coffee paper pods



Lavazza Blue®, Nespresso®, Espresso Point® and Caffitaly® trademarks are not owned by SaGa Coffee S.p.A.



TRADITIONAL MACHINES

RUBY



RUBY

1 GROUP

CODE	CGG091A10N
Dimensions (W x D x H)	310 x 510 x 370mm
Weight	18kg
Total Absorbed Power	1640W
Heating Element	1500W
Boiler Capacity	1.5L
WATER TANK	
Voltage	220-240V
Pump	Vibration pump
Internal Water Tank Capacity	3L

RUBY PRO

1 GROUP

2 GROUPS

	CGG091A50N (WATER TANK)	CGG091D50N (DIRECT CONNECTION)	CGG092A50N (WATER TANK)	CGG092D50N (DIRECT CONNECTION)	
Dimensions (W x D x H)	430 x 510 x 370mm	430 x 510 x 370mm	570 x 510 x 370mm	570 x 510 x 370mm	
Weight	25kg	25kg	33kg	33kg	
Total Absorbed Power	2640W	2640W	2640W	2640W	
Heating Element	2500W	2500W	2500W	2500W	
Boiler Capacity	5L	5L	6.5L	6.5L	
WATER TANK		DIRECT WATER		DIRECT WATER	
Voltage	220-240V	220-240V	220-240V	220-240V	
Pump	2 Vibration pumps	Rotary Pump	3 Vibration pumps	Rotary Pump	
Internal Water Tank Capacity	3L	n/a	5L	n/a	