



bizhub C224e

- Colour A3 multifunctional

✓ Functionality



- Colour - Black & white



– USB - Colour PCL/PSLocal/Network



- Colour - Scan-to-SMB - Scan-to-USB

- Black & white Scan-to-eMailScan-to-Me - Scan-to-FTP

- Scan-to-WebDAV - Scan-to-DPWS

- Box-to-USB



Faxing

– Super G3 Fax – PC-Fax – i-Fax – IP-Fax


– Reprint – Distribution SharingBox-to-Box




Technology



Option diagram



Finishing



Descriptions

| bizhub C224e | Communication centre with 22 ppm b/w and colour. |
|------------------------------|---|
| | Standard Emperon™ print controller with PCL 6c, |
| | PostScript 3, PDF 1.7 and XPS support. Paper capacity |
| | of 500 + 500 sheets and 150-sheet manual bypass. |
| | Media from A6 to SRA3, 1.2 m banner and 52 - 300 gsm. |
| | 2 GB memory, 250 GB hard disc and Gigabit Ethernet |
| | standard. |
| DF-624 Document feeder | Reversing automatic document feeder, |
| | capacity 100 originals |
| DF-701 Document feeder | Dualscan automatic document feeder, |
| | capacity 100 originals |
| OC-511 Original cover | Cover instead of ADF |
| PC-110 1 x Universal tray | A5-A3, 500 sheets, 52-256 gsm |
| PC-210 2 x Universal tray | A5-A3, 2 x 500 sheets, 52-256 gsm |
| PC-410 Large capacity tray | A4, 2,500 sheets, 52–256 gsm |
| DK-510 Copier desk | Provides storage space for print media and |
| | other materials |
| FS-533 Inner finisher | 50-sheet stapling, 500 sheets max. output |
| PK-519 Punch kit for FS-533 | 2/4 hole punching, autoswitching |
| FS-534 Staple finisher | 50-sheet stapling, 3,300 sheets max. output |
| PK-520 Punch kit for FS-534 | 2/4 hole punching, autoswitching |
| SD-511 Saddle kit for FS-534 | Booklet finishing, half-fold, letter-fold |
| JS-506 Job separator | Separation for fax output etc. |
| KP-101 10-Key pad | For use instead of touchscreen |
| WT-506 Working table | Authentication device placement |

| FK-511 Fax board | Super G3 fax, digital fax functionality |
|---------------------------|--|
| KH-102 Keyboard holder | To place USB keyboard |
| EK-606 USB I/F kit | USB keyboard connection |
| EK-607 USB I/F kit | USB keyboard connection, Bluetooth |
| ID card reader | Various ID card technologies |
| MK-735 Mount kit | Installation kit for ID card reader |
| AU-102 Biometric | Finger vein scanner |
| authentication | |
| SC-508 Security kit | Copy Guard function (2 kits required if DF-701 is installed) |
| BT-C1e Banner tray | Multipage banner feeding |
| LK-101v3 i-Option licence | Web browser |
| LK-102v3 i-Option licence | PDF/A, PDF encryption, digital signature |
| LK-105v3 i-Option licence | Searchable PDF and PPTX |
| LK-106 i-Option licence | Printing of barcode fonts |
| LK-107 i-Option licence | Printing of Unicode fonts |
| LK-108 i-Option licence | Printing of OCR (A and B) fonts |
| LK-110 i-Option licence | Generates various file fomats incl. DOCX and XLSX |
| LK-111 i-Option licence | Native ThinPrint client |
| UK-204 i-Option Memory | Memory extension for i-Options |
| UK-208 WLAN for | Required for alternative panel on Android platform |
| Android panel | |
| UK-209 DS board for | Required for alternative panel on Android platform |
| Android panel | (not required if DF-701 is installed) |
| SX-600 Wireless LAN | Wireless LAN to network connector |

✓ Technical specifications

COPIER SPECIFICATIONS

| Copying process | Electrostatic laser copy, tandem, indirect |
|---------------------|--|
| Toner system | Simitri® HD polymerised toner |
| Copy/print speed A4 | Up to 22 ppm |
| (mono/colour) | |
| Copy/print speed A3 | Up to 14 ppm |
| (mono/colour) | |
| Autoduplex speed A4 | Up to 22 ppm |
| (mono/colour) | |
| 1st copy out time | 6.9 sec. |
| (mono/colour) | 8.3 sec. |
| Warm-up time | Approx. 20 sec. ¹ |
| Copy resolution | 600 x 600 dpi |
| Gradation | 256 gradations |
| Multicopy | 1-9,999 |
| Original format | A5–A3 |
| Magnification | 25-400% in 0.1% steps; auto-zooming |
| Copy functions | Chapter; cover and page insertion; proof copy (print and |
| | screen); adjustment test print; digital art functions; |
| | job setting memory; poster mode; image repeat; overlay |
| | (optional); stamping; copy protection |

PRINTER SPECIFICATIONS

| Print resolution | 1,800 x 600 dpi; 1,200 x 1,200 dpi |
|-------------------|--|
| Controller CPU | 800 MHz |
| Page description | PCL6 (XL 3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS |
| language | |
| Operating systems | Windows XP (32/64) |
| | Windows VISTA (32/64) |
| | Windows 7 (32/64) |
| | Windows 8 (32/64) |
| | Windows Server 2003 (32/64) |
| | Windows Server 2008 (32/64) |
| | Windows Server 2008 R2 (64) |
| | Windows Server 2012 (64) |
| | Macintosh OS X 10.x |
| | Unix, Linux, Citrix |
| Printer fonts | 80 PCL Latin; 137 PostScript 3 Emulation Latin |
| Print functions | Direct print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files |
| | and OOXML (DOCX, XLSX, PPTX); mixmedia and mixplex; |
| | "Easy Set" job programming; overlay; watermark; |
| | copy protection; carbon copy print |

SCANNER SPECIFICATIONS

| Scan speed | Up to 160 ipm (with optional DF-701) |
|-------------------|---|
| (mono/colour) | |
| Scan resolution | Max.: 600 x 600 dpi |
| Scan modes | Scan-to-eMail (Scan-to-Me) |
| | Scan-to-SMB (Scan-to-Home) |
| | Scan-to-FTP |
| | Scan-to-Box |
| | Scan-to-USB |
| | Scan-to-WebDAV |
| | Scan-to-DPWS |
| | Network TWAIN scan |
| File formats | JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); compact PDF; |
| | encrypted PDF; searchable PDF (optional); XPS; compact XPS; |
| | PPTX; searchable PPTX (optional); searchable DOCX/XLSX |
| | (optional) |
| Scan destinations | 2,100 (single + group); LDAP support |
| Scan functions | Annotation (text/time/date) for PDF; up to 400 job |
| | programs; real-time scan preview |

¹ Warm up time may vary depending on the operating environment and usage



FAX SPECIFICATIONS

| Fax standard | Super G3 (optional) |
|------------------|---|
| Fax transmission | Analogue |
| | i-Fax |
| | Colour i-Fax (RFC3949-C) |
| | IP-Fax |
| Fax resolution | Max.: 600 x 600 dpi (ultra-fine) |
| Fax compression | MH; MR; MMR; JBIG |
| Fax modem | Up to 33.6 Kbps |
| Fax destinations | 2,100 (single + group) |
| Fax functions | Polling; time shift; PC-Fax; receipt to confidential box; |
| | Receipt to e-mail/FTP/SMB; up to 400 job programs |

USER BOX SPECIFICATION

| Max. storable | Up to 3,000 documents or 10,000 pages |
|------------------------|--|
| documents | |
| Type of user boxes | Public |
| | Personal (with password or authentication) |
| | Group (with authentication) |
| Type of system boxes | Secure print |
| | Encrypted PDF print |
| | Fax receipt |
| | Fax polling |
| User box functionality | Reprint; combination |
| | Download |
| | Sending (e-mail/FTP/SMB and Fax) |
| | Copy box to box |

SYSTEM SPECIFICATIONS

| System memory | 2,048 MB (standard) |
|------------------------|--|
| System hard disc | 250 GB (standard) |
| Interface | 10-Base-T/100-Base-T/1,000-Base-T Ethernet; USB 2.0 |
| Network protocols | TCP/IP (IPv4 / IPv6); IPX/SPX; NetBEUI; AppleTalk (EtherTalk); |
| | SMB; LPD; IPP; SNMP; HTTP |
| Frame types | Ethernet 802.2; Ethernet 802.3; Ethernet II; Ethernet SNAP |
| Automatic document | Up to 100 originals; A6-A3; 35-163 gsm |
| feeder (optional) | RADF or Dualscan ADF available |
| Printable paper size | A6-SRA3, customised paper sizes; |
| | banner paper max. 1,200 x 297 mm |
| Printable paper weight | 52–300 gsm |
| Paper input capacity | Standard: 1,150 sheets |
| | Max.: 3,650 sheets |
| Tray 1 | 500 sheets, A5-A3, 52-256 gsm |
| Tray 2 | 500 sheets, A5-SRA3, 52-256 gsm |
| Tray 3 (optional) | 500 sheets, A5-A3, 52-256 gsm |
| Tray 4 (optional) | 2 x 500 sheets, A5-A3, 52-256 gsm |
| Large capacity tray | 2,500 sheets, A4, 52–256 gsm |
| (optional) | |
| Manual bypass | 150 sheets, A6-SRA3, custom sizes, banner, 60-300 gsm |
| Automatic duplexing | A5-SRA3; 52-256 gsm |
| Finishing modes | Offset; group; sort; staple; punch; post insertion; |
| (optional) | centre-fold; letter fold; booklet |
| Output capacity | Max.: 3,300 sheets |
| (with finisher) | |
| Output capacity | Max.: 250 sheets |
| (without finisher) | |

| Stapling | Max.: 50 sheets or 48 sheets + 2 cover sheets (up to 209 gsm) |
|--------------------------|---|
| Stapling output capacity | Max.: 1,000 sheets |
| Letter fold | Up to 3 sheets |
| Letter fold capacity | Max.: 30 sheets (tray); unlimited |
| Booklet | Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm) |
| Booklet output capacity | Max.: 100 sheets (tray); unlimited |
| Copy/print volume | Rec.: 25,000 pages; |
| (monthly) | Max.: 80,000 pages |
| Toner lifetime | Black 27,000 pages; CMY 25,000 pages |
| Imaging unit lifetime | Black 70,000 pages/600,000 pages (Drum/Developer) |
| | CMY 55,000 pages/600,000 pages (Drum/Developer) |
| Power consumption | 220-240 V / 50/60 Hz |
| | Less than 1.5 kW (system) |
| System dimensions | 615 x 685 x 779 mm (excl. ADF and lower paper tray unit) |
| (W x D x H) | |
| System weight | Approx. 85 kg |

SYSTEM FEATURES

| Coouritu | ICO 15400 FALO (in cyclystics), IFFF 2000 1 compliants |
|------------|--|
| Security | ISO 15408 EAL3 (in evaluation); IEEE 2600.1 compliant; |
| | IP filtering and port blocking; |
| | SSL2; SSL3 and TSL1.0 network communication; |
| | IPsec support; IEEE 802.1x support; user authentication; |
| | Authentication log; secure print; |
| | Hard disc overwrite (8 standard types); |
| | Hard disc data encryption (AES 128); |
| | Memory data auto deletion; Confidential fax receipt; |
| | Print user data encryption; copy protection (Copy Guard, |
| | Password Copy) optional |
| Accounting | Up to 1,000 user accounts; Active Directory support |
| | (user name + password + e-mail + smb folder) |
| | User function access definition |
| | Biometric authentication (finger vein scanner) optional |
| | ID card authentication (ID card reader) optional |
| Software | PageScope Net Care Device Manager |
| | PageScope Data Administrator |
| | PageScope Box Operator |
| | PageScope Direct Print |
| | Print Status Notifier |
| | Driver Packaging Utility |
| | Log Management Utility |

- All specifications refer to A4-size paper of 80 gsm quality.

 The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.

 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

 Some of the product illustrations contain optional accessories.

 Specifications and accessories are based on the information available at the time of printing and are subject to chance without notice.

- are subject to change without notice.

 Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



























COUNT

bizhub C364e/C284e/C224e

MAKE YOUR WORK EASY WITH



ENHANCED PERFORMANCE WITH AWARD-WINNING CONTROL

Take control of your workflow with powerful, high-performance bizhub color models for superior color and right-size cost-efficiency. A new enhancement of our award-winning INFO-Palette screen lets you touch, swipe, drag and drop to edit, save and share — it's as easy as operating a tablet PC. High-speed print/copy output keeps you ahead of rising document demands. And Konica Minolta is a world leader in the environmental initiatives that help you reduce pollution, conserve more energy and lower your operating expenses.



For right-size cost-efficiency, bizhub is a perfect fit.

It's easy to choose a bizhub® MFP device that suits your business needs: bizhub C364e for 36 ppm output in both color and B&W, bizhub C284e with 28 ppm output, or bizhub C224e with 22 ppm output. All three models can be equipped with either the DF-624 optional RADF for high-speed 80 opm scanning or DF-701 single-pass dual scanning for a top speed of 160 opm, to bring documents into your electronic workflow even faster.

Print control is built in, with Konica Minolta's exclusive Emperon® print system for immediate PCL6/PS3 emulation and native XPS functionality. And a universal print driver lets you manage your printing using familiar commands, so even first-time users and temps will be fully productive right from the start.

INFO-Palette design: an easier, faster way to move information.

Even the look of these three bizhub models is a step ahead. Sleek dark cabinet design and compact footprint lets you position them in the center of your workplace so everyone has access to fast color printing and scanning.

And your bizhub control panel is even more revolutionary. In 2012, Konica Minolta won a special award for control panel design from BLI (Buyers Laboratory LLC). The bizhub C364e, C284e and C224e incorporate the latest evolution of our award-winning INFO-Palette design: a 9" color screen with intuitive multi-touch functionality that's as easy to operate as familiar tablet PCs. You can swipe, drag & drop, tap & toggle, switch easily between map scroll and tab screen menus to control printing, copying, scanning and other functions. A quick flick of your finger across the screen brings you to the menu you want. Function screens put both standard and custom settings at your fingertips.

Enhanced screen resolution is a big advantage in previewing your documents before you print. New preview screen capabilities include pinch in & pinch out to enlarge or reduce image size and image rotation operations for smooth confirmation of document details. Long tap displays the next set of operating menus. Transparent menus let you see through to a lower level, so you always know where you are. You can simply touch a file stored in a User Box, drag it and release it in the print, send or edit processing area.

Your enhanced control panel has soft keys that can be called up and displayed in any screen position. An optional 10-Key Pad provides hard keys to make numerical entry quick and sure. The control panel tilts and adjusts from 23° to 55° for accessibility from any position for Section 508 compliance. Orange, blue and white LEDs are easier to see for the vision-impaired and illuminates device status at a glance while printing. Also new reaction sounds give operators sound queues to verify that functions have been completed, commands deleted or authentication accepted. There's even an optional Voice Guidance system to provide audible control instructions.

Simitri color: superior imaging that also protects the environment.

The bizhub C364e/C284e/C224e are unsurpassed in their ability to deliver high-quality, low-cost color documents without slowing down your workflow.

Konica Minolta's next-generation Simitri® HD toner formulation creates sharp, clear images with improved fine detail and more legible text. Simitri toner also uses plant-based biomass material to reduce environmental impact — just one of Konica Minolta's leadership initiatives to protect the planet for future generations.

All three bizhub models consume less power, with energy-saving modes including an Optimize Power Consumption mode that automatically sets correct

on/off/standby status for workdays, weekends and holidays. The control panel features an Eco-indicator screen that allows you to monitor paper, toner and energy usage by device, account or end-user. Energy-efficient LED lamps reduce energy consumption during scanning — and blank page removal during scanning or copying saves more paper. And thanks to one-watt power consumption in sleep mode your bizhub isn't burning your budget when it isn't in use.

Our Eco Vision 2050 project is committed to reducing CO_2 emissions by 80% over 2005 levels, minimizing greenhouse gases that may contribute to global warming. And our Clean Planet program also provides cost-free recycling for all Konica Minolta consumables, including toner cartridges and bottles, imaging units, developer and drums — with prepaid shipping labels and cost-free packaging.









Enhanced panel operation supports new gesture operations for navigation such as flick, long tap, drag & drop, transparent layers and you can also toggle between a Map Scroll Screen or Tab Screen to access functions needed and enabling customers to execute functions in a highly intuitive manner





The bizhub C364e series offers an unsurpassed array of scanning features and benefits to bring information into your workflow with greater speed and flexibility.

EVOLUTIONARY PERFORMANCE IN COLOR PRINTING AND SCANNING

Konica Minolta continues to drive the evolution of digital imaging technology – and in general business as well as healthcare, education, legal and other specialized applications, bizhub gives you easy ways to boost your productivity. Along with high-speed printing in color or B&W, you can speed your workflow with fast scanning to multiple destinations – and add auto finishing options to create full-color reports, brochures, flyers, and graphical presentations in-house and on-demand. Count on Konica Minolta to make it all look easy.







Direct Print supports the newly adopted document format Office Open XML – saving you time by allowing drag-and-drop printing of many popular file formats.

High-speed document scanning to multiple destinations.

In addition to the high-speed scanning capabilities of your bizhub C364e/C284e/C224e, Distributed Scan compatibility with Windows servers lets you automate the scanning process by sending documents directly to a "Scan Server" set up to follow your instructions — another bizhub enhancement to speed your workflow.

You can scan to email, FTP, SMB and perform TWAIN scanning using simple command icons on your bizhub touch-screen panel. Scan-to-Me and Scan-to-Home capabilities let you move documents quickly to secure locations. You can also scan directly to convenient User Boxes for individuals, departments, workgroups and projects. Scan to PowerPoint, Word and Excel lets you convert hard-copy documents to highly versatile Office Open XML files easily and automatically — and Scan to PDF/A and Linearized PDF capabilities optimize documents for display or archiving.

Modular finishing options for low-cost in-house printing.

Printing in-house and on-demand saves time and money — and also lets you keep control of sensitive information, including business plans, patient records, student files and legal documents. But stapling, folding or saddle-stitching by hand can be tedious — so the bizhub C364e/C284e/C224e makes things easy with auto-finishing options for producing color and B&W reports, presentations, case files, newsletters, records and marketing or training materials.

The compact FS-534 Staple Finisher performs 50-sheet 3-position stapling, with an add-on SD-511 Saddle-Stitch Unit that produces 80-page booklets with support for tri-fold sheets. Crisp creases in booklets and tri-fold sheets improve the look of your finished product. The FS-534 also accepts an optional PK-520 2/3 Hole Punch Kit.

The FS-533 Internal Finisher provides a second finishing option for corner stapling or 2-position stapling. You can add the optional PK-519 Punch Kit to your FS-533 for 2/3-hole punching. And the JS-506 Job Separator Tray option helps you sort prints, copies or faxes more easily. With all these modular options, you can easily build a system that serves your needs today — and grows with your business tomorrow.

Powerful, networkable printing to make everyone more productive.

The bizhub C364e, C284e and C224e all incorporate many of our latest enhancements to speed your print workflow. Faster warm-up time of 20 seconds or less and first-copy output in 7 seconds or less can eliminate those unproductive waiting lines — and high-speed internal processing reduces RIP time to keep color jobs moving. Built-in PostScript 3 emulation features Auto Trapping and Black Overprint modes as well as a more versatile ICC profile for specialized or detailed color settings. To enhance your color printing and scanning, sophisticated color conversion imaging and a scanner with enhanced dynamic range are provided to capture vivid dark colors and accurate light greens.

Support for Microsoft Office Open XML lets you perform fast drag-and-drop printing of the latest Microsoft Office files, including docx, xlsx, and pptx. Using downloadable apps, you can take advantage of Cloud storage services — and a convenient USB port on each bizhub lets you print and save documents to/from flash memory devices.













Maximum print/copy flexibility in more paper sizes and weights.

For easy handling of all your document needs, you'll have support for a wide array of media sizes and weights - from thin 14 lb. bond paper (52 gsm) to thick 100 lb. cover stock (300 gsm), including the ability to print 11" x 17" full-bleed originals on 12" x 18" paper to preserve margins and crop-marks. Two standard paper drawers and a 150-sheet multiple bypass tray can be augmented by a Large Capacity Tray to raise maximum paper capacity to 3,650 sheets – enough to handle document traffic on busy days with less reloading. All three models let you print tabbed pages from the multiple bypass tray and insert tabs into healthcare records, legal case files, student information binders, human resource packets and other tabbed documents. And Watermark mode lets you apply transparent marks to print/copy output to identify or restrict access to documents.

You'll have standard 100% duplex productivity at rated engine speed, producing two-sided prints and copies without the need to re-insert originals. Blank page removal during scanning or copying saves more paper. Proof Copy/Print lets you run off a test page to check your settings before starting your entire print run. Carbon Copy printing saves time by outputting the same data continuously from multiple paper trays in different paper weights or colors — for example, white for immediate distribution, yellow for forwarding, green for filing.

EXTENDING YOUR OPTIONS WITH SEAMLESS SOFTWARE INTEGRATION

In today's fast-moving digital world, needs keep changing — and Konica Minolta's EnvisionIT approach extends your power to take advantage of emerging business and professional opportunities. You'll have all the options you need: downloadable productivity apps, high-speed fax, i-Option kits and PageScope software to manage documents and devices. You'll also benefit from bEST integration with 3rd-party business software for specialized solutions — including variable-data printing, account tracking, cost recovery and more.



All the options you need for all-in-one productivity.

Our evolutionary bizhub models incorporate a wide array of extended functions — including direct access to downloadable apps from the bizhub MarketPlace.* These apps, specifically designed for use on our MFPs, allow you to display corporate announcements on your control panel, access a library of business forms and templates, check on the status of your MFP's security settings, scan to Microsoft SharePoint, order Clean Planet recycling boxes, print Clean Planet shipping labels and much more — all without ever leaving the MFP.

Along with downloadable productivity apps and scalable options for auto finishing and paper handling, you'll have access to innovative i-Options for the specialized capabilities required by your business or profession. The new i-Option LK-110 makes it easy to convert User Box data to Compact PDF files and transform incoming faxes to searchable PDF. LK-110 lets you create or convert documents to the various Office Open XML file formats you need. You can also direct-print files attached to email messages. And you can quickly encrypt PDF files — an important security enhancement to safeguard confidential information.

Another new i-Option, LK-111, provides ThinPrint support — enabling the bizhub C364e, C284e and C224e to print in ThinPrint environments without additional hardware. ThinPrint can speed your printing by performing data compression and controlling broadband network traffic when print jobs are sent from ThinPrint engine to ThinPrint client. You can also add more i-Option kits for your bizhub MFP: LK-101 v3 for web-browser support, LK-102 v3 for PDF/A, Linearized PDF and AES 128-bit PDF encryption support, LK-104 v3 for Voice Guidance operation, LK-105 v3 to create searchable PDF files, LK-106 for Barcode Font support, LK-107 for Unicode Font support, and LK-108 with support for OCR Font printing.

The bizhub C364e, C284e and C224e all incorporate Konica Minolta's IWS (Internal Web Server) — a simple, convenient web browser solution for all-in-one functionality. And all models allow you to add our Super G3 fax, with dual-line option for high-volume transmission and reception. Scan/Fax Destination List speeds your distribution by filtering searches by criteria you determine — and you'll have selectable fax file formats including PDF, compact PDF, TIFF, JPEG and XPS, plus Color Internet Faxing, PC Faxing and IP Address Faxing for maximum flexibility to speed information to destination.



Seamless integration of PageScope and 3rd-party software.



Hardware and software, working together — that's a key advantage of Konica Minolta's bizhub Extended Software Technology (bEST). Your bizhub control panel can give you

direct access to commands for standard business software as well as specialized document handling capabilities for legal, educational and healthcare applications.

Konica Minolta's own PageScope Enterprise Suite provides a powerful set of bizhub productivity tools for server-based authentication and account tracking — including a MyPanel Manager utility to customize the interface that appears at each bizhub MFP and disappears when users log out.

The PageScope Mobile app allows you to print or scan documents on the go from multiple mobile platforms – an important advantage for medical, legal and educational professionals who work from widely separated workplaces or collaborate from home.

PageScope software utilities do even more.

PageScope Web Connection gives each bizhub its own internal website for fast access to device status information.

PageScope Net Care Device Manager provides fast, simple IT management of multiple devices from a single point.

PageScope Print Status Notifier provides automatic alerts to speed your workflow. PageScope Data Administrator™ handles addresses, passwords, and accounts with ease — and PageScope Box Operator lets you download and access scanned User Box data from your PC.

Advanced color management tools for graphics solutions.

For graphics-intensive applications in marketing, advertising, design and communications, the bizhub C364e and C284e accept the optional IC-414 Fiery Image Controller from EFI — the industry leader in advanced color management.

The IC-414 provides standard EFI Command Workstation functionality, Fiery Remote Scan, and EFI WebTools to help you get the job done better. Fiery Graphic Arts Options include Auto Trapping, Hot Folder printing with embedded job ticket settings, job setup with finishing options and imposition attributes for drag-and-drop printing. An optional Color Profiler suite allows you to create customized ICC profiles with CMYK devices.

Standard Fiery VUE software orchestrates all these elements into a professional solution for high-impact results — giving you the ability to handle specific Pantone color requirements, manage print queues more effectively, and fine-tune color output to suit the needs of any job.

Enhanced security to protect sensitive business data.

Security isn't an option it's a necessity, especially for specialized legal, educational and healthcare applications that must comply with JSOX, FERPA, HIPAA and other government requirements for the protection of sensitive client, student and patient information.

Your bizhub C364e, C284e and C224e come with enhanced security protections. With bizhub SECURE, your service provider can initiate a powerful array of lock-down protections that guard your bizhub from unauthorized operation. You can initiate encrypted PDF workflow to protect information passing from PCs to networked bizhub devices. IP filtering registers IP addresses of the PCs on your network.

All models are currently in evaluation to meet strict ISO 15408 security standards and all accept a wide array of specialized options to fit the needs of your application, including Biometric Authentication, input for HID Proximity Cards, iClass Cards and Magnetic Stripe Cards, CAC/PIV Card support (available summer 2013), even an optional built-in IC card reader for fast, simple ID card authorization. An optional Copy Guard system can require password access to make copies. HDD Lock can apply password protection to your bizhub hard disk drive.

For environments that demand the highest level of security, the bizhub C364e, C284e and C224e also comply with the higher level IEEE 2600.1 international standard for MFP and printer information security. To protect information once stored on your bizhub hard disk drive, their Job Erase function automatically overwrites your HDD up to three times meeting the criteria of DoD 55220.22-M (Department of Defense) and NAVSO P-5239-26 (US Navy). And when your bizhub is reassigned to another location or removed from service, HDD Sanitizing can overwrite data in eight different modes so no sensitive information is compromised.





For all your document needs, you can count on Konica Minolta. Konica Minolta Business Solutions Canada, Inc. is a leader in advanced document management technologies and IT Services. The company focuses on complete business solutions including production print systems, digital presses, multifunctional products (MFPs), managed print services, vertical application solutions and related services and supplies. Konica Minolta has won numerous awards and recognition including being recognized as the #1 Brand for Customer Loyalty in the MFP Office Copier Market by Brand Keys for six years in a row. For the third consecutive year, Buyers Laboratory LLC (BLI) has named Konica Minolta the winner of it "A3 MFP Line of the Year" award. In 2012, Konica Minolta also received "Document Imaging Solutions Line of the Year" recognition

from BLI - and has been named to the Dow Jones Sustainability

World Index in recognition of the company's economic, environmental and social performance. We are proud of our record of achievement – and we invite you to learn first-hand why you can always count on Konica Minolta.



bizhub C364e/C284e/C224e







FULL COLOR PRINTER/COPIER/SCANNER/FAX

bizhub C364e

bizhub C284e

bizhub C224e

| SPECIFICATIONS | |
|---|--|
| Type / Toner System / Print Method | Full-Colour Printer/Copier/Scanner with Stationary Platen / Simitri HD Toner with Biomass / Tandem Process |
| Monthly Duty Cycle (pages) | 125,000 100,000 80,000 |
| Print / Copy Speed (Letter, portrait) | |
| DF-701 Dual Scanner Document Feeder DF-604 Single Pay Scanner Document Feeder | Full Colour/B&W Duplex Speed: 160 opm, Full Colour/B&W Simplex Speed: 80 opm, Paper Capacity: 100 Sheets, Paper Size: 5.5" x 8.5" to 11" x 17" |
| DF-624 Single Rev. Scanner Document Feeder Power Requirements / Consumption | Full Colour/B&W Duplex Speed: 37 opm, Full Colour/B&W Simplex Speed: 80 opm, Paper Capacity: 100 Sheets, Paper Size: 5.5" x 8.5" to 11" x 17" 120V 12A (60 Hz) / 1500W or less |
| TEC Value | |
| Dimensions / Weight | |
| COPY | (i) x 2. (ii) x 3. (ii) x 3. (iii) x 3 |
| Warm-up Time / First Copy Time | ≤ 20 sec. / Full Color: ≤ 6.9 sec., B&W: ≤ 5.3 sec. ≤ 18 sec. / Full Color: ≤ 7.7 sec., B&W: ≤ 5.9 sec. ≤ 18 sec. / Full Color: ≤ 8.3 sec., B&W: ≤ 6.9 sec. |
| Copy Resolution/Quantity | 600 x 600 dpi / 1-9,999 |
| Magnification | Zoom range: 25% - 400%, 0.1% increments, Preset reduction: 78.5%, 73.3%, 64.7%, 50.0%, Preset enlargement: 121.4%, 129.4%, 154.5%, 200% |
| Copy Exposure Modes | Text (legible text), Text/Photo (clear text and halftones), Photo (optimized for gradations), Map (fine edges and legible text), Dot Matrix (dot matrix or pencil originals), Copied Paper |
| PRINT: Emperon Print System with bizhub Exter | nded Solution Technology / Open API |
| Processor / Memory / Hard Disk Drive | 800 MHz / 2GB / 250GB (Shared with the copier) |
| Print Resolution / Grayscale Gradations | 600 x 600 dpi (1800 dpi equivalent x 600 dpi) or 1200 x 1200 dpi / 256 shades per pixel |
| Page Description Language / Fonts | PCL5e/c, PCL6 (XL v.3.0) Emulation, PS3 (v.3016) Emulation, XPS v. 1.0 (XML Paper Specification) / PCL: 80 Roman fonts, PostScript 3 Emulation: 137 Roman fonts |
| Operating System Compatability | PCL6/PS3: Windows XP Home (SP1), Windows XP Professional (x32, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows 8 (x32, x64), Windows Server 2003 Standard S. Estavaira (2016) Windows Server 2016) Windows Server 2016 Standard S. Estavaira (2016) Windows Server 2016) Windows Server 2016 Standard S. Estavaira (2016) Windows Server 2016) Windows Server 2016 Standard S. Estavaira (2016) Windows Server 2016) Windows Server 2016 Standard S. Estavaira (2016) Windows Server 2016) Windows Server 2016 Standard S. Estavaira (2016) Windows Server 2016 Standard S. Estava |
| | & Enterprise (x32, x64), Windows Server 2003 Standard & Enterprise R2 (x32, x64), Windows Server 2008 Standard & Enterprise (x32, x64), Windows Server 2012 Datacenter & Standard; XPS: Windows Vista (x32, x64), Windows 7 (x32, x64), Windows 8 (x32, x64), Windows Server 2008 Standard & Enterprise R2, x64), Windows Server 2 |
| | Windows Server 2008 Standard & Enterprise R2, Windows Server 2012 Datacenter & Standard; Mac (PS-PPD): OS 9.2 or later, OS X 10.2 or later, OS X 10.4 (Intel) or later; Linux: Red Hat Enterprise R2, Windows Server 2008 Standard & Enterprise R2, Windows Server 2012 Datacenter & Standard; Mac (PS-PPD): OS 9.2 or later, OS X 10.4 (Intel) or later; Linux: Red Hat Enterprise |
| Interface | 10 Base-TX/1000 Ba |
| Network Protocols | TCP/IP (IPv4/IPv6), BOOTP, ARP, ICMP, DHCP, DHCP, V6, AutolP, SLP, SNMF, FTP, LPR/LDD, RAW Socket, SMB, IPP, HTTP, POP, SMTP, LDAP, NTP, SSL, IPX, AppleTalk, Bonjour, NetBEUI, |
| | WebDAV, DPWS, S/MIME, IPSec, DNS, DynamicDNS, LLMNR, LLTD, SSDP, SOAP |
| COPY / PRINT FUNCTIONS | |
| Features | Account Track (1,000 accounts), Administration Mode, Auto Duplex, Auto Tray Switching, Bi-Directional Communication, Black Over Print, Card Shot, Color Modes & Functions |
| | (Auto Color/Full Color, Black & White Mode, Single Color Mode, 2-Color Mode, Color Adjustments, Copy Guard), Copy Modes (Simplex/Duplex, 2-in-1, 4-in-1, 8-in-1, Book, Booklet, |
| | Booklet + Bind), Cover Mode, Creative Functions (Mirror Image, XY Zoom, Image Center, Base Color, Neg./Pos. Reverse, Image Repeat), Encrypted Network Password Printing, |
| | Energy Save Mode, Enlarge Display, Erase (Border, Frame, Edge) Mode, Finishing (Group, Sort, Staple, Punch, Half-Fold, Tri-Fold, Center Staple and Fold), Form Overlay, Glossy Mode, |
| | HDD Encryption, HDD Job Overwrite, HDD Sanitizing, Image Adjustments (Color Matching, Pure Black Auto ON/OFF, Color Balance, Screen Settings, Image Smoothing ON/OFF), |
| | Image Preview (Job Finishing Image Display, Engine Configuration Display), Interrupt, Job List, Job Reserve, Job Skip, LDAP, Mixplex, Mix-Media, MyTab, Non-Image Area Erase, OHP Interleaving, Password Copy, Program/Recall Jobs, Paper Type Selection (Normal, Thick 1/1+, Thick 2, Thick 3, Thick 4), Print Modes (Simplex/Duplex, 2-in-1, 4-in-1, 6-in-1, 9-in-1, 16-in-1, Booklet, |
| | Booklet + Bind), Print from USB, Proof Copy, Secure Printing, Separate Scan, Tab Printing, Text Enhancement, User Authentication (Up to 20 Authentication Servers)(Synchronize w/Account Track), |
| | User Box Function, Utility (Meter Count, Environment Settings, Debauts Settings, One-Touch Settings, Check Consumable Life, Watermark, Zoom Selection |
| SCAN | Con Dan district, Conf. (Motor Count, Environment County), District County of Conference Conference County |
| Scan Resolutions | 200 dpi, 300 dpi, 400 dpi, 600 dpi |
| Scan File Formats / Color Modes | TIFF, PDF, Compact PDF, JPEG, XPS, Compact XPS, PTX, Auto Color, Full Color, Black & White, 2-Color, Single Color |
| Scan Functions | |
| | Network TWAIN, WS-Scan, Color Internet Fax |
| • FK-511 FAX KIT (OPTIONAL) | |
| Compatability / Compression | Super G3 compatibility, 33.6 Kbps modern speed / MH, MR, MMR, JBIG data compression |
| Fax Transmission Speed / Fax Memory | Less than 3 seconds per page (JBIG, standard resolution) / 2 GB (shared print, copy, scan, fax memory) |
| Fax Line Mode / Fax Exposure Mode | |
| Fax Functions | |
| | Group Dialing (up to 500 addresses per group / up to 100 groups), Mailbox Transmission/Reception, Memory/Quick Dial, Overseas Transmission, Password Transmission/Reception, PC-Fax, Dialog Addresses, Dialog Addr |
| Fax Options | IP Address Fax, Polling Transmission/Reception, Print Setting or Overnight Reception, Program Dialing (400 programs), Redial, Relay Transmission, Timer Transmission, TSI Routing Spare TX-Marker Stamp 2, SP-501 Fax Stamp Unit |
| PAPER HANDLING | Spare TX-marks Statify 2, 31 -001 Fax Statify Unit |
| Original Size | Up to 11" x 17" (scanning/copying), Up to 11" x 17" full bleed on 12" x 18" paper (printing) |
| Paper Trays | |
| r upor mayo | Bypass Tray: 150-sheet bypass/4" x 6" to 12" x 18", 8" x 13" / Banner Paper / 16 lb, bond to 100 lb, cover up to 300 gsm |
| PC-110 Paper Feed Cabinet | 500-sheets / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foolscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" |
| PC-210 Paper Feed Cabinet | 500-sheels (x2) / 8.5" x 11", 8.5" x 14", 11" x 17" / 14 lb. bond to 140 lb. index / Foolscap: 8.5" x 13.5", 220mm x 330mm , 8.5" x 13", 8.25" x 13", 8.12" x 13.25", 8" x 13" |
| PC-410 Paper Feed Cabinet | 2,500-sheets / 8.5" x 11" / 14 lb. bond to 140 lb. index |
| Maximum Paper Capacity | 3,650-sheets (total with options) |
| APPLICATIONS | |
| Network & Device Management | PageScope Data Administrator, Driver Packaging Utility, HDD Back-Up Utility, Download Manager (ICC Color Profile Utility), Log Management Utility |
| User Tools | |
| Management Tools • PageScope Enterprise Suite | bizhub vCare support PageScope Account Manager, PageScope Authentication Manager, PageScope MyPrint Manager, PageScope MyPanel Manager, PageScope Net Care Device Manager (standard) |
| Pagescope Enterprise Suite ADDITIONAL OPTIONS | i agoocopo nocouni, wanagai, i agoocopo nuncinidation wanagai, i agoocopo myi inii Wahagai, Fagoocopo myi Agoocopo myi Ago |
| ADDITIONAL OPTIONS Authentication / Security Options | AU-102 Biometric Authentication Unit, AU-201H HID Proximity Card Authentication Unit, AU-202H HID iClass Card Authentication Unit, AU-204H Magnetic Stripe Card Reader, |
| - Authoritication / Security Options | AU-211P CAC/PIV Solution*, SC-508 Copy Guard Kit, WT-506 Working Table to support Authentication Devices, MK-735 Internal Mount Kit |
| External Keyboard | KH-102 Keyboard Mount Kil, KP-101 10-Key Pad, EK-606 USB Interface for External Keyboard and Voice Guidance, EK-607 USB Interface for External Keyboard, Bluetooth Support and Voice Guidance |
| • i-Option | |
| | UK-204 i-Option Memory Upgrade Kit |
| • Finishing | FS-534 50-Sheet Staple Finisher, PK-520 Punch Kit (FS-534), SD-511 Saddle Stitcher Kit (FS-534), FS-533 50-Sheet Inner Staple Finisher, PK-519 Punch Kit (FS-533), JS-506 Job Separator |
| • Others | DK-510 Copy Desk, MK-730 Banner Paper Guide, OC-511 Original Cover |
| FIERY IC-414 EMBEDDED IMAGE CONTROLLE | |
| Processor / Memory / Hard Disk Drive | |
| Page Description Language / Fonts | |
| Operating System Compatability | PCL6, PS3: Windows XP (x32, x64), Windows Vista (x32, x64), Windows 7 (x32, x64), Windows 8 (x32, x64), Windows Server 2003, Windows Server 2008 (x32, x64), Windows Server 2012 (x64); Mac: OS X 10.4.x, Intel-based: 10.4.x (print driver), 10.5.x, 10.6.x, 10.7.x, 10.8.x; Unix/Linux |
| Interface / Protocols | 10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0 / TCP/IP, IPX/SPX, AppleTalk (EtherTalk), LPR, SMB, LPD, Netware (5.x, 6.x), Pserver, Nprinter, NDPS, IPP, SMTP/POP3, LDAP, |
| interface / 1 Totocols | to base-1/100 base-1/1000 base |
| Standard Software | |
| Optional Software / Hardware | |
| | ES-2000 Spectrophotometer / VI-506 Video Interface Kit for IC-414 |
| | OPTIONAL STANDARD |
| | |



PHOTOCOPIERS DIRECT LTD

22 Abbey Road, London NW10 7RE

www.photocopiersdirect.co.uk sales@photocopiersdirect.co.uk

0800 174 293

