

FIREBAN 1 LIMESTONE Revision Number 1 Revision date 03-Oct-2021 Supersedes Date: 03-Oct-2021

| Section 1: Identification: Product   | identifier and chemical identity  |  |
|--|---|--|
|  |   |  |
| Product identifier   |   |  |
| Product Name   | FIREBAN 1 LIMESTONE   |  |
| <b>Product Code(s)</b><br>30616836<br>30616836; 30800514   |   |  |
| Other means of identification  |   |  |
| Pure substance/mixture   | Mixture   |  |
| Recommended use of the chemical and restrictions on use  |   |  |
| Recommended use  | Sealant   |  |
| Uses advised against   | No information available  |  |
| Details of manufacturer or importer  |   |  |
| Supplier<br>Bostik Australia Pty Ltd<br>51-71 High Street,<br>Thomastown Victoria<br>Australia<br>Tel: 613 9279-9333<br>Fax: 613 9279-9342 | <u>Manufacturer</u><br>Bostik Australia Pty Ltd<br>51-71 High Street,<br>Thomastown Victoria<br>Australia<br>Tel: 613 9279-9333<br>Fax: 613 9279-9342 |  |
| <b>ABN:</b> 79 003 893 838   | ABN: 79 003 893 838   |  |
| E-mail address   | au-bostik-sds@bostik.com  |  |
| Emergency telephone number   |   |  |
| Emergency telephone number   | 24-hr Emergency: 1800 033 111   |  |

# Section 2: Hazard(s) identification

### GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

| Acute toxicity - Inhalation (Vapors) | Category 4 - (H332) |
|--------------------------------------|---------------------|

### Label elements

Exclamation mark

FIREBAN 1 LIMESTONE Revision Number 1 Revision date 03-Oct-2021 Supersedes Date: 03-Oct-2021



Signal word Warning

Hazard statements H332 - Harmful if inhaled

#### **Precautionary Statements - Prevention**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P312 - Call a POISON CENTER or doctor/physician if you feel unwell

### Other hazards which do not result in classification

Causes mild skin irritation Toxic to aquatic life Toxic to aquatic life with long lasting effects

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number S6

#### Label requirements in accordance with SUSMP

POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

### Section 3: Composition and information on ingredients, in accordance with Schedule 8

#### Substance

Not applicable

#### Mixture

| Chemical name                         | CAS No      | Weight-% |
|---------------------------------------|-------------|----------|
| Xylenes (o-, m-, p- isomers)          | 1330-20-7   | 0 - <10  |
| Benzenesulfonyl isocyanate, 4-methyl- | 4083-64-1   | < 1%     |
| 4,4'-Methylenediphenyl diisocyanate   | 101-68-8    | < 1%     |
| m-tolylidene diisocyanate             | 26471-62-5  | < 1%     |
| Non-hazardous ingredients             | Proprietary | Balance  |

### Section 4: First aid measures

| Emergency telephone number        | Poisons Information Center, Australia: 13 11 26<br>Poisons Information Center, New Zealand: 0800 764 766 |
|-----------------------------------|--|
| Description of first aid measures |  |
| General advice                    | Show this safety data sheet to the doctor in attendance.   |
| Inhalation                        | If breathing has stopped, give artificial respiration. Get medical attention immediately.                |
|                                   |  |

| FIREBAN 1 LIMESTONE<br>Revision Number 1                    | Revision date 03-Oct-2021<br>Supersedes Date: 03-Oct-2021  |  |
|---|--|--|
|   |  |  |
|   | Remove to fresh air. If symptoms persist, call a physician.  |  |
| Eye contact   | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.   |  |
| Skin contact  | Wash skin with soap and water.   |  |
| Ingestion   | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.<br>Never give anything by mouth to an unconscious person. Get medical attention.  |  |
| Self-protection of the first aider                          | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information. |  |
| Most important symptoms and effects, both acute and delayed |  |  |
| Symptoms  | Prolonged contact may cause redness and irritation. Coughing and/ or wheezing.<br>Difficulty in breathing.   |  |

| Note to physicians | Treat symptomatically. |
|--------------------|------------------------|

Indication of any immediate medical attention and special treatment needed

# Section 5: Firefighting measures

| Suitable extinguishing media                   |  |  |
|--|--|--|
| Suitable extinguishing media                   | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                            |  |
| Unsuitable extinguishing media                 | No information available.  |  |
| Specific hazards arising from the o            | chemical   |  |
| Specific hazards arising from the chemical     | No information available.  |  |
| Hazardous combustion products                  | Carbon dioxide (CO2). Hydrogen chloride. Nitrogen oxides (NOx). Hydrochloric Acid.   |  |
| Special protective actions for fire-fighters   |  |  |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |  |
| Section 6: Accidental release measures         |  |  |
| Personal precautions, protective e             | quipment and emergency procedures  |  |
| Personal precautions                           | Ensure adequate ventilation. Avoid generation of dust. Do not breathe dust. Use personal protective equipment as required.         |  |
| Other information                              | Refer to protective measures listed in Sections 7 and 8.   |  |
| For emergency responders                       | Use personal protection recommended in Section 8.  |  |
| Environmental precautions                      |  |  |

**Environmental precautions** See Section 12 for additional Ecological Information.

#### FIREBAN 1 LIMESTONE Revision Number 1

| Methods and material for containment and cleaning up                           |  |  |
|--|--|--|
| Methods for containment  | Prevent further leakage or spillage if safe to do so.  |  |
| Methods for cleaning up  | Pick up and transfer to properly labeled containers.   |  |
| Precautions to prevent secondary   | hazards  |  |
| Prevention of secondary hazards  | Clean contaminated objects and areas thoroughly observing environmental regulations.   |  |
| Section 7: Handling and storage, including how the chemical may be safely used |  |  |
| Precautions for safe handling  |  |  |
| Advice on safe handling  | Handle in accordance with good industrial hygiene and safety practice. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. |  |
| General hygiene considerations   | Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.   |  |
| Conditions for safe storage, including any incompatibilities                   |  |  |
| Storage Conditions   | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.  |  |
| Recommended storage temperature  | Keep at temperatures between 50 and 95 °F / 10 and 35 °C.  |  |

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

### Section 8: Exposure controls and personal protection

#### **Control parameters**

#### **Exposure Limits**

This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

| Australia                   |
|-----------------------------|
| 80 ppm TWA                  |
| 350 mg/m³ TWA               |
| 150 ppm STEL                |
| 655 mg/m <sup>3</sup> STEL  |
| 0.02 mg/m³ TWA              |
| 0.07 mg/m <sup>3</sup> STEL |
|                             |

OEL as published by Safe Work Australia

### Appropriate engineering controls

 Engineering controls
 Showers, eyewash stations, and ventilation systems.

### Individual protection measures, such as personal protective equipment

| Eye/face protection      | Wear safety glasses with side shields (or goggles).   |
|--------------------------|---|
| Skin and body protection | Wear suitable protective clothing.  |
| Hand protection          | Wear suitable gloves.   |
| Respiratory protection   | In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator |
|                          |   |

FIREBAN 1 LIMESTONE Revision Number 1

conforming to EN 140 with Type A/P2 filter or better. Organic gases and vapors filter conforming to EN 14387.

Environmental exposure controls No information available.

# Section 9: Physical and chemical properties

# Information on basic physical and chemical properties

| Physical state<br>Appearance<br>Color<br>Odor<br>Odor threshold   | Solid<br>Thixotropic Paste<br>Gray Green<br>Solvent<br>No information available  |                      |
|---|--|----------------------|
| Property<br>pH<br>pH (as aqueous solution)<br>Melting point / freezing point<br>Initial boiling point and boiling<br>range<br>Flash point<br>Evaporation rate<br>Flammability<br>Flammability Limit in Air<br>Upper flammability or explosive<br>limits<br>Lower flammability or explosive<br>limits<br>Vapor pressure<br>Relative vapor density<br>Relative density<br>Water solubility<br>Solubility(ies)<br>Partition coefficient<br>Autoignition temperature<br>Decomposition temperature<br>Kinematic viscosity<br>Dynamic viscosity<br>Explosive properties | No data available<br>No data available<br>No data available<br>1.45<br>Insoluble in water<br>No data available<br>No data available | Remarks • Method     |
| Oxidizing properties<br><u>Other information</u><br>Solid content (%)<br>Density<br>VOC Content (%)   | No information available<br>No information available<br>No information available<br>64 g/L   | SCAQMD Method 304-91 |

# Section 10: Stability and reactivity

| Reactivity   |                                 |
|--|---------------------------------|
| Reactivity   | No information available.       |
| Chemical stability   |                                 |
| Stability  | Stable under normal conditions. |
| Explosion data<br>Sensitivity to mechanical<br>impact<br>Sensitivity to static discharge | None.<br>None.                  |

\_\_\_\_

#### FIREBAN 1 LIMESTONE Revision Number 1

| Possibility of hazardous reactions                   |   |  |  |  |
|--|---|--|--|--|
| Possibility of hazardous reactions                   | None under normal processing.   |  |  |  |
| Hazardous polymerization                             | Hazardous polymerization may occur.   |  |  |  |
| Conditions to avoid                                  |   |  |  |  |
| Conditions to avoid                                  | Excessive heat.   |  |  |  |
| Incompatible materials                               |   |  |  |  |
| Incompatible materials                               | None known based on information supplied.   |  |  |  |
| Hazardous decomposition produc                       | ts  |  |  |  |
| Hazardous decomposition products                     | Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide. Thermal decomposition can lead to release of irritating and toxic gases and vapors. |  |  |  |
| Section 11: Toxicological informat                   | ion   |  |  |  |
| Acute Toxicity                                       |   |  |  |  |
| Information on likely routes of exp                  | osure   |  |  |  |
| Product Information                                  |   |  |  |  |
| Inhalation   | Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).   |  |  |  |
| Eye contact  | Based on available data, the classification criteria are not met.   |  |  |  |
| Skin contact   | Specific test data for the substance or mixture is not available. Causes mild skin irritation.  |  |  |  |
| Ingestion  | Based on available data, the classification criteria are not met.   |  |  |  |
| Symptoms   | Prolonged contact may cause redness and irritation. Coughing and/ or wheezing.  |  |  |  |
| Numerical measures of toxicity - Product Information |   |  |  |  |

The following values are calculated based on chapter 3.1 of the GHS document

| ATEmix (oral)                 | 5,155.20 mg/kg |
|-------------------------------|----------------|
| ATEmix (dermal)               | 7,867.60 mg/kg |
| ATEmix (inhalation-vapor)     | 15.70 mg/l     |
| ATEmix (inhalation-dust/mist) | 7.15 mg/l      |
|                               |                |

# **Component Information**

| Chemical name                | Oral LD50             | Dermal LD50                 | Inhalation LC50             |
|------------------------------|-----------------------|-----------------------------|-----------------------------|
| Xylenes (o-, m-, p- isomers) | =3500 mg/kg (Rattus)  | > 1700 mg/kg (Oryctolagus   | =>47635 mg/L (Rattus) 4 h = |
|                              |                       | cuniculus) > 4350 mg/kg     | >5000 ppm (Rattus) 4 h      |
|                              |                       | (Oryctolagus cuniculus)     |                             |
| Benzenesulfonyl isocyanate,  | =2234 mg/kg (Rattus)  | LD 50 (Rattus) > 2000 mg/kg | >640 ppm (Rattus) 1 h       |
| 4-methyl-                    |                       | OECD 402                    |                             |
| 4,4'-Methylenediphenyl       | =31600 mg/kg (Rattus) | LD 50 > 9400 mg/kg          | =1.5 mg/L (Rattus) 4 h      |
| diisocyanate                 | = 9200 mg/kg (Rattus) | (Oryctolagus cuniculus)     | -                           |
|                              |                       | OECD 402                    |                             |
| m-tolylidene diisocyanate    | =3060 mg/kg (Rattus)  | = 10000 mg/kg (Oryctolagus  | =0.107 mg/L 4h              |

| cuniculus) | (Vapour)(Rattus)<br>(OECD 403)<br>=0.48 mg/L 1h<br>(Vapour)(Battus) |
|------------|---|
|            | (Vapour)(Rattus)<br>(OECD 403)                                      |

See section 16 for terms and abbreviations

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. May cause skin irritation.

### Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

| Component Information      |                     |                |                |               |              |
|----------------------------|---------------------|----------------|----------------|---------------|--------------|
| 4,4'-Methylenediphenyl dii | socyanate (101-68-8 | 3)             |                |               |              |
| Method                     | Species             | Exposure route | Effective dose | Exposure time | Results      |
| OECD Test No. 405:         | Rabbit              | Eye            | 0.1 mL         | 24 hours      | Non-irritant |
| Acute Eye                  |                     |                |                |               |              |
| Irritation/Corrosion       |                     |                |                |               |              |

#### Respiratory or skin sensitization Based on available data, the classification criteria are not met.

| Component Information                    |                                       |        |                            |  |  |
|--|---------------------------------------|--------|----------------------------|--|--|
| Xylenes (o-, m-, p- isomers) (1330-20-7) |                                       |        |                            |  |  |
| Method                                   | Method Species Exposure route Results |        |                            |  |  |
| OECD Test No. 429: Skin                  | Mouse                                 | Dermal | No sensitization responses |  |  |
| Sensitisation: Local Lymph Node          |                                       |        | were observed              |  |  |
| Assay                                    |                                       |        |                            |  |  |

| 4,4'-Methylenediphenyl diisocyanate (101-68-8) |         |                |             |
|--|---------|----------------|-------------|
| Method   | Species | Exposure route | Results     |
| OECD GD 39                                     | Rat     | Inhalation     | Sensitizing |

| m-tolylidene diisocyanate (26471-62-5)                              |         |                |             |  |
|---|---------|----------------|-------------|--|
| Method  | Species | Exposure route | Results     |  |
| OECD Test No. 429: Skin<br>Sensitisation: Local Lymph Node<br>Assay | Mouse   | Dermal         | sensitizing |  |

### Germ cell mutagenicity

No information available.

### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name                                   | SafeWork Australia | European Union | IARC     |
|---|--------------------|----------------|----------|
| Xylenes (o-, m-, p- isomers)<br>1330-20-7       |                    |                | Group 3  |
| 4,4'-Methylenediphenyl diisocyanate<br>101-68-8 | Carc. 2            | Carc. 2        | Group 3  |
| m-tolylidene diisocyanate<br>26471-62-5         | Carc. 2            | Carc. 2        | Group 2B |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

# Component Information

# FIREBAN 1 LIMESTONE

| 4,4'-Methylenediphenyl diisocyanate (101-68-8)                          |  |         |  |  |
|---|--|---------|--|--|
| Method  |  | Species | Results                                      |  |
| OECD Test No. 453: Combined Chronic<br>Toxicity/Carcinogenicity Studies |  | Rat     | Limited evidence of a carcinogenic<br>effect |  |
| Reproductive toxicity<br>STOT - single exposure                         |  |         |  |  |
| STOT - repeated exposure<br>Aspiration hazard                           | Based on available data, the classification criteria are not met.<br>Not applicable. |         |  |  |

### Section 12: Ecological information

#### **Ecotoxicity**

#### Ecotoxicity

Toxic to aquatic life with long lasting effects.

| Chemical name          | Algae/aquatic plants   | Fish                     | Toxicity to<br>microorganisms | Crustacea             |
|------------------------|------------------------|--------------------------|-------------------------------|-----------------------|
| Xylenes (o-, m-, p-    | -                      | LC50 96 h 2.6 mg/L       | EC50 = 0.0084 mg/L 24         | EC50 48 h = 3.4 mg/L  |
| isomers)               |                        | (Oncorhynchus mykiss)    | h                             | (Dappnia magna)       |
| 1330-20-7              |                        | (OECD 203)               |                               |                       |
| 4,4'-Methylenediphenyl | ErC50 (72h) >1640 mg/L | >1000 mg/l (Danio rerio) | -                             | EC50 (24H) >1000 mg/L |
| diisocyanate           | Algae (scenedesmus     |                          |                               | Daphnia magna         |
| 101-68-8               | subspicatus) (OECD     |                          |                               |                       |
|                        | 201)                   |                          |                               |                       |

# Persistence and degradability

Persistence and degradability No information available.

| Component Information                    |                             |                |                |  |  |
|--|-----------------------------|----------------|----------------|--|--|
| Xylenes (o-, m-, p- isomers) (1330-20-7) |                             |                |                |  |  |
| Method                                   | Exposure time Value Results |                |                |  |  |
| OECD Test No. 301F: Ready                | 28 days                     | biodegradation | 87.8 % Readily |  |  |
| Biodegradability: Manometric             |                             |                | biodegradable  |  |  |
| Respirometry Test (TG 301 F)             |                             |                | -              |  |  |

| 4,4'-Methylenediphenyl diisocyanate (101-68-8) |               |                   |                           |
|--|---------------|-------------------|---------------------------|
| Method   | Exposure time | Value             | Results                   |
| OECD Test No. 302C: Inherent                   | 28 days       | 0% biodegradation | Not readily biodegradable |
| Biodegradability: Modified MITI Test           | -             |                   |                           |
| (II)   |               |                   |                           |

#### Bioaccumulative potential

#### **Bioaccumulation**

There is no data for this product.

# **Component Information**

| Chemical name                         | Partition coefficient |
|---------------------------------------|-----------------------|
| Xylenes (o-, m-, p- isomers)          | 3.15                  |
| 1330-20-7                             |                       |
| Benzenesulfonyl isocyanate, 4-methyl- | 0.6                   |

#### FIREBAN 1 LIMESTONE Revision Number 1

| 4083-6  |   |   |
|---|---|---|
| 4,4'-Methylenediphenyl diisocyanate<br>101-68-8 |   | 4.51  |
| <u>Mobility</u>                                 |   |   |
| Mobility in soil                                | No information available.                           |   |
| Mobility  | No information available.                           |   |
| Other adverse effects                           |   |   |
| Other adverse effects                           | No information available.                           |   |
| Endocrine Disruptor Informatio                  | n   |   |
| Section 13: Disposal considera                  | tions   |   |
| Disposal methods                                |   |   |
| Waste from residues/unused<br>products          | Dispose of in accordance environmental legislation. | with local regulations. Dispose of waste in accordance with |
| Contaminated packaging                          | Do not reuse empty conta                            | iners.  |
| Section 14: Transport informati                 | on  |   |
| ADG   | Not regulated                                       |   |
| ΙΑΤΑ  | Not regulated                                       |   |
| IMDG  | Not regulated                                       |   |
| Transport in bulk according to                  | Annex II of MARPOL 73/78 a                          | nd the IBC Code   |

No information available

### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

<u>Australia</u> See section 8 for national exposure control parameters

# Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** S6

### National pollutant inventory

Subject to reporting requirement

| Chemical name                | National pollutant inventory                                   |
|------------------------------|--|
| Xylenes (o-, m-, p- isomers) | 10 tonne/yr Threshold category 1 including individual or mixed |
| 1330-20-7                    | isomers  |
|                              | 20 MW Threshold category 2b total                              |
|                              | 60000 MWH Threshold category 2b total                          |

#### **FIREBAN 1 LIMESTONE Revision Number** 1

|                                     | 1 tonne/h Threshold category 2a total     |
|-------------------------------------|---|
|                                     | 25 tonne/yr Threshold category 1a total   |
|                                     | 400 tonne/yr Threshold category 2a total  |
|                                     | 2000 tonne/yr Threshold category 2b total |
| 4,4'-Methylenediphenyl diisocyanate | 10 tonne/yr Threshold category 1          |
| 101-68-8                            | 20 MW Threshold category 2b total         |
|                                     | 60000 MWH Threshold category 2b total     |
|                                     | 1 tonne/h Threshold category 2a total     |
|                                     | 25 tonne/yr Threshold category 1a total   |
|                                     | 400 tonne/yr Threshold category 2a total  |
|                                     | 2000 tonne/yr Threshold category 2b total |
| m-tolylidene diisocyanate           | 20 MW Threshold category 2b total         |
| 26471-62-5                          | 60000 MWH Threshold category 2b total     |
|                                     | 1 tonne/h Threshold category 2a total     |
|                                     | 25 tonne/yr Threshold category 1a total   |
|                                     | 400 tonne/yr Threshold category 2a total  |
|                                     | 2000 tonne/yr Threshold category 2b total |

| International Inventories |            |
|---------------------------|------------|
| AICS                      | Listed     |
| NZIoC                     | Listed     |
| ENCS                      | Not Listed |
| IECSC                     | Listed     |
| KECL                      | Not Listed |
| PICCS                     | Not Listed |

Legend:

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### 2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

#### FIREBAN 1 LIMESTONE Revision Number 1

**Prepared By** 

Product Safety & Regulatory Affairs

**Revision date** 

e 03-Oct-2021

#### **Revision Note**

**Disclaimer** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

combination with any other materials or in any process, unless specified in the text

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL Ceiling Maximum limit value

STEL (Short Term Exposure Limit) Skin designation

Ceiling Maximum limit value Carcinogen Section 11: TOXICOLOGICAL INFORMATION LD50 (lethal dose) Section 12: Ecological information EC50 (effective concentration)

the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in

**End of Safety Data Sheet** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at