

the Sherwood

from £1199 +vat



#### Standard Sizes (mm):

Width: 4045/5045/6045 Projection: 2500/3000/3500

Sizes can be combined and adjusted to suit bespoke projects

Colours: C A

#### **Roof Sheets:**



**Sherwood** fitted with privacy panel and glass sliding doors **not** included as standard

## the Sherwood



## the Sherwood

Width x Projection	Posts
in mm	Included
4045 x 2500	2
4045 x 3000	2
4045 x 3500	2
5045 x 2500	3
5045 x 3000	3
5045 x 3500	3
6045 x 2500	3
6045 x 3000	3
6045 x 3500	3

- Add privacy panels, side panels or glass sliding doors to enhance enjoyment of your canopy Posts come 2.5m tall and can either be set into ground or fixed using concealed brackets
- Drainage can either be ran through a post or taken via a separate downpipe using a specialised downpipe outlet
- For further information please follow this link for our installation videos and instructions:

Staunton

from £1599 +vat

Image shown includes a privacy panel to the left side **not included** as standard





Width: 4060/5060/6060/7060

Projection: 2500 / 3000 / 3500


4000 / 6000

Sizes can be combined and adjusted to suit bespoke projects

Colours: C A W


Gutter: Rounded or Classic Posts: Square or Rounded


#### **Roof Sheets:**




Linked **Stauntons** fitted with privacy panels and glass sliding doors **not included** as standard

# Staunton





## the Staunton



## Staunton

Width x Projection	Posts
in mm	Included
4060 x 2500	2
4060 x 3000	2
4060 x 3500	2
4060 x 4000	2
4060 x 6000	2
5060 x 2500	3
5060 x 3000	3
5060 x 3500	3
5060 x 4000	3
5060 x 6000	3
6060 x 2500	3
6060 x 3000	3
6060 x 3500	3
6060 x 4000	3
6060 x 6000	3
7060 x 2500	3
7060 x 3000	3
7060 x 3500	3
7060 x 4000	3
7060 x 6000	3
8060 x 2500	3
8060 x 3000	3
8060 x 3500	3
8060 x 4000	3
continued:	

- Add privacy panels, side panels or glass sliding doors to enhance enjoyment of your canopy or make a garden room
- Can be linked together
- Maximum gap between posts of 4m
- Posts come 2.5m tall with a footplate or 3m to be set into ground
- Choice of round or classic gutter
- Choice or square or rounded legs
- Drainage can either be fed through a post of ran through a separate downpipe using a specialised downpipe outlet
- For further information please follow this link for our installation videos and instructions:


# Staunton

Width x Projection	Posts	
in mm	Included	
9060 x 2500	4	
9060 x 3000	4	
9060 x 3500	4	
9060 x 4000	4	
10060 x 2500	4	
10060 x 3000	4	
10060 x 3500	4	
10060 x 4000	4	
11060 x 2500	4	
11060 x 3000	4	
11060 x 3500	4	
11060 x 4000	4	
12060 x 2500	4	
12060 x 3000	4	
12060 x 3500	4	
12060 x 4000	4	

• For further information please follow this link for our installation videos and instructions:

the Richmond

from £2125 +vat



Standard Sizes (mm):

Width: 4060/5060/6060/7060 Projection: 2500 / 3000 / 3500 / 4000

6000

Sizes can be combined and adjusted to suit bespoke projects

 Can span a 6m width between posts

COAW Colours:


**Roof Sheets:** 



Linked **Richmonds** fitted with privacy panels and glass sliding doors **not included** as standard

# the Richmond Image shows sliding glass doors to front and side not included as standard

## the Richmond




## the Richmond

Width x Projection	Posts
in mm	Included
4060 x 2500	2
4060 x 3000	2
4060 x 3500	2
4060 x 4000	2
4060 x 6000*	2
5060 x 2500	3
5060 x 3000	3
5060 x 3500	3
5060 x 4000	3
5060 x 6000*	3
6060 x 2500	3
6060 x 3000	3
6060 x 3500	3
6060 x 4000	3
6060 x 6000*	3
7060 x 2500	3
7060 x 3000	3
7060 x 3500	3
7060 x 4000	3
7060 x 6000*	3

- Add privacy panels, side panels or glass sliding doors to enhance enjoyment of your canopy or make a garden room
- Can be linked together
- Maximum gap between posts of 6m
- Posts come 2.5m tall with a footplate or 3m to be set into ground
- Drainage can be ran through a post or through a separate downpipe using a specialised downpipe outlet
- For further information please follow this link for our installation videos and instructions:

<sup>\*</sup> Additional customised support is recommended for a 6m projection





#### **Standard Sizes (mm):**

Width: 4060/5060/6060/7060 Projection:2500/3000/3500 4000/6000

Sizes can be combined and adjusted to suit bespoke projects

Colours: C A O W C
Gutter: Rounded or Classic

#### **Roof Sheets:**



Opal

Clear

Ultra Clear Solar



Hadleigh fitted with glass sliding doors and side wall with Ultra Clear window not included as standard






With our free-standing Hadleigh you can create a covered terrace in any desired location to enjoy your outdoor space to the full. This flexible system comes with a closed back wall, one closed side wall (or a side wall with an ultra clear polycarbonate window) and one low level wall as standard.

Width x Projection in mm	Posts Included
4060 x 2500	2
4060 x 3000	2
4060 x 3500	2
4060 x 4000	2
5060 x 2500	3
5060 x 3000	3
5060 x 3500	3
5060 x 4000	3
6060 x 2500	3
6060 x 3000	3
6060 x 3500	3
6060 x 4000	3

- Rear wall at 2.1m clearance max
- Rear posts with footplates
- Front posts 3m tall to be sunk into the ground
- Front clearance height maximimum 2500mm
- Low level side wall at 900mm height
- Can be substantially customised to suit
- For further information please follow this link for our installation videos and instructions:

from £4599 +vat



#### Standard Sizes (mm):

Width: 4000/5000/6000 Projection: 3000/3500/4000

- Remote operated canvas retractable roof
- Optional LED Lighting to canvas



Kingfisher fitted with privacy panels, led lights to canvas and glass sliding doors **not included** as standard





The Kingfisher roof canvas is made of a sun-resistant and water-resistant fabric. You can enjoy shade from the sun, protection from the wind or rain, then, with one push on the button, move the canvas so you can immediately enjoy maximum light and the beautiful weather.

Width x Projection in mm	Posts Included
4000 x 3000	2
4000 x 3500	2
4000 x 4000	2
5000 x 3000	3
5000 x 3500	3
5000 x 4000	3
6000 x 3000	3
6000 x 3500	3
6000 x 4000	3

- Add privacy panels, side panels or glass sliding doors to enhance enjoyment of your canopy or make a garden room
- Posts come 2.5m tall
- Drainage is achieved through a post
- Footplates are applied for fixing to a solid base, one to direct drainage
- For further information please follow this link for our installation videos and instructions:

from £6785 +vat




#### Standard Sizes (mm):

Width 3000/3500 Projection 3011/3539/4067 4947


Sizes can be combined and adjusted to suit bespoke projects

- Free-standing or wall mounted options
- Remote operated rotating roof slats
- Watertight when fully closed
- Adjustable control for shading and/or airflow
- Optional Led lights to roof edges



Bespoke joining of two **Phoenix** for greater coverage





Want to decide for yourself how you want to enjoy your outdoor experience? With the remote control you can easily tilt the panels in the roof to a different position. This way you have the control to adjust with the light, the shade and the airflow under your roof.

Width x Projection in mm
3000 x 3011
3000 x 4067
3000 x 4947
3500 x 3539
3500 x 4067
3500 x 4947

- Add privacy panels, side panels or glass sliding doors to enhance enjoyment of your canopy or make a garden room
- Max recommended floor to ceiling height is 2.5m
- Drainage can be achieved through a post or by a separate downpipe
- Footplates are available for fixing to a solid floor or posts can be sunk into the ground
- For further information please follow this link for our installation videos and instructions: www.thegardenspace.co/pages/downloads




#### Standard Sizes (mm):

Width: 3000/3500/4000 Projection: 3014/3571/4128

4964/6078

Sizes can be combined and adjusted to suit bespoke projects

- Free-standing or wall mounted
- Remote operated retractable roof slats
- Watertight when fully closed
- Adjustable control for shade and/or airflow
- Optional Perimeter Roof Lights



**Imperial** fitted with Glass Sliding Doors & Perimeter Roof Lights **not included** as standard



# the Imperial



# the Imperial

The roof panels on the Imperial can be moved to one side with the simple push of a button. In a closed position the Imperial protects against the weather conditions and offers you a shady spot on sunny days. So, come rain or shine, you will experience the ultimate in outdoor living.

Width x Projection
in mm
3000 x 3014
3000 x 4128
3000 x 4964
3000 x 6078
3500 x 3571
3500 x 4128
3500 x 4964
3500 x 6078
4000 x 4128
4000 x 4964
4000 x 6078*
* At 6078 projection

- Add privacy panels, side panels or glass sliding doors to enhance enjoyment of your canopy or make a garden room
- Max recommended floor to ceiling height is 2.5m
- Drainage can be achieved through a post or by a separate downpipe
- Footplates are available for fixing to a solid floor or posts can be sunk into the ground
- For further information please follow this link for our installation videos and instructions: www.thegardenspace.co/pages/downloads

<sup>\*</sup> At 6078 projection we would recommend an additional support post for each side

#### Privacy Panels






These are commonly used to close off the top part of a side above a neighbouring fence or to square off a side so a glass sliding door system can be fitted below.


The privacy panel kit comes with one piece of polycarbonate sheet 980mm tall, two 4.2m edging sections and one 2m edging section. All will need to be cut to fit the appropriate space you wish to fill.


There is a choice of polycarbonate panel type to match your roof or suit your purpose for example use Opal if privacy is your aim or use Ultra Clear if you are looking to maximise a view above a sliding glass door system.



Please see our fitting instructions for further information:

#### Side Walls





This kit is used to close off one side of your canopy making it more homely and shielding you from wind and rain.


The side wall kit comes with several 3000x980mm polycarbonate sheets depending upon the projection chosen, 2 x edge profiles at 4.2m,  $2 \times 2m$ ,  $2 \times 2m$ 

The side wall kit parts will need to be cut to suit your canopy size and shape.

There is a choice of polycarbonate panel type to match your roof or suit your purpose for example use Opal if privacy is your aim or use Ultra clear if you are looking to maximise a view.

For further information please see our fitting instructions:

#### Aluminium Fixed Panel System











This versatile panel system can be used in a variety of ways. Ideal to make fully enclosed sides, low level walls or whatever design your imagination can conceive - they even make great side walls for custom built planting boxes that blend in with your canopy!

The system is very simple to work with using an edging section, panels that interlock and a top cover which will clip onto a full top panel to be used instead of the edge channel if the top is to be open.

Using posts sections and box sections there are endless design options and useful applications.




The panels patented tongue and groove system provides a sturdy and weather resistant join.



Each panel is 25mm wide has an overall height of 166mm and when joined together each panel covers 150mm with the remaining 16mm being inserted into the panel above.

#### Aluminium Fixed Panel System continued






Built from high quality aluminium the panels are both lightweight and extremely durable.

For further information please see our fitting instructions: <a href="https://www.thegardenspace.co/pages/downloads">www.thegardenspace.co/pages/downloads</a>

#### Glass Sliding Doors











The Glass Sliding Doors can be used to the side or front of your canopy and in fact can be fitted almost anywhere.

The system is straightforward with top and bottom track, side channels and glass panes that fit between the tracks with a roller system that clips on.

You can choose various different quantity and width combinations of glass panes to suit our space and requirements e.g. a space of 4m could be fitted with  $4 \times 1040mm$  wide panes or  $7 \times 640mm$  panes.

#### Panes come in the following sizes:

There is adjustment in the sliding mechanism which means a range


Width (mm): 640 820 980 1040

of opening heights can be achieved as shown in the table.


Installation height	Opening height flexibility
2000	1980 - 2025mm
2100	2080 - 2125mm
2150	2130 – 2175mm
2200	2180 - 2225mm
2250	2230 – 2275mm
2300	2280 – 2325mm
2400	2380 - 2425mm
2500	2480 - 2525mm

Additional space can be created by using box sections which are available in 100mm or 60mm heights.

#### Glass Sliding Doors continued









The panes need to overlap with a 35mm minimum recommended (55mm minimum if closing the middle panes against each other in the centre of the opening rather than having all opening to one side).

Panes are available with a handle which is fixed through a pre-cut hole in the glass (one or two normally required per system depending if opening to one or both sides).

An optional auto close/open system is available so that when the first door is moved, the others are then pushed/pulled with it automatically.

Brushes that clip to the sides of the panes are available to help further weatherproof the system together with brush edge finishing channels that go into the side trims.

We have pre-set kits available using an overall height of 2400mm which means they will fit in a gap of approx 2380-2425mm.

If you are fitting to the underside of a privacy panel it is imperative that your privacy panel is fitted to create the correct gap. If you are fitting to the front of your canopy then if you have used full leg height (2.5m) then you will need a 110x110mm box section to fit to the underside of your gutter to make up the gap.

#### Glass Sliding Doors continued





#### Our kits include:

- 2 x U sections to go to each side of the opening
- Top & bottom tracks
- Glass panels to suit width
- One panel with in-built handle
- Auto open/close system for each glass panel (when more than 2)
- Weather brushes which clip onto each glass
- Brush-edged finishing trims to go into each side section


2m kit contains: 2 x 1040mm panels
2.5m kit contains: 3 x 980mm panels
3m kit contains: 3 x 1040mm panels
3.5m kit contains: 4 x 980mm panels
4m kit contains: 4 x 1040mm panels

If our kits don't suit your needs then create your own kit from the individual parts or contact us for a customised quotation.

Call: **0121 415 3811** 

Email: team@thegardenspace.co

#### LED Lights



The LED light packs contain 6 or 10 LED lights (depending on which size is chosen) with cabling, remote, control pack and transformer. The lights drop into a 28mm hole which can be cut in the underside of mid support bars to illuminate your canopy or garden room.


The transformer must be connected to the mains in line with relevant regulations and by a suitably competent person.

For further information please see our fitting instructions: <a href="https://www.thegardenspace.co/pages/downloads">www.thegardenspace.co/pages/downloads</a>


#### Roof & Panel Options



**Opal:** White in general appearance, great for allowing in light as semi-transparent but also great for privacy as little more than rough shadows can be seen. The most popular choice as also does not show dirt/marks easily.



**Clear:** This is relatively transparent but flutes (walls) inside means you can't see through it particularly well. Let's in a great deal of light.



**Ultra Clear:** With less flutes (walls) inside it is the mot translucent and almost like glass. Lets in the most light and gives the clearest view.



**Solar:** Similar to Opal but protects from UV which means keeps rooms cooler.

Now that you have decided on your canopy, choose the roofing material to suit - Polycarbonate is a sturdy, flexible material, making it perfect for roofing. Easy to install and clean. Use the images above to help you make the perfect choice.

#### Frame Colours

Cream

Anthracit

White

Note: prices do not include VAT or delivery costs

## Contact us:

## Google Linkedin



over 40 years
of experience with
the supply of canopy
systems & can help you
specify your perfect
canopy...

Canopy projects: No problem... just ask for more information