SDS Revision Date:

09/15/2021



1. Identification

1.1. Product identifier			
Product Identity	StormBreaker™ Skylight Coating		
Alternate Names	StormBreaker™ Skylight Coating		
1.2. Relevant identified uses of the substance or mize	xture and uses advised against		
Intended use	Acrylic Elastomeric Roof Coating		
Application Method	See Technical Data Sheet.		
1.3. Details of the supplier of the safety data sheet			
Company Name	Viking Products Group, Inc.		
	3812 E 91 st St,		
	Cleveland, OH 44105		
Emergency			
24 hour Emergency Telephone No.	800-535-5053		
Customer Service: Viking Products Group, Inc.	1-800-350-2142		

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
Skin Sens. 1;H317	May cause an allergic skin reaction.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

[Prevention]:

SDS Revision Date:

09/15/2021



P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P313 Get medical advice / attention.

P321 Specific treatment (see information on this label).

P333+313 If skin irritation or a rash occurs: Get medical advice / attention.

P337+313 If eye irritation persists: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

P363 Wash contaminated clothing before reuse.

[Storage]:

No GHS storage statements

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate CAS Number: 0025265-77-4	1.0 - 10	Not Classified	[1]
2-N-octyl-4-isothiazoline-3-one CAS Number: 0026530-20-1	0.10 - 1.0	Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 4;H302 Skin Corr. 1B;H314 Skin Sens. 1;H317 (@>0.05%) Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1]
Chloro-methyl-isothiazolone/methyllisothiazolone mixture CAS Number: 0055965-84-9	< 0.01	Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301 Aquatic Acute 1;H400 Aquatic Chronic 1;H410 Skin Sens. 1; H317: $C \ge 0.0015\%$ Skin Corr. 1B; H314: $C \ge 0.6\%$ Skin Irrit. 2; H315: $0.06\% \le C < 0.6\%$ Eye Irrit. 2; H319: $0.06\% \le C < 0.6\%$	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

Safety Data Sheet StormBreaker[™] Skylight Coating

SDS Revision Date:

09/15/2021



[2] Substance with a workplace exposure limit.
[3] PBT-substance or vPvB-substance.
*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed give two glasses of water to drink. Do not induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
4.2. Most important syn	nptoms and effects, both acute and delayed
Overview	Effects of Overexposure: Inhalation: Spray mist in poorly ventilated areas can cause headache, nausea and irritation of the nose, throat, & lungs. Eyes: Direct contact may cause irritation. Skin: May cause moderate skin irritation with repeated contact.
	See section 2 for further details.
Eyes	Causes serious eye irritation.
Skin	May cause an allergic skin reaction. Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Water, carbon dioxide, foam or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Acrylic monomers

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Wear SCBA and full protective gear when entering a confined or enclosed space to protect from normal combustion

SDS Revision Date:

09/15/2021



products and/or oxygen deficiency.

ERG Guide No.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Keep spectators away as the floor may be slippery. Use care to avoid falling. Keep spills out of municipal sewers and open bodies of water. Dike and contain spill with inert material such as dry sand or earth. Transfer liquid material to a suitable container for recovery or disposal. Scoop or shovel solid material into a suitable container for disposal.

7. Handling and storage

7.1. Precautions for safe handling

Keep from freezing.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No known incompatible materials for this product.

Recommended storage range is 45-90°F.

Keep container tightly closed.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

SDS Revision Date:

09/15/2021



8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0025265-77-4 2,2,4-trimethyl-1,3-pentanediol	OSHA	No Established Limit	
	monoisobutyrate	ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0026530-20-1 2-N-octyl-4-isothiazoline-3-one	OSHA	No Established Limit	
		ACGIH	No Established Limit
	NIOSH	No Established Limit	
		Supplier	No Established Limit
0055965-84-9	·····	OSHA	No Established Limit
isothiazolone/methyllisothiazolone mixture	ACGIH	No Established Limit	
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value	
0025265-77-4 2,2,4-trimethyl-1,3-pentanediol		OSHA	Select Carcinogen: No	
	monoisobutyrate		Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0026530-20-1	0026530-20-1 2-N-octyl-4-isothiazoline-3-one		Select Carcinogen: No	
			NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0055965-84-9 chloro-methyl-		OSHA	Select Carcinogen: No	
	isothiazolone/methyllisothiazolone	NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

8.2. Exposure controls

Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Chemical splash goggles (ANSI Z-87.1 or approved equivalent).
Skin	Chemical impervious gloves required.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

SDS Revision Date:

09/15/2021



9. Physical and chemical properties

- Appearance Odor Odor threshold pH Melting point / freezing point Initial boiling point and boiling range Flash Point Evaporation rate (Ether = 1) Flammability (solid, gas) Upper/lower flammability or explosive limits
- Vapor pressure (Pa) Vapor Density Specific Gravity Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity (cSt) VOC Content Density % Volatile 9.2. Other information No other relevant information.

Milky-white Liquid Slight Not determined Not available 0°C (32°F) 100°C (212°F) Non-combustible Less than 1 (n-BuAc = 1) Not Applicable Lower Explosive Limit: Not applicable Upper Explosive Limit: Not applicable Greater than 1 Not available Not available Dispersible Not Measured Not applicable Not applicable 1500 - 2500 cps Less than 35 g/Liter 8.5 - 8.9 pounds per gallon 58 - 62% (by volume)

10. Stability and reactivity

10.1. Reactivity Hazardous Polymerization will not occur.

10.2. Chemical stability
Stable under normal circumstances.
10.3. Possibility of hazardous reactions
No data available.
10.4. Conditions to avoid

SDS Revision Date:

09/15/2021



No data available.

10.5. Incompatible materials

No known incompatible materials for this product.

10.6. Hazardous decomposition products

Acrylic monomers

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate - (25265-77-4)	3,200.00, Rat - Category: 5	15,200.00, Rabbit - Category: NA	No data available	No data available	No data available
2-N-octyl-4-isothiazoline-3-one - (26530-20-1)	550.00, Rat - Category: 4	690.00, Rabbit - Category: 3	No data available	0.27, Rat - Category: 2	No data available
Chloro-methyl-isothiazolone/methyllisothiazolone mixture - (55965-84-9)	5,000.00, Rat - Category: 5	5,000.00, Rabbit - Category: 5	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

SDS Revision Date:

09/15/2021



12. Ecological information

12.1. Toxicity

Toxic to aquatic life

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate - (25265-77-4)	Not Available	Not Available	Not Available
2-N-octyl-4-isothiazoline-3-one - (26530-20-1)	0.0555, Oncorhynchus mykiss	0.18, Daphnia magna	0.084 (72 hr), Scenedesmus subspicatus
Chloro-methyl-isothiazolone/methyllisothiazolone mixture - (55965-84-9)	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface Transportation)

IMO / IMDG (Ocean Transportation)

ICAO/IATA

SDS Revision Date:

09/15/2021



14.1. UN number 14.2. UN proper shipping name	Not Applicable Not Regulated	Not Regulated Not Regulated	Not Regulated Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.6. Special precautions f	ne Pollutant: No	Not Applicable	Not Applicable

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification D2B US EPA Tier II Hazards

s Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%) :

SDS Revision Date:

09/15/2021



To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

SDS Revision Date:

09/15/2021



Pennsylvania RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This is the latest version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Judgments as to the suitability of information herein for the purchaser's purposes are necessarily the purchaser's responsibility. Although reasonable care has been taken in the preparation of such information, Viking Products Group, extends no warranties, makes no representations, and assumes no responsibility as to the accuracy orsuitability of such information for application to the purchaser's intended purpose or for consequences of its use.

End of Document