

Category	English Description	Quantity(QTY)
Free tools	<i>Needle nose pliers blue style</i>	1
	<i>3D Printing Model Trimming Knife Scraper Too</i>	1
	<i>Cable management slot 25×25×38cm</i>	2
	<i>blue knife</i>	1
	<i>Nylon CNC printed parts</i>	1
	<i>Crimping Tool</i>	1
	<i>solder Iron</i>	1
Fasteners	<i>M5x30 BHCS</i>	30
	<i>M5x10 BHCS</i>	40
	<i>M5x14 BHCS</i>	5
	<i>M5x16 BHCS</i>	40
	<i>M4x6 BHCS</i>	8
	<i>M3x6 BHCS</i>	6
	<i>M3x30 SHCS</i>	25
	<i>M5x40 SHCS</i>	22
	<i>M3x40 SHCS</i>	28
	<i>M3x12 SHCS</i>	23
	<i>M3x20 SHCS</i>	29
	<i>M3x16 SHCS</i>	34
	<i>M3x8 SHCS</i>	209
	<i>M5 Hexnut</i>	30
	<i>M5 T-nut HNTAJ5-5</i>	75
	<i>M3 T-nut HNTAJ5-3</i>	130
<i>M3 Threaded Insert</i>	90	
<i>M5 1mm Spacer</i>	75	

Category	English Description	Quantity(QTY)
	<i>M2x10 Self-tapping Screw</i>	15
	<i>M3 Washer</i>	2
	<i>M3 Hexnut</i>	15
	<i>M4 Knurled Nut</i>	4
	<i>M3 Hammer Head T-nuts</i>	50
	<i>M2.5x12 BHCS</i>	5
Motion	GT2 20T Pulley (5mm ID 6mm W)	3
	GT2 20T Toothed Idler (5mm ID 6mm W)	2
	GT2 20T Toothed Idler (5mm ID 9mm W)	4
	GT2 16T Pulley (5mm ID 6mm W)	4
	GT2 80T Pulley (5mm ID 6mm W)	4
	GT2 20T Pulley (5mm ID 9mm W)	4
	F695 Bearing	20
	625 Bearing	12
	5x35mm Shaft	1
	5x60mm Shaft	4
	GT2 Belt Loop (6mm W) - 188mm	4
	GT2 Open Belt LL-2GT-9 (9mm wide) - 1010mm	4
	GT2 Open Belt LL-2GT-6 (6mm wide) - 1800mm	2
	BMG Extruder Componnets Kit	1
	MGN9H 350mm	6
HIWIN MGN12H 350MM	1	
	NEMA17 Motor 17HS19-2004S	6
	NEMA17 Motor 17HS08-1004S	1
	XY limit switch PCB board	1
	Z-axis limit switch PCB board	1

Category	English Description	Quantity(QTY)
Electronics	Hot end transfer PCB board	1
	<i>Omron Q5</i>	1
	Phaetus BMO Blue	1
	24V 50W Heating pipe	1
	Du magnesium wire thermistor	1
	40x40x20 Centrifugal Fan (24V)	1
	40x40x10 Axial Fan (24V)	1
	60x60x20 Fan (24V)	3
	Power outlet	1
	FYS Spider Eight-axis motherboard	1
	Mini 12864 Display	1
	Orange pi Zero Plus	1
	TMC2209 Stepper Motor Driver	7
	Mean Well LRS-200-24 PSU	1
	<i>Delixi Solid State Relay</i>	1
	DIN Rail Mount Bracket for G3A SSR	1
	C13 Power Cord(For USA)	1
	Thermal Fuse (120C)	1
	card reader	1
	Vibration Management	Rubber Compressor Foot
Frame	OpenBuilds Angle Corner Connector	4
	DIN 3 Rails (35mm W) - 420mm	2
	Misumi NFSB5-2020-290mm	1
	Misumi NFSB5-2020-380mm	1
	Misumi NFSB5-2020-400mm	2
	Misumi NFSB5-2020-420-TPW	10

Category	English Description	Quantity (QTY)
	Misumi NFSB5-2020-480-LCP-RCP	4
Miscellaneous	PC4 01 Pneumatic connector	2
	Bowden Tube 100mm Piece (For Spool Holder)	2
	3M tape	1
	6x3mm Neodimium Magnet	8
Cables	Nylon Cable Ties 4"	40
	24AWG Silicone Cable (Red, 250ft total)	25
	24AWG Silicone Cable (Black, 250ft total)	25
	Spade Crimp Terminal 4.8mm Female	10
	<i>JST XH Connector Plug 4 Position</i>	10
	<i>JST XH Connector Plug 2 Position</i>	10
	<i>JST XH Connector Plug 3 Position</i>	10
	<i>MicroFit3 Connector Plug 4 Position</i>	5
	<i>MicroFit3 Connector Plug 3 Position</i>	3
	<i>MicroFit3 Connector Plug 2 Position</i>	4
	<i>MicroFit3 Connector Receptacle 4 Position</i>	5
	<i>MicroFit3 Connector Receptacle 3 Position</i>	3
	<i>MicroFit3 Connector Receptacle 2 Position</i>	4
	<i>JST XH Female Pin</i>	40
	<i>MicroFit3 Female Pin</i>	40
	<i>MicroFit3 Male Pin</i>	40
	XY axis drag chain 10*11 can be opened R18, 388mm	2
	Z-axis drag chain 10*15 can be opened R38, 540mm	1

