

Yealink Ruggedized DECT Handset W59R

Tough and reliable with IP67 standard certified





Handset



Bluetooth










Yealink W59R, certified to rigorous IP67 standard, is a professional ruggedized DECT handset with integrated Bluetooth and vibration alarm that is pretty eligible for any demanding environment. Besides perfect telephony, this handset is also fully compatible with Yealink W80 Multi-Cell System that provides users with the convenience and good experience of mobile communication in and between each zone. As a reliable and durable handset, its complete alarm functions and integrated G-Sensor lends W59R itself well to the person who works in hazardous locations.

Shock, dust and water resistant

Yealink W59R is a well-rounded companion with its certified Ingress Protection rating of 67 (IP67) and long-life lithium battery, which can be entirely relied on in the complicated and harsh working environment, such as construction sites, factories and warehouses. Meanwhile, its tough rubberized surface protects the handset from slipping, scratching and disinfectant.



Freely mobile communication

Fully compatible with Yealink W80 Multi-Cell System, W59R lets the users have seamless roaming and handover of the calls. Free your hands with Bluetooth headsets and belt clip when you are inconvenient to hold the handset, for example, in the factory or the warehouse. Meanwhile, the vibration alarm prevents you from missing the calls in the noisy locations. In short, W59R tends to make a major contribution to realizing true mobile communication.



Worthy of reliance

A series of perfect alarm functions, including push-button alarm, no-movement alarm, man-down alarm and running alarm, aim to minimize safety risks. The administrator can configure different types of alarm for different members and the emergency calls will be sent automatically once an emergency occurs.



Free from distraction and interruption

To kick the wireless HD communication into high gear, W59R has been developed with multiple leading technologies combined together, including FNR (Flexible Noise Reduction), LC3 (Low Complexity Communication Codec) Plus, full duplex. This means users can get a stable and high-quality audio experience even the working environment is full of noise or wireless interference.



		11/20
Module 1	Specification	W59R
	Picture	Weather Total Control of the Control
Key Feature	Design	Ruggedized and robust
	Protection class	IP67
	Simultaneousc voice calls	2
	Bluetooth	\checkmark
	Vibrate	\checkmark
	Standby time	360h (200hours with Bluetooth headset)
	Talk time	28h (18 hours with Bluetooth headset)
	Battery	1460mAh Lithium
	Headset	Bluetooth
	Indoor range/Outdoor range	50m/300m
	DECT standard	CAT-iq2.0
	Alarm function	\checkmark
	3-way conferencing	\checkmark
	Speed dial	\checkmark
	OTA	\checkmark
Handset	Size	157mm x 51mm x 24mm
	LCD display	1.8" 128 x 160 TFT colour display
	LCD backlight	\checkmark
	Backlit keypad	\checkmark
	Alarm button	V
	Volume side key	$\sqrt{}$
Audio	Wideband codecs	AMR-WB (optional), G.722
	Narrowband codecs	PCMU, PCMA, G.726, G.729, iLBC
	FNR (Flexible Noise Reduction)	$\sqrt{}$
	LC3 (Low Complexity Communication Codec) Plus	\checkmark
	HD voice	\checkmark

