



Proper Display Brightness



webOS Smart Platform



Mobile Content Management



Meeting Room Solution

75UH5J-M

Screen Size	75"
Native Resolution	3,840 × 2,160 (UHD)
Bezel Color	Black
Brightness	500 nit (Typ.)
Bezel	14.9 mm (Even Bezel)
Depth	57.9 mm
	-



Adequate Brightness Level

The 75UH5J-M series boasts an adequate brightness level of 500 cd/m² for indoor displays, effectively showcasing content and capturing the public's attention. This makes it an adequate display solution for marketing purposes in various settings, including meeting rooms, airports, retail outlets, and shopping malls.

* Actual images available may differ from the example images shown.



High-performance with webOS

LG webOS platform enhances user convenience with intuitive GUI and simple app development tools.



Conformal Coating

In various places the 75UH5J-M series is unable to avoid exposure to environments containing dust, humidity, etc. which may hamper performance over time. The conformal coating on power board reduces these risks by protecting 75UH5J-M series from salt, dust, iron powder, humidity, etc.

^{*} Actual images (signage display) available may differ from the example images shown.



IP5x Certified Design

The IP5x Dust-Proof Certification ensures that the product is protected from dust, reducing the risk of performance degradation.




Compatible with AV Control System

The 75UH5J-M series has supported Crestron Connected® for high compatibility with professional AV controls to achieve seamless integration and automated control*, boosting business management efficiency.

CONNECTIVITY

75"

Side











^{*} Network based control