

Philips Signage Solutions C-Line Display

86" Powered by Windows 350 cd/m²



86BDL8051C

Interactive meeting display

high-end capacitive multi-touch technology

Maximise engagement and inspire collaboration with an interactive Philips C-Line display. These Windows-powered displays are made to withstand heavy daily usage and feature up to 10 touchpoints, edge-to-edge glass and a flush design.

PHILIPS

Interactive and collaborative

- Wireless screen sharing and advanced collaboration
- Works with iOS, Android, Windows, Mac
- HID Capacitive Touch with USB Plug and Play
- Operate, monitor and maintain with CMND and Control

Smart and powerful

- Anti-glare toughened glass
- Powered by Windows 10
- Install and use your preferred apps and features
- Whiteboard mode built in
- Annotate over any source and save screenshots
- · Fast and easy video conferencing
- Crestron Connected certified

Highlights

Wireless screen sharing

Display four feeds on the one screen. Use your existing Wi-Fi network to instantly and securely connect devices or use the two included HDMI dongles to cast directly to the screen without needing to connect to your secured/protected network.

HID Capacitive Touch

Capacitive Touch gives you the cutting edge appearance of edge to edge glass with a bezel width of just 1.5 mm! Create a memorable interactive experience with up to 10 touchpoints at the same time. Perfect for collaborative and competitive applications, this display connects your audience with any content — making it ideal for education, public venues, corporate, hospitality and retail settings.

Powered by Windows 10

Powerful Core i7 processor with nVidia GPU. Runs all of your favourite apps like Zoom, Skype (included) and MS Teams, MS Office (not included)

CMND and Control



Run your display network over a local (LAN) connection. CMND and Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

Whiteboard mode built in

Inspire agile collaboration with whiteboard mode. Simply activate this feature to turn your display into a blank canvas that can be drawn on by multiple users by hand or with dedicated display markers. Everything on the screen can then be captured for easy printing or file sharing.

Fast and easy video conference

Ready to use video conferencing software makes one-to-one or group video calls easier than ever. Simply use your own camera or add the optional Logitech Meetup bundle for an allin-one ConferenceCam solution.

Crestron Connected certified

Integrate this Philips Professional Display to your Crestron network for full remote control via your laptop, desktop or mobile device. Switch the display on and off, schedule content, manage settings and easily connect external devices. Crestron Connected[®] provides a fast, reliable and secure enterprise level solution for system control.

4K ULTRAHD

Specifications

Picture/Display

- Diagonal screen size: 85.6 inch / 217.42 cm
- Panel resolution: 3840 x 2160

Philips 86BDL8051C

- Optimum resolution: 3840 x 2160 @ 60 Hz
- Brightness: 350 cd/m²
- Contrast ratio (typical): 1000:1
- Dynamic contrast ratio: 500,000:1
- Aspect ratio: 16:9
- Response time (typical): 8 ms
- Pixel pitch: 0.4935 (H) x 0.4935 (V) mm
- Display colours: 1.07 billion
- Viewing Angle (H / V): 178 / 178 degree
 Picture enhancement: 3/2 2/2 motion pull down, Motion compensideinterlacing, 3D MA
- deinterlacing, Dynamic contrast enhancement, Progressive scan
- Operating system: Windows 10

Connectivity

- Video input: Display Port1.2 (x 1), HDMI 2.0 (x 4), DVI-I (x 1), USB 2.0 (x 2), USB 3.0 (x 2), USB-C
- Video output: DisplayPort 1.2 (x 1), DVI D (x 1), HDMI 2.0 (x 2)
- Audio input: 3.5 mm Jack (x 1)
- Audio output: 3.5 mm Jack (x 2)
- Other connections: micro SD, OPS
- External control: RJ45, RS232C (in/out) 2.5 mm jack, IR (in/out) 3.5 mm jack

Specifications

Supported Display Resolution

Support			y nesolu	cioi
 Compute 				
Resolutio	n	Refi	resh rate	
1920 x 12	200	60	Hz	
1920 x 10	080	60	Hz	
1680 x 10)50	60	Hz	
1600 x 12	200	60	Hz	
1600 x 90	00	60	Hz	
1440 x 10)50	60	Hz	
1440 x 90	00	60,	75 Hz	
1400 x 10)50	60,	75 Hz	
1366 x 76	68	60	Hz	
1360 x 76	68	60	Hz	
1280 x 10)24	60,	67, 75 Hz	<u>.</u>
1280 x 96	60	60	Hz	
1280 x 80	00	60,	75 Hz	
1280 x 76	68	60	Hz, 75 Hz	
1280 x 72	20	60,	70 Hz	
1152 x 90	00	66	Hz	
1152 x 86	64	60,	70, 75 Hz	<u>.</u>
1024 x 76	68	60,	70 Hz	
960 x 720)	75	Hz	
848 x 480)	60	Hz	
832 x 624	1	75	Hz	
800 x 600)	56,	60, 72, 75	Hz
720 x 400)	70	Hz	
640 x 350)	70	Hz	
640 x 480)	60,	67, 72, 75	Hz
 Video for 	mats			
Resolutio	n	Refi	resh rate	
1080p		50,	60 Hz	
576p		50	Hz	
480p		60	Hz	
1080i		50,	60 Hz	
4K x 2K		50,	60 Hz	
720p		50,	60 Hz	
480i		60	Hz	

• UHD Formats: 3840 x 2160, 24, 25, 30, 60 Hz, 3840 x 2160, 50 Hz

Dimensions

- Set dimensions (W x H x D):
- 1949 x 1120.00 x 77.50 (@wall mount), 93.00 (@max) mm
- Set dimensions in inch (W \times H \times D): 76.73 x 44.09 x 3.05 (@wall mount), 3.66 (@max) inch
- Bezel width: 1.50 mm(even)
- Product weight (lb): 175.27 lb
- Product weight: 79.5 kg
- Wall Mount: 600(H)x400(V) mm, M8
- Smart Insert mount: 6*M4*L6, 100 mm pitch, Max. size: 300 mm x 180 mm

Convenience

- Placement: Landscape, Landscape (18/7)
- Keyboard control: Hidden, Lockable
- · Signal loop through: RS232, IR Loop through
- Network controllable: RJ45, RS232

- Energy-saving functions: Smart Power
- Screen-saving functions: Pixel Shift, Low Bright
- · Ease of installation: Smart Insert
- DPMS power saving system

Power

- Standby power consumption: <0.5 W
- Mains power: 100 ~ 240 VAC, 50 ~ 60 Hz
- Consumption (Typical): 300 W
- Consumption (Max): 460 W
- Energy Label Class: G

Operating conditions

- Temperature range (operation): 0 ~ 40 °C
- Temperature range (storage): -20 ~ 60 °C
- Relative humidity: 20~80% (operating),
- 5~95% (storage) %
- Altitude: 0 ~ 3000 m
- MTBF: 50,000 hour(s)

Sound

• Built-in speakers: 2 x 20 W RMS

Accessories

• Included Accessories: Philips logo (x 1), RS232 Daisy chain cable (x 1), Cleaning cloth (x 1), DVI-I Cable (1.8 m) (x 1), HDMI Cable (3 m) (x 1), HDMI transmitter (x 2), IR sensor cable (1.8 m) (x 1), M2 Screw (x 2), M3 screw (x 2), Power cable (x 3), Touch Pen (x 2), USB A to B cable (3 m) (x 1), USB Cover (x 1), AAA batteries (x 1), Quick start guide (x 1), Remote control (x 1), RS232 cable (3 m) (x 1)

Multimedia Applications

- USB Playback Audio: AAC, M4A, MP3, WMA
- USB Playback Picture: BMP, JPEG, JPG, PNG
- USB Playback Video: ASF, AVI, FLV, MKV, MP4, MPEG, MPG, TS, VOB, WEBM, WMV, DAT

Miscellaneous

- · On-Screen Display Languages: English, French, German, Spanish, Polish, Turkish, Russian, Italian, Simplified Chinese, Traditional Chinese, Arabic, Japanese, Danish, Dutch, Finnish, Norwegian, Portuguese, Swedish
- Regulatory approvals: CE, RoHS, CB, CU, EMF, FCC, Class A, ETL, PSB
- Warranty: 3 year warranty

Internal Player

CPU: Intel Core i7

- Storage: 256 GB eMMc
- GPU: Nvidia GT730
- RAM: 8 GB DDR4

Multi-touch Interactivity

• Touchpoints: 10 simultaneous touch points



Issue date 2023-12-25 © 2023 Koninklijke Philips N.V. All Rights reserved. Version: 5.1.1 Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners. 12 NC: 8670 001 67654 www.philips.com

EAN: 87 12581 76745 7

86BDL8051C/00