


EP5540T

Key Features

- Ultra HD Resolution
- Interactive On-Demand Messaging
- Free-standing Design
- Built-in Quad Core media player with 16GB storage
- Versatile Connectivity
- Internal Scheduler





Product **Description**

The ViewSonic[®] EP5540T is a 10-point interactive, 55" 4K Ultra HD all-in-one free-standing digital ePoster kiosk with a sleek, slim design. Great for grabbing attention in busy, high-traffic areas, the EP5540T comes with a scratch-proof tempered glass faceplate for added durability. Featuring an IPS-type panel, 4K Ultra HD resolution, 178°/178° wide-angle viewing, 400-nit brightness, 1,200:1 contrast ratio, and dual 10W stereo speakers, the EP5540T delivers customized multimedia messaging with vivid clarity. Photo and video files can be played back using the embedded Quad-core media player and 16GB of internal memory, or add your own media player using the convenient media player cradle inside the lockable security door.

Specifications

| UPC | 766907988529 |
|---|---|
| Screen Size | 55 |
| Viewable Area (in.) | 54.6 |
| Display Resolution | 3840 x 2160 |
| Light Source | DLED |
| Orientation | Portrait |
| Static Contrast Ratio | 1,200:1 |
| Brightness | 400 cd/m2 |
| Viewing Angles | 178º horizontal, 178º vertical |
| Backlight Life (Hours) | 30,000 |
| Response Time (Typical GTG) | 6ms |
| Panel Surface | 7H/ 5mm Tempered glass |
| Panel Type | IPS-Type |
| Aspect Ratio | 16:9 |
| Operation Rating | 16/7 |
| Image | BMP, JPG, PNG |
| Video | AVI, DAT, MKV, MOV, MP4, MPEG, MPG, RM, RMVB, TS |
| Audio | AAC, MP3 |
| Internal Considered | 10/// (-2) |
| Internal Speakers | 10W (x2) |
| 3.5mm Audio In | 10W (X2) 1 |
| | |
| 3.5mm Audio In | 1 |
| 3.5mm Audio In 3.5mm Audio Out | 1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) | 1 1 1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In | 1 1 1 2 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC | 1 1 2 1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA | 1 1 2 1 1 1 1 1 1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In | 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In USB 2.0 Type A | 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In USB 2.0 Type A USB 2.0 Type B | 1 1 2 1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In USB 2.0 Type A USB 2.0 Type B USB 3.0 Type A | 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 2 2 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In USB 2.0 Type A USB 2.0 Type B USB 3.0 Type A Media Player Type | 1 1 1 2 1 <td< th=""></td<> |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In USB 2.0 Type A USB 2.0 Type B USB 3.0 Type A Media Player Type CPU | 1 1 1 2 1 2 Yes Quad-core SoC, USB Supported internal media player |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In USB 2.0 Type A USB 2.0 Type B USB 3.0 Type A Media Player Type CPU | 1 1 1 2 1 2 Yes Quad-core SoC, USB Supported internal media player Android™ 5.0.1 |
| 3.5mm Audio In 3.5mm Audio Out Ethernet LAN (RJ45) HDMI 2.0 In HDMI CEC VGA RS232 In USB 2.0 Type A USB 2.0 Type A USB 3.0 Type A Media Player Type CPU Operating System RAM | 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 Yes Quad-core SoC, USB Supported internal media player Android™ 5.0.1 2GB |

| Touch Technology | Infrared |
|---------------------------|---|
| Touch Points | 10-Point Touch |
| Voltage | 100-240 VAC |
| Consumption (max) | 150W |
| Consumption (typical) | 117W |
| Stand-by | <0.5W |
| Temperature | 32-104º F (0 - 40º C) |
| Humidity (non-condensing) | 20-80% |
| Gross (lbs) | 187.4 |
| Net (lbs) | 154.3 |
| Gross (kg) | 85.0 |
| Net (kg) | 70.0 |
| Packaging (in.) | 38.7 x 79.3 x 24.3 |
| Physical (in.) | 32.2 x 74.8 x 17.7 |
| Packaging (mm) | 983.0 × 2016.0 × 618.0 |
| Physical (mm) | 820.0 × 1900.0 × 450.0 |
| On Screen Display | Picture Mode, Contrast, Brightness, Hue, Sharpness, Saturation, Anti-Flicker, Backlight, Screen, Color temperature, Bluelight Filter, Zoom Mode, OverScan, Image NR |
| Remote Control | Sound Mode, Bass, Treble, Balance, Surround, Alone, MHL Auto Switch, Menu Timeout, Data/Time, Off Timer, On Timer, Sleep Time, Set Password, System ID, Lock Keypad, LowerPower Standby, Restore To Default |
| Regulations | FCC/cTUVus/BSMI |
| Package Contents | EP5540T Kiosk, Power Cord, Remote Control with Battery, Quick Start Guide, User's Guide, Door Key |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | One-year limited warranty on parts, labor and backlight |
| Classification | Discontinued |
| UPC: 766907988529 | |

United



Contact Sales ViewSonic.com 888.881.8781

888.881.8781