



COMMERCIAL DISPLAY ACCESSORIES

All-in-one conference camera

Key Features

- Zoom Rooms Certified Camera
- Automatically focus framing on narrator during the conference through voice tracking.
- Automatically adjust the frame based on attendees' seating with up to 121° wide-angle FOV.
- 4K UHD resolution and 5x digital zooming.
- Stereo speaker and 4 array microphone with 3A audio (AEC/ANS/AGC) processing technology*



*Remarks:

AEC: Acoustic Echo

Cancellation

ANS: Automatic Noise

Suppression

AGC: Automatic Gain

Control

Product Description

The ViewSonic All-in-one conference camera is designed to enhance the video meeting experience for all the participants. Its 4K UHD resolution and 121° super wide-angle lens efficiently capture the whole room regardless of seating arrangements. The voice tracking feature of its built-in microphone paired with a 5x digital zoom ensures that the speaker will always be inframe. It comes complete with an stereo speaker and a 4 array microphone with noise and echo cancellation technologies to ensure participants can hear and be heard loud and clear.





- 1. DC in
- 2. USB-C 3.0
- 3. HDMI
- 4. USB-A 2.0
- 5. LAN

Visit Us www.viewsonic.com



OPERATING SYSTEM

Windows 7 (only 1080p and below), Windows 8.1,
Windows 10 or higher
macOS® 10.10 or higher
Google Chromebook™ Version 29.0.1547.70 or higher
Linux (requires support for UVC)

SYSTEM REQUIREMENT

CPU Recommended:	2.4 GHz Intel® Core 2™ Duo processor or above
RAM Recommended:	2 GB of memory or above

CAMERA

Sensor:	1/2.5 inch, CMOS, 8.51M pixel
Field of View (FOV):	121°(DFOV), 110° (HFOV), 5x Digital Zoom, Pan/Tilt ±15°
White Balance:	Automatic, Indoor, Outdoor, One Push, Manual
Digital Noise Reduction:	2D, 3D digital noise reduction
Backlight Compensation:	Support

AUDIO

Microphone:	Beamforming microphone, pick up distance up to 6 meters
-------------	---

SUPPORTED VIDEO FORMAT

Color System Compression:	H.264 / MJPEG /YUY2
Max. Resolution Video:	4K@30fps, 1080P@30fps, 720P@30fps, etc

CONNECTIVITY

USB:	3.0(Type C x1), 2.0(Type A x1)
HDMI output:	x1

DIMENSIONS

Physical - Expanded (W x H x D):	600 x 115 x 135 mm (bracket included)
----------------------------------	--

WEIGHT

Physical (Net):	2.2 kg (4.86 lbs)
-----------------	-------------------

REGULATIONS

Compliance Certification:	CE, FCC, IC ID, FCC ID, LVD
---------------------------	-----------------------------

PACKAGE CONTENTS

1. VB-CAM-201
2. Documentation
3. Remote Control (Requires AAA batteries x 2)
4. Power Adapter
5. Bracket
6. USB Type-C Cable
7. Bracket Screw x 6
8. Wall Anchor x 6



Copyright © ViewSonic Corporation 2000-2024. All rights reserved.

