



Vivitek offers optional interactive modules designed to empower users with a truly interactive experience. With the interactive modules, you can transform your screen into an interactive whiteboard, enabling more collaborative and engaging sessions. Whether you prefer using an IR pen or your finger touch, Vivitek's interactive modules can take your presentations, lessons, and meetings to the next level.

Setting up Interactive Camera Module DP01








DP01 Interactive Camera Module

The optional DP01 Interactive Camera Module for the DU775Z-UST projector will seamlessly transform any projection surface into a convenient and interactive whiteboard by enabling effortless IR pen annotation.

FEATURES

- Annotate on any materials and clarify aspects of the discussion
- Emphasize on points by underlining, circling, or annotating in digital ink.
- Teach and discuss with whiteboard software i-Draw Annotation Tool



- Use the two included IR Pens for the most ergonomic way to interact with the projected image
- Compatible with Windows® and Mac® OS

Model Number	Vivitek DP01
Product Compatibility	DU775Z-UST
Camera Sensor Technology	Infrared 940nm
Resolution	Max 2659 *1 944 array USE: 720P (1280*720 array)
Angle of View	HFOV :150 °± 5 ° VFOV :90 °± 5 ° DFOV :180 °± 5 ° Wavelength 940nm ± 10nm
Response Time	0.016 sec
Refresh Rate	60 Frames Per Second
Wavelength	940nm ± 10nm
Calibration	Auto/Manual Calibration
Dual Screen Calibration	Yes
Operating Current	Max 400m
Operating Voltage	4.8 V ~5.2V
Operating Power	2 Watt
Power Source	Powered from the projector
USB Cable Distance	Max 5 meters (2 meter USB Cable + Repeater)
Multi-Point Support	10-point (pen) support
Weight (With Cover)	50g
Dimensions (H x W x L) (With Cover)	112 x 59 x 25 mm
Standard Package Contents	USB Cable x1 (2m) IR Pen x2 , Pen Tips x 3, Batteries x 4 (AAA)












DT03 Finger-Touch Module

The optional DT03 module extends interactivity to include finger-touch functionality. This module is compatible with the DU775Z-UST model and other models such as DW771USTi, DW771USTie, and DH773USTi, which come equipped with a built-in camera.

FEATURES

- Enables multiple users to simply use a finger to write, touch, draw and interact
- Facilitate collaboration with up to 10 touch points at the same time
- Intuitive finger touch gestures including pinch-in /out and rotate
- Rapid 0.016 sec response time for smooth touch experience



- Fast auto calibration for easy setup and configuration
- Maximum interactive area up to 110"
- Powered directly from the projector eliminating the need for external cables
- DT03 Module works in combination with the DP01

Model Number	Vivitek DT03
Product Compatibility	DW771USTi \ DW771USTie \ DH773USTi \ DU775Z-UST (with DP01)
Technology	Infrared 940nm
Multiple Touch Point Support	Up to 10 Touch Points (Finger)
Finger Touch Gestures (Two Finger)	Pinch-In/Out, Rotate
Response Time	Max 0.016 sec
Refresh Rate	60 Frames Per Second
Calibration	Auto/Manual Calibration
Dual Screen Calibration	Yes
Interactive Connection	PC: USB 2.0 Type A, Projector: USB Mini-B
Power Supply	5V 500mA, USB Power/USB Mini-B
Maximum Interactive Area	Within 110"
USB Cable Distance	Max 5 meters (2 meter USB Cable + Repeater)
Supported Software	D-Point 3 (Driver & Calibration Tool), i-Draw, NovoScreen Note
Weight (With Cover)	240g (8.5oz)
Dimensions (H x W x L) (With Cover)	201 x 70 x 45mm (7.9" x 2.7" x 1.7")
Standard Package Contents	DT03 Module with Cover, Dummy Pens (x2), Extra Pen Tips (x4), Mini-USB Cable, Alignment Masks (x2), Wrist Strap (x2), Double Sided Tape, Documentation Kit





©2023 Vivitek. Vivitek is a trademark of Delta Electronics, Inc. Other trademarks are the properties of their respective owners. Values, weights and dimensions shown are approximate. Errors and omissions accepted. Specifications are subjection to change without prior notice.

