



## Group DATA SHEET

Product Information	
EAN	5099206062528
Brand	Logitech
SKU	10071599
Manu Part #	960-001057

Physical	
Form Factor	Video Conferencing Camera
In The Box	Camera, speakerphone, remote control, two 5m/ 16.4-foot cables for connection between speakerphone and hub and camera and hub, one 3m/9.8-foot meter cable between hub and PC, Hook- and-Loop for cable management, Hook-and-Loop for

hub to table securing, powered hub, power adaptor with regional plugs, mount, quick start guide, warranty card.

General	
Product Type	Video Conferencing System
Warranty	2 year
Product Family	GROUP
Marketing	GROUP, the amazingly affordable video conferencing system for mid to large-size conference rooms, allows any meeting place to be a video collaboration space. USB plug-and-play connectivity makes GROUP a breeze to deploy and use. It works within your own familiar computing environment with any video conferencing software application. Razor sharp video and a beautifully designed full-duplex speakerphone deliver an outstanding collaboration experience. Simply connect a laptop and start a meeting, or use the state-of-the art speakerphone with a Bluetooth wireless technology enabled mobile device for professional quality audio calls. GROUP, our video conferencing solution for groups of 14-20 people, delivers high quality HD video and crystal clear audio, allowing any meeting place to be a video collaboration space. With advanced features like acoustic echo cancellation, noise reduction, and intuitive controls now it's easier than ever to include everyone in the conversation. USB plug-and-play connectivity makes GROUP easy to use. Simply connect a laptop to conduct life-like meetings within your own familiar computing environment for use with any video conferencing software application. Plus, you can use the state-of-the-art speakerphone with a Bluetooth wireless technology enabled mobile device for professional quality audio calls. GROUP offers the flexibility to customize conference room set-up with multiple camera mounting options. Use the camera on the table or mount it on the wall with included

	hardware. The bottom of the camera has a standard tripod thread for added versatility. Conference participants can clearly converse within a 6m/20-foot diameter around the base, or extend the range to 8.5m/28-foot with optional expansion mics.
Barcode	5099206062528

System Requirements	
System Requirements	Windows 7, Windows 8 or Windows 10 Mac OS X 10.7 or higher Google Chromebook Version 29 or higher

Interfaces/Ports	
USB Port(s)	1 x USB

Video	
Frame Rates	30 Per Second

## **Product Description**

GROUP, the amazingly affordable video conferencing system for mid to large-size conference rooms, allows any meeting place to be a video collaboration space. USB plugand-play connectivity makes GROUP a breeze to deploy and use. It works within your own familiar computing environment with any video conferencing software application. Razor sharp video and a beautifully designed full-duplex speakerphone deliver an outstanding collaboration experience. Simply connect a laptop and start a meeting, or use the state-of-the art speakerphone with a Bluetooth wireless technology enabled mobile device for professional quality audio calls. GROUP, our video conferencing solution for groups of 14-20 people, delivers high quality HD video and crystal clear audio, allowing any meeting place to be a video collaboration space. With advanced features like acoustic echo cancellation, noise reduction, and intuitive controls now it's easier than ever to include everyone in the conversation. USB plug-and-play connectivity makes GROUP easy to use. Simply connect a laptop to conduct life-like meetings within your own familiar computing environment for use with any video conferencing software application. Plus, you can use the state-of-the-art speakerphone with a Bluetooth wireless technology enabled mobile device for professional quality audio calls. GROUP offers the flexibility to customize conference room set-up with multiple camera mounting options. Use the camera on the table or mount it on the wall with included hardware. The bottom of the camera has a standard tripod thread for added versatility. Conference participants can clearly converse within a 6m/20-foot diameter around the base, or extend the range to 8.5m/28foot with optional expansion mics.

