



Webcam C925E DATA SHEET

Product Information

EAN	5099206064027
Brand	Logitech
SKU	10097673
Manu Part #	960-001076

Wireless LAN

Antenna Type	Built-in
Receive Sensitivity	54Mbps: -70dBm • 11Mbps: -85dBm
Wireless Network Speed	Up to 54
Encryption	WPA Personal, WPA2-AES and 64/128-bit WEP
Transmit Power	15 to 19
Spreading	OFDM, DSSS
RF Network Standard	802.11g

Number of channels	13
Frequency Band	5.8

Physical

Case Colour	Black
In The Box	Logitech C925e Webcam • Quick Start Guide
LED Status Indicators	Illuminated activity light
Indoor/Outdoor	Indoor
Mounting Kit	Desktop Stand

General

Electrical Frequency	50 to 60
Warranty	2-year limited hardware warranty
Description	Bundle includes a Logitech Expansion Microphone
PartNo	960-001076
Certification(s)	Cisco Jabber
USB Port(s)	1 x USB
Product Family	GROUP
Vow Number	LC04520
SC Depth	Vacuum Cleaner

Network Card Data Link Protocol	Ethernet
Range (Indoor Maximum)	Blu-ray Drive
Product Series	Harmony Remote Control Units
AC Input Voltage	100 to 240
Microphone Pattern	Unidirectional
Video Resolution(s)	320 x 240
Network Protocol(s)	SMB/CIFS (Apple, Microsoft), NFS (Linux/Unix), FTP
Shipping Carton Quantity	1
Barcode	5099206064027
Weight	0.17
Depth	4.5
Width	12.6
Height	7.3
ISPC Code	40230
Spicers Number	5386
SC Weight	10.3000
Shipping Carton Product Quantity	360
Pallet Product Quantity	1440
Image Issue	3
TC Depth	50

SP Weight	200
TC Weight	30
SC Width	60
TC Height	50
SC Height	40
SP Height	500.75
SP Depth	450.50
SP Width	500.50
Trade Carton Product Quantity	60
TC Width	50
Shipping Pallet Quantity	4
Maximum Power Consumption	8
Range (Outdoor Maximum)	400

Interfaces/Ports

RJ-45 Ports	1 x RJ-45
External Microphone	Yes
Power Adapter Input	Via External AC Adaptor
Audio Output	1 x 3.5 Mini-Jack

System Requirements

Operating Systems Supported	Windows Vista, Windows 7 (32-bit or 64-bit) or Windows 8
System Requirements	Internet connection • USB 1.1 port (2.0 recommended)
Recommended Display Requirements	1280 x 720 screen resolution
Media Requirement	CD-ROM drive
Recommended Processor Requirements	1.6 GHz
Minimum Processor Requirements	1 GHz
Browser Support	Internet Explorer 5.0+
Minimum Storage Requirements	200
Minimum Memory Requirements	512
Recommended Memory Requirements	1024

System

Software Included	Logitech Vid HD • Video and photo capture
Security	User privilege management and password protection • DoS attack defense, ARP attack defense, and ICMP attack defense • Binding of the IP address, MAC address, interface, and VLAN • Port isolation, port security, and sticky MAC • Blackhole MAC address entries • Limit on the number of learned MAC addresses • 802.1x authentication and limit on the number of users on an interface • AAA authentication, RADIUS authentication, HWTACACS authentication, and NAC • SSH v2.0 • Hypertext Transfer Protocol Secure (HTTPS) • CPU defense • Blacklist and whitelist

User Interface	Dockable remote control for camera/speakerphone functions (10 foot range)
----------------	---

Electrical	
Power Adaptor Type	External
Battery Type	Lithium-Ion
Current	1.5
DC Input Voltage	5
Running Time	17

Environmental	
Operating Humidity	20 to 90
Operating Temperature	0 to 40

Image Device	
Resolution (Maximum)	1920 x 1080
Image Compression	Fine • Normal • Basic
CCD Pixels	5.0 Megapixels
CCD Sensor	CMOS
CCD Size	1/3

Effective Pixel Resolution	640 x 480
Colour Resolution	24

Sound

Mute Switch	Yes
Audio Capabilities	Two omni-directional microphones supporting 12-ft diameter range • Frequency response: 100Hz - 16kHz • Sensitivity: -34dB +/-3dB • Distortion: <1% @ 1KHz at 65dB
Built in Microphone	Yes
Noise Cancelling	Yes
Microphone Type	Built-in boom
Noise Reduction	60

Exposure/Balance

Minimum Illumination	1 Lux
Gain Control	Automatic
White Balance	Auto/Manual
Brightness Control	Yes
Exposure Control	Auto
Shutter Speeds	1/25 to 1/10000

Contrast Control	Yes
Hue Control	Automatic

Video

Video Phone Capabilities	Microsoft Hardware has joined with Windows Live to provide you with a new dimension in instant messaging-video calling. Now you can see high definition video images and hear crystal-clear voices with Microsoft LifeCams and Windows Live Messenger.
Video Features	Full HD 1080p video calling (up to 1920 x 1080 pixels); 720p HD video calling (up to 1280 x 720 pixels) with supported clients • H.264 UVC 1.5 with Scalable Video Coding (SVC) • Supports H.264 SVC 1080p for Skype for Business, along with optimizations for best call performance in single or multiparty HD video
Frame Rates	30

Network

Network Features	Wireless: Wi-Fi, 802.11b/g (optional) • IP mode: Dynamic IP address, Static IP address
Network Speeds Supported	10/100/1000

Lens

Lens Type	Auto-focus
-----------	------------

Image Stabiliser	Yes
Focal Length	4.2 to 50.4
Focus Range	30 cm to Infinity
Digital Zoom	4
Optical Zoom	10
View Angle (Vertical - Max)	75
View Angle (Horizontal - Max)	75
Aperture	2.3
Lens Viewing Angle	72

Shipping

Trade Carton	6
--------------	---

Product Description

The Logitech C925e Webcam delivers razor-sharp video for an enhanced face-to-face collaboration experience from virtually any desktop. With a 78° field of view, RightLight 2 technology, UVC H.264 encoding and autofocus, the C925e intelligently adjusts to improve visual quality in low light and backlit situations at multiple distances. Omni-directional dual stereo microphones deliver clear sound from open workspaces to home offices to private offices. With the included privacy shutter, workers can also quickly cover the webcam lens for added privacy and security. The Logitech C925e Webcam is a brilliantly designed webcam for anyone seeking enhanced video collaboration. USB plug-and-play connectivity makes it really easy to set up and operate, plus it works with any video conferencing software application - including the ones you already use.

