EB-1780W

DATASHEET / BROCHURE





Ultra-mobile, HD-ready projector for on-the-go business users, combining intelligent features, superb image quality, easy set-up and true portability.

Staff that are constantly on the move and frequently make presentations at customer sites can benefit from this ultra-mobile projector, offering a winning combination of ultra-slim lightweight design, exceptional image quality and advanced functionality. With traditional wired and built-in wireless connectivity, time-saving set-up plus a range of advanced features, it's ideal for polished presentations.

Exceptional image quality

Enjoy superb image quality, impressive natural colours with an equally high white and colour light output of 3,000 lumens thanks to Epson's 3LCD technology. True Colours technology delivers a faithful reproduction of colours as they are meant to be and, with a 10,000:1 contrast ratio, projected images are crisp and clear.

Easy set-up

Automatic vertical and horizontal keystone correction makes it easy to set up the projector almost anywhere. The short throw ratio projects a large image from a shorter distance so that all meeting participants can be seated behind the projector as the front exhaust directs heat away from them. Thanks to its Auto Power On feature, the projector turns on when it detects signal input.

Smarter presentations

Users can view two data sources side by side with split screen, and MHL can show high-quality video and audio content from mobile devices while charging them at the same time.

True portability

The ultra-slim form factor and lightweight design makes this the ideal projector for anyone on the move. A carry case is included and the projector fits easily into a standard laptop bag.



KEY FEATURES

- Exceptional image quality Equally high white and colour light output of 3,000 lumens
- Horizontal and Vertical Keystone correction

Slides and images can be aligned and distortion corrected

- Lightweight & ultra-slim form factor Fits in the same bag as a laptop computer
- Free iProjection app Present wirelessly from a smartphone or tablet
- Split screen capability Display images from two different sources simultaneously



PRODUCT SPECIFICATIONS

TECHNOLOGY Projection System	3LCD Technology, RGB liquid crystal shutter 0.59 inch with C2 Fine	
LCD Panel		
IMAGE		
Color Light Output	3,000 Lumen- 1,900 Lumen (economy) In accordance with IDMS15.4	
White Light Output	000 Lumen - 1,900 Lumen (economy) In accordance with ISO 21118:2020	
Resolution WXGA 2		
High Definition	HD ready	
Aspect Ratio	16:10	
Contrast Ratio	10,000 : 1	
Light source	Lamp	
Lamp	206 W, 4,000 h durability, 7,000 h durability (economy mode)	
Keystone Correction	Auto vertical: ± 30 °, Manual horizontal ± 30 °	
Colour Video Processing	10 Bits	
2D Vertical Refresh Rate	100 Hz - 120 Hz	
Colour Reproduction	Upto 1.07 billion colours	
OPTICAL		
Throw Ratio	1.04 - 1.26:1	
Zoom	Manual, Factor: 1 - 1.2	
Screen Size	30 inches - 300 inches	
Projection Distance Wide	0.7 m - 6.8 m	
Projection Distance Tele	0.8 m - 8.2 m	
Projection Distance Wide/Tele	e 1.35 m - 1.62 m (60 inch screen	
Projection Lens F Number 1.58 - 1.7		
Projection Lens Focal Length	13.52 mm - 16.22 mm	
Projection Lens Focus	Manual	
Offset	10:1	
CONNECTIVITY		
USB Display Function	3 in 1: Image / Mouse / Sound	
Interfaces	USB 2.0-A, USB 2.0, VGA in, HDMI in, Composite in, Jack plug in, MHL, Wireless LAN IEEE	
	802.11b/g/n, Wireless LAN b/g/g 25GHz	
Epson iProjection App	Ad-Hoc / Infrastructure	
. ,	· ··· ·······	
ADVANCED FEATURES	Kanalandan kale Windows I Ablancesile. Decementaria	
Security	Kensington lock, Wireless LAN security, Password protection	
Other features	AV Mute Slide, Built-in speaker, Document Camera Compatible, Home Screen, Instant on/off,	
	JPEG Viewer, Long lamp life, MHL audio/video interface, PC Free, Projection App for	
	Chromebook, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection App	
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM SIM	

EB-1780W

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Software (CD)
- HDMI Cable 1.8m
- USB cable
- Carrying bag



PRODUCT SPECIFICATIONS

GENERAL

Power consumption

FR-1	780W
	10011

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Software (CD)
- HDMI Cable 1.8m
- USB cable
- Carrying bag

Cumply Valtage	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	292 x 213 x 44 mm (Width x Depth x Height)
Product weight	1.8 kg
Noise Level	Normal: 39 dB (A) - Economy: 30 dB (A)
Supported Temperature	Operation 5° C - 40° C, Storage -10° C - 60° C
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%
	If the projector is suspended from a ceiling or wall mount and installed in an environment with
	heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke
	or bubbles are used for event staging, or where aroma oils are frequently burned, it can make
	certain parts of our products susceptible to a material degradation which over time could
	break and cause the projector to drop from the ceiling.
	If you are concerned about the environment in which your projector is installed, or if you have
	any other questions, please contact our support department and they can provide additional assistance.
Included Software	EasyMP Multi PC Projection
Options	Air filter, Ceiling mount, Document camera, Setting plate, Spare lamp, WP System - ELPWP20,
	Wireless transmitter - ELPWT01
Loudspeaker	1 Watt
Room Type / Application	Boardroom, Huddle space / Portable, Large Meeting Room / Auditorium
Positioning	Ceiling Mounted, Desktop
Colour	White / Black
OTHER	
Warranty	60 months Carry in, Lamp: 60 months or 1,000 h
	Optional warranty extension available

252 Watt - On mode power consumption (Normal)

277 Watt (Peak), 200 Watt (Eco), 0.34 Watt (Energy saving standby)



OPTIONAL ACCESSORIES

- ELPLP94
- V13H010L94 • Air Filter - ELPAF53
- V13H134A53
- Setting Plate ELPPT01
- V12H003D01 • Safety Wire - ELPWR01
- V12H003W01

LOGISTICS INFORMATION

ѕки	V11H795041
EAN code	8715946629926
Country of Origin	Philippines
Layer	5 Units
Layer Block	6 Units



For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2022-08-19

