# EB-L720U

#### DATASHEET / BROCHURE





# A powerful high brightness laser display with versatile connectivity, the EB-L720U is an ideal display solution for effective collaboration.

The EB-L720U delivers exceptional image quality, focussing on professional content delivery and display performance. Designed around ease of use, up to a 500" display size, affordability and sustainability, it's the ideal imaging solution for today's professional world.

Featuring a powerful 7,000 lumens high-brightness capability, along with Full HD, WUXGA, 16:6 wide screen, support for 4K input and detail enhancement technology, it gives users brighter, more vivid displays of up to 500".

Providing more premium features than you would typically expect to find in this display class, the EB-L720U delivers edge-blending and rich geometric correction to achieve one seamless large-format display. And for multimedia content, you can playback content without any lagging, and create playlists and set schedules directly from USB memory, all thanks to H.264 advanced video coding and the Epson Content Manager.

Flexibility is another hallmark of this display solution - a split-screen function allows two or four images from different sources to be combined in one large display; wired or optional wireless<sup>1</sup> with support for Miracast<sup>1</sup> makes connectivity simple and straightforward; and HDBaseT content can be shared and distributed without compromising on quality.

Thanks to the renowned market leading<sup>2</sup> reliability of Epson laser displays, this fit and forget solution eliminates the need for regular maintenance. And for added confidence the EB-L720U comes with a standard 3-year warranty to provide lasting peace of mind.

# **KEY FEATURES**

- High brightness, scalable size Provides 7,000 lumens high-brightness display at up to 500"
- Premium display features Full HD, 4K support, edge-blending and geometric correction
- Unrestricted viewing Free from pixilation, glare, fingerprints and a central bevel
- Social distancing support Scalable display meets the needs of every audience configuration
- Plug, click and collaborate Collaborate using Epson's wireless presentation system - ELPWP10



#### PRODUCT SPECIFICATIONS

TECHNOLOGY		
Projection System	3LCD Technology, RGB liquid crystal shutter	
LCD Panel	0.67 inch with C2 Fine	
IMAGE		
Color Light Output	7,000 Lumen- 4,900 Lumen (economy) In accordance with IDMS15.4	
White Light Output	7,000 Lumen - 4,900 Lumen (economy) In accordance with ISO 21118:2020	
Resolution	WUXGA	
High Definition	Full HD	
Aspect Ratio	16:10	
Contrast Ratio	2,500,000 : 1	
Light source	Laser	
Laser Light source	20,000 hours Durability High, 30,000 hours Durability Eco	
Keystone Correction	Manual vertical: $\pm$ 30 °, Manual horizontal $\pm$ 30 °	
Colour Video Processing	10 Bits	
2D Vertical Refresh Rate	192 Hz - 240 Hz	
Colour Reproduction	Upto 1.07 billion colours	
0071041		
OPTICAL Throw Ratio	1.35 - 2.20:1	
Zoom	Manual, Factor: 1 - 1.6	
Lens	Optical	
Screen Size	50 inches - 500 inches	
	1.5 - 1.7	
Projection Lens F Number		
Projection Lens Focal Length		
Projection Lens Focus	Manual 27:1	
Offset	27:1	
CONNECTIVITY		
Interfaces	RS-232C, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN a/n (5GHz)	
	(optional), VGA in (2x), VGA out, HDMI in (2x), HDBaseT, Miracast (optional), Jack plug out,	
	Jack plug in (2x), USB 2.0-A, USB 2.0	
Epson iProjection App	Ad-Hoc / Infrastructure	
ADVANCED FEATURES		
Security	Kensington lock, Padlock, Security cable hole, Wireless LAN unit lock	
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, DICOM SIM	
Other features	21:9 aspect ratio support, A/V mute, Arc Correction, Auto source search, Built-in speaker, CEC	
	compatible, Edge Blending, Home Screen, Instant on/off, Long light source life, PC Free,	
	compatible, Edge blending, nome Screen, instant on/on, Edig light source me, Fo mee,	
	Power on button, Screen share, Split-Screen-Function, Ultra-wide display (16:6), iProjection	
Video Color Modes	Power on button, Screen share, Split-Screen-Function, Ultra-wide display (16:6), iProjection App	
Video Color Modes Projector control	Power on button, Screen share, Split-Screen-Function, Ultra-wide display (16:6), iProjection	

#### EB-L720U

### WHAT'S IN THE BOX

- Remote control incl. batteries
- Power cable
- User guide
- Warranty Documents



## PRODUCT SPECIFICATIONS

GENERAL

#### WHAT'S IN THE BOX

- Remote control incl. batteries
- Power cable
- User guide
- Warranty Documents

wananty	Optional warranty extension available	
OTHER Warranty	36 months Carry in	
Colour	White	
Positioning	Ceiling Mounted, Desktop, Floor, Wall Mounted	
Desitioning	Signage / Retail, Visitor Attraction	
Room Type / Application	Boardroom, Home Office, Large Meeting Room / Auditorium, Meeting room / Classroom,	
Loudspeaker	10 Watt Beardmann Llama Office, Lama Meeting Bearn (Auditorium, Meeting room (Classroom)	
	transmitter - ELPWT01	
	wire set, Suspension adapter, WP System - ELPWP10, Wireless LAN unit, Wireless	
Options	Air filter, Ceiling mount, Document camera, External Speaker, HDBaseT Transmitter, Safety	
Included Software	EasyMP Multi PC Projection	
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%	
Supported Temperature	Storage -10° C - 60° C	
Noise Level	Normal: 39 dB (A) - Economy: 27 dB (A)	
Product weight	7.8 kg	
Product dimensions	440 x 122 x 304 mm (Width x Depth x Height)	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	
	345 Watt (Peak), 258 Watt (Eco), 0.3 Watt (Energy saving standby)	
Power consumption	287 Watt - On mode power consumption (Normal)	



#### **OPTIONAL ACCESSORIES**

- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA
- Air Filter ELPAF56 L600/EB-14XX Series V13H134A56
- Safety Wire ELPWR01
  V12H003W01
- Adapter ELPAP11 Wireless LAN (5GHz) V12H005A01
- Ceiling Mount (White) ELPMB22 V12H003B22
- Ceiling Mount (Low profile) ELPMB30 V12H526040
- Ceiling Mount ELPMB68
  V12H006AE0

#### LOGISTICS INFORMATION

SKU	V11HA44040
EAN code	8715946695587
Country of Origin	China



For more information please contact:

Home users: 0343 90 37766 Business users\*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus \* 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie 1. Wireless and Miracast are enabled when used with the optional ELPAP11 adapter.

2. 3. 2001 to 2020, 500-lumen and above, excluding screenless TVs, Futuresource Consulting – Quarterly Projector Market Insights – Worldwide Analyzer CY20Q4.



EB-L720U

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2022-08-23