

Palo Alto Networks LX Compatible SFP Module - 1000BASE-LX - 1GbE Single Mode Fiber SMF Optic Transceiver - 1GE Gigabit Ethernet SFP - LC 10km - 1310nm - DDM

Product ID: LX-ST



The LX-ST is a Palo Alto Networks PAN-SFP-LX compatible fiber transceiver module that has been designed, programmed and tested to work with Palo Alto Networks brand switches and routers. It delivers dependable 1 GbE connectivity over fiber cable, for 1000BASE-LX compliant networks, with a maximum distance of up to 10 km (6.2 mi).

Technical Specifications:

- Wavelength: 1310nm
- Maximum Data Transfer Rate: 1000 Mbps (1 Gbps)
- Type: Single Mode Fiber
- Connection Type: LC Connector
- Maximum Transfer Distance: 10 km (6.2 mi)
- MTBF: 634,210,013 hours
- Power Consumption: < 1.3W
- Digital Diagnostics Monitoring (DDM): Yes

This SFP+ fiber module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP cables, providing the convenience and reliability you need to ensure dependable network performance.



Certifications, Reports and Compatibility



Applications

Features

• 100% PALO ALTO NETWORKS LX COMPATIBLE SFP TRANSCEIVER: Designed, programmed and tested to work with compatible Palo Alto Networks switches and routers to deliver reliable 1GbE connectivity

• TECHNICAL SPECS: 1000BASE-LX 1Gbps Single Mode (SMF) LC Connector 1310nm Digital Diagnostic Monitoring (DDM) Distances up to 10km (6.2mi)

• TESTED FOR OEM HOST COMPATIBILITY: Hot-swappable in Palo Alto Networks routers and switches; DDM support reports the transceiver's status to most SNMP network management tools

• WORKS WITH MSA COMPLIANT SWITCHES: Also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules

• THE IT PRO'S CHOICE: Designed and built for IT Professionals, this SFP module is backed for life (lifetime of module, not network switch), including free lifetime 24/5 multi-lingual technical assistance.

Hardware		
	Warranty	Lifetime
	Compatible Brand	Palo Alto Networks
	Industry Standards	IEEE 802.3z 1000BASE-LX
Performance		
	Maximum Data Transfer Rate	1.00 Gbps
	Max Transfer Distance	10 km (6.2 mi)
	Туре	Single Mode
	Wavelength	1310nm
	Fiber Operating Mode	Full-Duplex
	DDM	Yes





	Compatible Networks	1000 Mbps (1 Gbps)
	MTBF	634,210,013 hours
	Power Consumption (In Watts)	< 1.3W
Physical Characteristics		
	Product Length	0.5 in [1.4 cm]
	Product Width	2.2 in [5.7 cm]
	Product Height	0.5 in [1.2 cm]
	Weight of Product	0.6 oz [18 g]
Packaging Information		
	Package Length	4.3 in [11.0 cm]
	Package Width	3.6 in [9.2 cm]
	Package Height	1.3 in [3.2 cm]
	Shipping (Package) Weight	1.7 oz [48.0 g]
What's in the Box	Included in Package	1 - SFP Transceiver

*Product appearance and specifications are subject to change without notice.

STARTECH.COM