

N2N3



## OURVISION.

NEW DIRECTIONS OUR WITS, AND LIFTS OUR SPIRITS.

PERSPECTIVE. HUMBLE AND PROUD.

WE BELIEVEMEANINGFUL ADVENTURES



POSSIBLE, THAT IS, IF YOU BRING THE WILL, THE IMAGINATION, AND THE RIGHT GEAR.

**Adventure Anywhere**™



## SCREENED IN PORCH FOR DINING IN CAMP

**Sets up just like any tarp**, but includes no-see-um mesh walls for creating the perfect environment for enjoying family and your finest campground cooking.

**Great for camping, backyards, picnicking,** or anywhere bugs might spoil a nice bit of relaxation.

MIN WEIGHT

**4 lbs, 1 oz** 1.9 kg Perfectly suited for hanging over a hammock. Two doors with extra zipper sliders let you pass the hammock ropes through and still zip them shut.

PACKED SIZE

**16 x 8 in dia** 41 x 20 cm dia

> FLOOR DIM 108 x 108 in

FOR DETAILED SETUP, CARE, AND REPAIR INSTRUCTIONS, VISIT: www.nemoequipment.com/support

Use a hammock with Bugout™ to create a bug-proof shelter.



Mesh Walls

2-Way Zippered Entries/Exits

Gutters for Water Drainage


> Anchor Point

Multiple Stake Points for Adjustable Height

BUGOUT™ 9x9

4 PERSON





Minimum Weight	4 lbs, 1 oz / 1.9 kg
Packed Weight	4 lbs, 12 oz / 2.2 kg
Packed Size	16 x 8 in dia / 41 x 20 cm dia
Wall Fabric	No-see-um Mesh
Tarp Fabric	75D PU Polyester (1,500)
Floor Dimensions	108 x 108 in / 274 x 274 cm
Interior Height	72 in / 183 cm
Floor Area	81 sq ft / 7.5 sq m
Included Accessories	Drawstring stuff sack, stakes, guy-out cord, repair kit
Optional Accessories	Adjustable Tarp Pole (80-99 in)



## **BUGOUT™ HIGHLIGHTS**

**Mesh walls** can be rolled up and secured out of the way.



**Attach corners** with cord to trekking poles, paddles, nearby trees, or optional DAC Adjustable Tarp Poles.



**Multiple stake points** at each corner allow you to adjust the shelter height.





**Adjustable Tarp Poles** (80 - 99 in) The pole is shock-corded for easy breakdown and storage.





NEMO quarantees every product we sell. We put great effort into choosing the best materials and providing you with the highest level of workmanship. We obsess over every design decision to ensure you get the greatest comfort and protection possible. Our process begins with pencil and paper and evolves methodically through computer modeling. prototyping, testing, and development. We strive to design and build the best outdoor equipment on the planet.

NEMO products carry a lifetime warranty against defects in workmanship and materials to original owner, with proof of purchase or warranty registration. Warranted products will be replaced or repaired at NEMO's discretion. NEMO does not warranty products against normal wear and tear. unauthorized modifications or alterations, improper use, improper maintenance, misuse or neglect or if the product is used for a purpose for which it is not intended.

If you are having a problem with your NEMO product, please visit www.nemoequipment.com/support/ warranty-returns/ or call NEMO Customer Service at 1-800-997-9301


We will do our best to see that you are satisfied with your NEMO product. Our goal is to get you back to the outdoors as quickly as possible.

Register your NEMO product for warranty online and receive a code for 10% off at the NFMO webstore!

nemoequipment.com/tent-manufacturer-warranty

Except as expressly set forth in these terms and conditions, NEMO is not liable for any direct, indirect or consequential damages arising out of or resulting from the use of a NEMO product. The warranties set forth in these terms and conditions are in lieu of all other warranties, express or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose.





NEMOEquipmentInc





Never place your stove, campfire, or other flame source in or near your tent. Never cook, light, or refuel a stove or any other heat source inside your tent. Death by suffocation and/ or serious burns is possible.

Maintain adequate ventilation inside your tent at all times. Death by suffocation is possible.

Anchor your tent properly at all times to reduce the risk of loss or injury to the tent or occupants.

Carefully consider the possibility of falling rocks or tree limbs, lightning strikes, flash floods, avalanches, strong winds, and other hazards when choosing a campsite to reduce the risk of loss or injury.

If you have additional questions, please contact NEMO Equipment, Inc. at 800-997-9301.

NOTE: All 2015 NEMO tents meet the CPAI-84 standard for flame retardancy.



www.nemoequipment.com

©2016 NEMO Equipment, Inc.