

## **USB Programming Cable Driver Installation**


1. The file you downloaded should have been a zipped file. Once you extract it to a folder, it should have folders for the operating systems it is compatible with. Open the folder that matches your operating system.




2. Inside the folder should be a few files, but the only one you need is the setup file, which is an .exe file and should be labeled with either your operating system in the name or setup as the name.




3. Double click on the setup file, confirm you want to run the setup if a message appears asking, and the installer should appear. Click on **Next >**, agree to the **License Agreement**, and click **Next >** again.




4. The installer will start installing the needed files and configuration. Please do not close the installer, or turn off your computer before it finishes. It should tell you that you have successfully installed if everything worked correctly and you can close the program by clicking **Finish**. It is recommended to restart your computer at this point.




5. Now you should be able to plug in the USB Radio Programming cable and have it install the final part of the driver. Wait until a message appears telling you that it successfully installed before trying to use the cable to program a radio.



6. Now you should check to see if it properly installed and find which COM port it is using. To do so, click on the windows button in the bottom left of your screen and right click on **Computer**. Click on **Manage** and if a window appears asking if you are sure you want to run the program click **Yes**.





7. The **Computer Management** window should appear. On the left side of the window there should be **Device Manager** as one of the items in the list. Click on it and then click on the arrow next to **Ports (COM & LPT)**. Make sure you have the USB Programming Cable plugged in, and assuming you installed the drivers correctly, you should see **Prolific USB-to-Serial Comm Port** followed by a COM port number. This COM port is the COM port you will be using when you use the Radio Programming Software.

