

NEON ARC | CONNECTIONS

CLASP CONNECTIONS - IP65


FEED CONNECTOR SUPPLIED AS 1M CABLE
 INSTALLATION WITH DOUBLE POWER FEED:
 FEED 01 + FEED 02




TOP END FEED



END CAP



TOP END FEED



END CAP

	01	02	
WHITE	BL-LS-4806	BL-LS-4807	BL-LS-4801
TUNEABLE	-	-	-
RGB	-	-	-
RGB CHASING	-	-	-
RGBW	-	-	-

SNAP CONNECTIONS - IP67


SUITABLE FOR OUTDOOR APPLICATIONS
 MUST BE FITTED CORRECTLY FOR IP67 RATING
 FEED CONNECTORS SUPPLIED AS 1M CABLE STANDARD,
 CHECK WITH BRIGHT LIGHT FOR ALTERNATE LENGTHS
 INSTALLATION WITH DOUBLE POWER FEED: FEED 01 + FEED 02



TOP END FEED




END CAP




FLEXIBLE CONNECTOR


	01	02		
WHITE	BL-LS-4808	BL-LS-4809	BL-LS-4811	BL-LS-4810
TUNEABLE	-	-	-	-
RGB	-	-	-	-
RGB CHASING	-	-	-	-
RGBW	-	-	-	-



SNAPTOPENDFEEDCONNECTOR



SNAPENDCAP




SNAPFLEXIBLECONNECTOR

NEON ARC | CONNECTIONS

SLIMLINE INJECTION MOULDING CONNECTIONS - IP67


CALL US TO DISCUSS USING INJECTION MOULDING FOR YOUR NEXT PROJECT

REQUIRES FITTING AT FACTORY. LEAD TIMES APPLY
 SUITABLE FOR OUTDOOR APPLICATIONS
 FEED CONNECTORS SUPPLIED AS 1M CABLE STANDARD, CHECK WITH BRIGHT LIGHT FOR ALTERNATE LENGTHS




SIDE FEED BOTTOM FEED TOP END FEED MIDDLEFEED END CAP FLEXIBLE CONNECTOR T FEED


WHITE	●	●	●	●	●	●	●
TUNEABLE	●	●	●	●	●	●	●
RGB	●	●	●	●	●	●	●
RGB CHASING	●	●	●	-	●	●	●
RGBW	●	●	●	-	●	●	●




SIDE FEED




BOTTOM FEED




TOP END FEED




MIDDLE FEED



END CAP



FLEXIBLE CONNECTOR




T-FEED

NEON ARC | CONNECTIONS

CAPPED DUAL INJECTION MOULDING - IP68


REQUIRES FITTING AT FACTORY. LEAD TIMES APPLY
 SUITABLE FOR OUTDOOR APPLICATIONS
 FEED CONNECTORS SUPPLIED AS 1M CABLE
 STANDARD, CHECK WITH BRIGHT LIGHT FOR
 ALTERNATE LENGTHS

CALL US TO DISCUSS USING
 INJECTION MOULDING FOR
 YOUR NEXT PROJECT




SIDE FEED BOTTOM FEED TOP END FEED END CAP FLEXIBLE CONNECTOR


WHITE	●	●	●	●	●
TUNEABLE	●	●	●	●	●
RGB	●	●	●	●	●
RGB CHASING	●	●	●	●	●
RGBW	●	●	●	●	●




SIDE FEED




BOTTOM FEED



TOP END FEED



END CAP



FLEXIBLE CONNECTOR